

City Council Authorized



CITY OF CHELAN SHORELINE MASTER PROGRAM

Prepared for:
City of Chelan
135 E. Johnson
Chelan, WA 98816

Prepared by:



2025 First Avenue, Suite 800
Seattle, WA 98121



750 Sixth Street South
Kirkland WA 98033



This report was funded in part through a grant from the Washington Department of Ecology.

2021 Periodic Review (Including 2017 GMA updates and 2019 amendments)

Table of Contents

Section	Page No.
Reader's Guide.....	1
1. Authority and Purpose.....	1
1.1 The Shoreline Management Act	1
1.2 Authority	2
1.3 Applicability	2
1.4 Purpose and Intent	3
1.5 Current Baseline Findings	4
1.6 Relationship to Other Codes, Ordinances and Plans	6
1.7 Liberal Construction.....	6
1.8 Severability	7
1.9 Effective Date	7
2 Shoreline Goals and Policies.....	1
2.1 Economic Development Element Goals	2
2.1.1 Commercial Policies	2
2.1.2 Industrial Policies	3
2.2 Public Access Element Goals.....	3
2.2.1 Public Access Policies	3
2.3 Recreation Element	6
2.3.1 Recreation Policies.....	6
2.4 Circulation Element	7
2.4.1 Transportation and Circulation Policies	7
2.5 Shoreline Use and Modification Element	8
2.5.1 General Design Policies.....	8
2.5.2 Agricultural Policies.....	9
2.5.3 Boating Policies	10
2.5.4 Breakwaters, Jetties, Groins, Weirs and Barbs Policies	11
2.5.5 Dredging Policies.....	11
2.5.6 Fill and Excavation Policies	11
2.5.7 Private Moorage Policies	12
2.5.8 Residential Policies	12
2.5.9 Shoreline Stabilization Policies	14
2.5.10 Utilities Policies	14

2.5.11	Redevelopment, Repair, and Maintenance Policies	15
2.5.12	Nonconforming Structures, Uses, and Lots Policies	15
2.5.13	Shorelines of Statewide Significance Policies	15
2.6	Conservation Element	16
2.6.1	Ecological Protection and Critical Areas Policies	17
2.6.2	Vegetation Conservation and Shoreline Setback Policies.....	18
2.6.3	Water Quality, Stormwater and Nonpoint Pollution Policies	18
2.6.4	General Aquatic Policies	19
2.6.5	Shoreline Habitat and Natural Systems Enhancement Projects Policies	19
2.7	Historic, Cultural, Scientific, and Educational Element.....	19
2.7.1	Archaeological and Historic Resources Policies	19
2.8	Chelan River Element.....	20
2.8.1	Flood Hazard Prevention Element	20
2.8.2	Flood Hazard Reduction Policies.....	20
2.8.3	In-Water Structures Policies	21
3	Shoreline Jurisdiction and Environment Designations	1
3.1	Shoreline Jurisdiction.....	1
3.2	Environment Designations.....	1
3.2.1	Environment Designation System.....	1
A.	Shoreline Park/Public.....	2
B.	Shoreline Residential – Single Family.....	3
C.	Shoreline Residential – Multi-Family	3
D.	High Intensity	4
E.	Aquatic	5
3.2.2	Use Matrix and Development Standards.....	5
3.2.3	Official Shoreline Maps and Unmapped or Undesignated Shorelines.....	10
3.2.4	Interpretation of Environment Designation Boundaries	11
3.3	Shoreline Use Preferences.....	11
3.4	Shorelines of Statewide Significance	12
3.4.1	Designation Criteria	12
3.4.2	Use Preferences	12
4	General Regulations	1
4.1	Archaeological and Historic Resources.....	1
4.1.1	Overview	1
4.1.2	Regulations	1
4.2	Ecological Protection and Critical Areas	2

4.2.1	Overview	2
4.2.2	Regulations	2
4.3	Public Access.....	4
4.3.1	Overview	4
4.3.2	Regulations	4
4.4	Vegetation Conservation and Shoreline Setbacks.....	8
4.4.1	Overview	8
4.4.2	General Regulations.....	8
4.4.3	Shoreline Setback Regulations.....	12
4.5	Water Quality, Stormwater and Nonpoint Pollution.....	23
4.5.1	Overview	23
4.5.2	Regulations	23
4.6	Safety (no wake) Buoys	24
4.6.1	Overview.....	24
4.6.2	Regulations	25
5	Shoreline Modifications and Uses	1
5.1	General Upland Shoreline Modification and Use Regulations	1
5.1.1	Overview	1
5.1.2	Regulations	1
5.2	General Aquatic Shoreline Modification and Use Regulations.....	3
5.2.1	Overview	3
5.2.2	Regulations	3
5.3	Agriculture	5
5.3.1	Overview	5
5.3.2	Regulations	5
5.4	Aquaculture	6
5.5	Boating Facilities and Private Moorage Structures	6
5.5.1	Overview	6
5.5.2	General Regulations.....	7
5.5.3	Boating Facilities Regulations	10
5.5.4	Private Moorage Structure Regulations.....	14
5.6	Breakwaters, Jetties, Groins, Weirs and Barbs	17
5.6.1	Overview	17
5.6.2	Regulations	17
5.7	Commercial Development.....	17
5.7.1	Overview	17

5.7.2	Regulations	17
5.8	Dredging and Dredge Material Disposal.....	21
5.8.1	Overview	21
5.8.2	Regulations	21
5.9	Fill and Excavation	24
5.9.1	Overview	24
5.9.2	Regulations	24
5.10	Forest Practices.....	25
5.11	Industry	25
5.11.1	Overview	25
5.11.2	Regulations	25
5.12	Mining	26
5.13	Recreational Development	26
5.13.1	Overview	26
5.13.2	Regulations	26
5.14	Residential Development	28
5.14.1	Overview	28
5.14.2	Regulations	28
5.15	Shoreline Habitat and Natural Systems Enhancement Projects.....	29
5.15.1	Overview	29
5.15.2	Regulations	29
5.16	Shoreline Stabilization	30
5.16.1	Overview	30
5.16.2	Regulations	31
5.17	Transportation and Parking	39
5.17.1	Overview	39
5.17.2	Regulations	39
5.18	Utilities	41
5.18.1	Overview	41
5.19	Redevelopment, Repair, and Maintenance	43
5.19.1	Overview	43
5.19.2	Regulations	43
6.	Chelan River Standards.....	1
6.1	Flood Hazard Reduction	1
6.1.1	Overview	1
6.1.2	Regulations	1

6.2	In-Water Structures	2
6.2.1	Overview	2
6.2.2	Regulations	2
7	Shoreline Permits, Procedures and Administration	1
7.1	Roles and Responsibilities	1
7.1.1	Shoreline Master Program Administrator	1
7.1.2	SEPA Official	2
7.1.3	Hearing Examiner.....	2
7.1.4	Planning Commission	2
7.1.5	City Councils.....	2
7.2	Interpretation	2
7.3	Statutory Noticing Requirements	2
7.4	Application Requirements and Vesting	3
7.5	Shoreline Substantial Development Permits.....	4
7.5.1	Permit Required	4
7.5.2	Permit Review Criteria	4
7.5.3	Conditions of Approval	4
7.6	Exemptions from Shoreline Substantial Development Permits	4
7.6.1	Compliance with Applicable Regulations Required	4
7.6.2	Interpretation of Exemptions	4
7.6.3	Exemptions	5
7.6.4	Letters of Exemption.....	10
7.6.5	Letters of Exemption – Application.....	10
7.7	Shoreline Conditional Use Permits	10
7.7.1	Purpose and Review Process	10
7.7.2	Determinations of Conditional Use Permits	10
7.7.3	Review Criteria	10
7.7.4	Conditions of Approval	12
7.8	Shoreline Variance Permits	12
7.8.1	Purpose and Review Process	12
7.8.2	Review Criteria	12
7.8.3	Conditions of Approval	13
7.9	Permit Conditions	13
7.10	Duration of Permits	13
7.11	Initiation of Development.....	14
7.12	Review Process	15

7.13	Appeals	15
7.13.1	Appeals of Shoreline Administrator Determinations and Decisions.....	15
7.13.2	Appeals to Shorelines Hearings Board	16
7.14	Amendments to Permits.....	16
7.14.1	Revision – When Required	16
7.14.2	Determination of Scope and Intent	16
7.14.3	Filing of Revision	16
7.14.4	Effective Date of Revised Permit	17
7.14.5	Appeal of Revised Permit.....	17
7.15	Enforcement	17
7.16	Amendments to Shoreline Master Program.....	17
7.16.1	General.....	17
7.16.2	Amendment Process and Criteria	17
7.17	Monitoring	18
8.	Nonconforming Structures and Uses.....	1
8.1	Overview	1
8.2	Regulations	1
8.2.1	Nonconforming Use	1
8.2.2	Nonconforming buildings.....	1
8.2.3	Nonconforming Lots	2
8.2.4	Pre-existing Legal Uses – Conforming Residential Structures	2
9	Definitions	1
A	1
B	3
C	4
D	5
E	6
F	7
G	9
H	9
I	10
J	11
L	11
M	12
N	13
O	14

P	14
Q	15
R	16
S	17
T	20
U	20
V	21
W	21
Z	23
Universal Note.....	23

Appendix A: Shoreline Jurisdiction Boundaries and Environment Designation Maps

Appendix B: Critical Areas Regulations

Appendix C: Public Access Plan

Appendix D: Shoreline Residential - SF Setback Tier Maps

Appendix E: Guidance for Development of Vegetation Mitigation Plans

List of Tables

	Page No.
Table 2.6.1. Shoreline Ecological Functions & Processes.....	17
Table 3-1. Shoreline Use and Modification Matrix for the City of Chelan.	7
Table 3-2. Shoreline Development Standards Matrix for the City of Chelan.	10
Table 4.4-1. Shoreline Setbacks by Environment Designation for the City of Chelan.....	13
Table 4.4-2. Design Standards for Public Parks and Recreation Lands and Facilities in Lieu of a Shoreline Setback.	14
Table 4.4-3. Shoreline Setback Reduction Options for Each Environment Designation	19
Table 5.5-1. Design Standards for Boating Facilities.	11
Table 5.5-2. Dimensional and Materials Standards for Docks.....	14

SHORELINE MASTER PROGRAM

CITY OF CHELAN

READER'S GUIDE



Chelan County and its Cities developed and adopted Shoreline Master Programs (SMPs) in 1975 for the purpose of “focusing comprehensive, coordinated planning attention at the critical land-water interface” (page 1). The original SMP (1975 SMP) was developed more than 30 years ago and since then much has changed along Chelan County shorelines. In addition, knowledge of best development and conservation practices has evolved. There have also been changes in State laws and rules.

This SMP has been prepared for the City of Chelan and its urban growth

area (UGA) to meet the requirements of the Shoreline Management Act of 1971 (RCW 90.58), the implementing State rules codified as Chapter 173-26 of the Washington Administrative Code (WAC) “State Master Program Approval/Amendment Procedures and Master Program Guidelines” that were revised in 2003, and other applicable local, state, and federal laws. As was the case in 1975 and today, the SMP is developed locally, but must meet the Shoreline Management Act and implementing State rules, and is subject to approval by the Washington State Department of Ecology (Ecology) before it can be implemented.

The SMP has been prepared under a grant agreement with Ecology. For planning purposes and as part of the grant agreement, Chelan County and the Cities of Cashmere, Chelan, Entiat, Leavenworth, and Wenatchee conducted nine Vision Workshops in fall 2008 to capture citizen questions, concerns, goals and aspirations regarding County and City shorelines. The Vision Workshop results have factored into the development of this SMP as well. Further the City of Chelan’s unique conditions and planning aspirations have also been incorporated into the SMP within the framework of the State laws and rules.

The contents of this Shoreline Master Program are structured as follows:

- Chapter 1 Comprehensive Plan Shoreline Goals, Objectives, and Policies
- Chapter 2 Authority and Purpose
- Chapter 3 Shoreline Jurisdiction and Environment Designations
- Chapter 4 General Policies and Regulations
- Chapter 5 Shoreline Modifications and Uses
- Chapter 6 Chelan River Standards
- Chapter 7 Shoreline Permits, Procedures and Administration
- Chapter 8 Nonconforming Uses and Development Standards

- Chapter 9 Definitions

Chapters 1 through 9 include goals, policies and regulations applicable to the City of Chelan and its UGA.

When reading the SMP, it is useful to consider the definitions of the following terms that are based on definitions in the State Shoreline Master Program Guidelines (WAC 173-26-020):

- Shall or must: means a mandate; the action must be done.
- Should: means that the particular action is required unless there is a demonstrated, compelling reason, based on policy of the Shoreline Management Act and shoreline master program, against taking the action.
- May: means the action is acceptable, provided it conforms to the provisions of this shoreline master program and the Act.

In general, this SMP uses the word “should” in goals, objectives, and policies, and “shall” in the regulations.

The SMP has a high level of detail for the following reasons: 1) to allow for more shoreline applications to be approved administratively for an efficient and cost-effective process, 2) to cross-reference applicable state and federal laws to help consolidate requirements and be a resource for property owners and City staff, and 3) to provide some certainty of interpretation and application that benefits property owners and City staff over time.

This SMP will be subject to public review and hearings and adapted to meet City needs prior to submittal to Ecology. More information about the SMP public review process and opportunities for public comment and public meetings can be found at: <http://cityofchelan.us/planbuild/planning.aspx> and http://www.co.chelan.wa.us/nr/planning/natural_resources_planning/default.htm.



1. AUTHORITY AND PURPOSE

1.1 The Shoreline Management Act

Washington State's citizens voted to approve the Shoreline Management Act of 1971 in November 1972. The adoption of the Shoreline Management Act (Act) (RCW 90.58.020) recognized that restrictions on development in the shoreline were in the public interest.

"Shorelines of the state are among the most valuable and fragile of its natural resources and that there is great concern throughout the state relating to their utilization, protection, restoration, and preservation" and that "coordinated planning is necessary in order to protect the public interest associated with the shorelines of the state while, at the same time, recognizing and protecting private property rights consistent with the public interest" (RCW 90.58.020).

The Act seeks to provide environmental protection for shorelines, preserve and enhance shoreline public access, and encourage appropriate development that supports water-oriented uses to avoid uncoordinated, unrestricted, and piecemeal development as articulated in RCW.58.020.

Shoreline Master Programs for shorelines of statewide significance, shall give preference to uses in the following order of preference:

- (1) *Recognize and protect the statewide interest over local interest;*
- (2) *Preserve the natural character of the shoreline;*
- (3) *Result in long term over short term benefit;*
- (4) *Protect the resources and ecology of the shoreline;*
- (5) *Increase public access to publicly owned areas of the shorelines;*
- (6) *Increase recreational opportunities for the public in the shoreline;*
- (7) *Provide for any other element as defined in RCW 90.58.100 deemed appropriate or necessary.*

Under the Act, SMPs shall

- preserve the public's opportunity to enjoy the physical and aesthetic qualities of natural shorelines of the state.
- Prefer uses consistent with control of pollution, prevention of damage to the natural environment, or are unique or dependent on the shoreline

Permitted uses in the shorelines of the state shall be designed and conducted in a manner to minimize, insofar as practical, any resultant damage to the ecology and environment of the shoreline area and any interference with the public's use of the water

Alterations of the natural state of the shoreline shall documented by the department and be limited to the following:

- single family residences and their appurtenant structures
- ports
- shoreline recreational uses including but not limited to parks, marinas, piers, and other improvements facilitating public access to shorelines of the state
- industrial and commercial developments which are particularly dependent on their location on or use of the shorelines of the state

Under the Act, shoreline master programs are created and implemented based on a “cooperative program of shoreline management between local government and the state” (RCW 90.58.050). The roles of local governments and the state are:

“Local government shall have the primary responsibility for initiating the planning required by this chapter and administering the regulatory program consistent with the policy and provisions of this chapter. The department [of Ecology] shall act primarily in a supportive and review capacity with an emphasis on providing assistance to local government and on insuring compliance with the policy and provisions of this chapter.” (RCW 90.58.050)

In recognition of the Act and citizen ideas collected through a local shoreline planning process, the City of Chelan has developed this Shoreline Master Program (SMP), and continually implement and administer it through shoreline permits and reviews. The Washington State Department of Ecology (Ecology) reviews and approves local master programs and certain local permit decisions.

1.2 Authority

This SMP is enacted and administered according to the following state law and rules:

- A. The Shoreline Management Act of 1971, Chapter 90.58 RCW;
- B. State master program approval/amendment procedures and master program guidelines, WAC 173-26; and
- C. Shoreline management permit and enforcement procedures, Chapter 173-27 WAC.

1.3 Applicability

- A. Unless specifically exempted by statute or provided as an exception below, all proposed uses and development occurring within shoreline jurisdiction must conform to the intent and requirements of the laws and rules cited in Section 2.2 and this SMP whether or not a permit or other form of authorization is required. See Chapter 3 for the definition of shoreline jurisdiction and Chapter 9 for definitions of uses, activities, and development.
- B. Permits or review under this SMP do not apply to the following activities:
 - 1. Interior building improvements that do not change the use or occupancy.
 - 2. Exterior building structure maintenance activities, including painting and roofing, as long as it does not expand the existing footprint of the structure.
 - 3. Routine landscape maintenance of established, ornamental landscaping, such as lawn mowing, pruning and weeding; and
 - 4. Maintenance of the following existing facilities that does not expand the affected area: septic tanks (routine cleaning), wells, and individual utility service connections.
 - 5. Remedial actions. Pursuant to RCW 90.58.355, any person conducting a remedial action at a facility pursuant to a consent decree, order, or agreed order issued pursuant to chapter 70.105D RCW, or to the department of ecology when it conducts a remedial action under chapter 70.105D RCW.
 - 6. Boatyard improvements to meet NPDES permit requirements. Pursuant to RCW 90.58.355, any person installing site improvements for storm water treatment in an existing boatyard facility to meet requirements of a national pollutant discharge elimination system storm water general permit.

7. WSDOT facility maintenance and safety improvements. Pursuant to RCW 90.58.356, Washington State Department of Transportation projects and activities meeting the conditions of RCW 90.58.356 are not required to obtain a substantial development permit, conditional use permit, variance, letter of exemption, or other local review.
 8. Projects consistent with an environmental excellence program agreement pursuant to RCW 90.58.045.
 10. Projects authorized through the Energy Facility Site Evaluation Council process, pursuant to chapter 80.50 RCW.
- C. The shoreline permit procedures, policies and regulations established in this SMP shall apply to all nonfederal uses, activities, and development.
- D. This SMP applies to lands subject to nonfederal ownership, lease or easement, even though such lands may fall within the external boundaries of a federal ownership.
- E. Federal lands include, but are not limited to, National Forests, National Parks, National Wilderness Areas, and lands owned by the Federal Bureau of Land Management (BLM). The following subsections shall guide the determination of SMP applicability on federal lands:
1. Federal development on federally owned land is not subject to this SMP nor required to obtain a Shoreline permit unless otherwise required by federal law, or unless the state by statute has ceded all regulatory authority over the federal ownership;
 2. Federal development on a federally owned lease is not subject to this SMP nor required to obtain a Shoreline permit unless otherwise required by federal law, or unless the state by statute has ceded all regulatory authority over the federal ownership as long as the development is consistent with the purpose of the lease;
 3. Development on federally owned land under a federal lease or easement for a non-federal activity is subject to this SMP and must obtain a Shoreline permit; for example, the SMP applies to private activities on federal land such as leases where the private citizen owns the structure but the federal government owns the land;
 4. Non-federal development or use on federally owned land is subject to this SMP and must obtain a Shoreline permit;
 5. Development on non-federal land is subject to this SMP and must obtain a Shoreline permit, even if it is leased, rented, etc. to the federal government, or it is within the boundaries of federal ownership unless the state by statute has ceded all regulatory authority over the federal ownership.
- F. As recognized by RCW 90.58.350, the provisions of this SMP shall not affect treaty rights of Indian Nations or tribes.
- G. Where this Program makes reference to any RCW, WAC, or other state or federal law or regulation, the most recent amendment or current edition shall apply.

1.4 Purpose and Intent

The purposes of this SMP are:

- A. To promote the public health, safety, and general welfare of the community by providing comprehensive policies and effective, reasonable regulations for development, use and protection of jurisdictional shorelines; and
- B. To further assume and carry out the City's responsibilities established by the Act in RCW 90.58.050 including planning and administering the regulatory program consistent with the policy and provisions of the Act in RCW 90.58.020; and

- C. Promote reasonable and appropriate use of the shorelines considering State and local interests defined in laws, rules, and plans as well as private property rights; and
- D. Protect against significant adverse effects to the land, its vegetation and wildlife, and the waters and their aquatic life within jurisdictional shorelines; and
- E. To give preference to those uses that are consistent with the control of pollution and prevention of damage to the natural environment, or are unique to or dependent upon uses of the state's shoreline areas, as illustrated in use allowances of this SMP; and
- F. Reduce use conflicts by including provisions to prohibit or apply special conditions to those uses which are not consistent with the control of pollution and prevention of damage to the natural environment or are not unique to or dependent upon use of the state's shoreline, such as through application of vegetation management, water quality, restoration and similar standards. In implementing this provision, preference shall be given first to water-dependent uses, then to water-related uses and water-enjoyment uses in assigning permit types; and
- G. Assure no net loss of ecological functions associated with the shoreline; and
- H. Protect rights of navigation; and
- I. Recognize private property rights and constitutional limitations on the regulation of private property and protect those rights while implementing this SMP; and
- J. Maintain or recreate a high quality of environment along jurisdictional shorelines; and
- K. Preserve and protect fragile natural resources and cultural significant features; and
- L. Increase public access to publicly owned areas of the shorelines where increased use levels are desirable; and
- M. Protect public and private properties from adverse effects of improper development in hazardous shoreline areas; and
- N. Recognize the importance of an informed and responsible public observing basic rules of good behavior in the use and enjoyment of all shorelines; and
- O. Recognize that this SMP does not alter existing law on access to or trespass on private property and does not give the general public any right to enter private property without the owner's permission.

1.5 Current Baseline Findings

- A. **Arid Climate:** The City of Chelan is located in an arid area receiving less than 15 mm of rain annually, much of it likely falling as snow during the winter months. Climate models predict a slight annual increase of precipitation, from 2-8% by 2050, mostly in the winters while summers will become drier.
- B. **Water Quality:** The lake is known for its generally clean and clear waters, a result of the ultra-oligotrophic (low nutrient) conditions. Total Maximum Daily Loads (TMDLs) have been developed by the Washington Department of Ecology for certain chemicals (DDT/PCBs) and for total phosphorus.
- C. **Recreation:** Lake Chelan is a popular recreation destination because of its climate and waters.
- D. **Limited Known Presence of Priority Habitats:** With the exception of a common loon heritage point and a number of fish species (e.g., pygmy whitefish, rainbow trout, kokanee and Chinook salmon, and westslope cutthroat trout), no other Washington Department of Fish and Wildlife-designated priority habitats or species are mapped in the City's lake shoreline jurisdiction.
- E. **Lack of Wetlands:** Wetlands are not mapped in the City's lake shoreline jurisdiction.
- F. **Lake Level Management:** The Chelan Public Utility District (PUD) manages the lake level through its FERC license, maintaining a full pool from July through early September and for other months between May and October managing lake level so that it does not go below a certain minimum level

necessary for lake recreation unless necessary to accomplish higher-priority purposes (such as maintenance of Chelan River flows for fish, flood hazard reduction, etc.). How far down the lake is drawn each year is determined by the PUD based on their predicted inflow from rain and snowmelt.

- G. **Seasonal Variation of Water's Edge:** Lake level management has resulted in seasonal variation of the water's edge. In the winter months, when potential stormwater impacts are greatest, the water level drops to a distance of 40 feet in some of the steeper shoreline areas, but more commonly 80 to 150 feet, and in some cases is ~1,000+ feet waterward of the high lake level. Yet it is at the high lake level where armoring and the limit of upland development are found. Overwater structures are often completely in the dry during 6-9 months of the year, with only the larger public, community or commercial structures extending partially waterward of the low lake elevation.
- H. **Developed Properties:** In the City and much of the Urban Growth Area (UGA), lakeshore properties are either developed or in many cases have been altered in preparation for development or associated with adjacent development. A significant number of properties already have an overwater structure, and even more properties have armored shorelines.
- I. **Structure Setbacks:** Existing primary structure setbacks for single-family development range widely, from minimums of 6 and 8 feet from the Ordinary High Water Mark (OHWM) or ordinary high water line to maximums of 100-200 feet from the OHWM or ordinary high water line. Sampled properties showed about 25% have primary structure setbacks of less than 25 feet and another 25% have setbacks between 25 and 50 feet.
- J. **Alteration:** The level of alteration is characteristically very high between the shoreline and the primary structure, including primarily lawn and other hardscape, such as pools, large patios and other impervious surfaces, a number of which are parallel and adjacent to the shoreline edge. Non-native trees and shrubs as well as lawns are also found on properties.
- K. **Less Developed Lands with Geologic Hazards:** On Lake Chelan, mapped geologically hazardous areas in the City's shoreline jurisdiction coincide with those currently undeveloped properties on the north shore that still retain some native shrub-steppe vegetation, lack overwater structures, and appear to lack armoring. SMP standards reflect the varying undeveloped and developed conditions.
- L. **Limited Shoreline Functions:** Many of the potential functions of shoreline vegetation have little to no application in the City of Chelan and its UGA, including those related to temperature control and provision of large woody debris. Other potential functions have very reduced opportunity to perform because of the management of the lake level by the PUD, which places the water's edge 10s to 100s of feet landward of the summer high water mark for 6-9 months of the year. The existing developed and armored condition of most of the City and the naturally rocky/steep sloped condition of the few remaining undeveloped areas limits the actual and potential value of any vegetation, particularly for wildlife or as a source of organic lake inputs.
- M. **Water Quality Functions:** Shoreline vegetation functions related to water quality, however, do have some application regarding Lake Chelan. Sediment filtration, pollution filtration, and erosion control, are the primary functions potentially applicable in the City's Lake Chelan shoreline jurisdiction.
- N. **Available Scientific Literature and Setbacks:** Scientific literature with regards to riparian vegetation specific to Lake Chelan is limited. Washington State Department of Wildlife's [Volumes 1: Science Synthesis and Management Implications & Volume 2: Management Recommendations](#) provides the best available science for riparian management zones. Undeveloped segments of shoreline shall consult Volume 2 for vegetation conservation recommendations. The SMP setbacks and vegetation conservation standards are consistent with existing conditions. The proposed standards, which include on-site infiltration, are also generally consistent with the scientific literature for maintaining riparian functions on a developed lake with varying pool levels in an arid environment.
- O. **Water Quality Treatment Standards:** The City's SMP provisions account for the most important shoreline ecological functions – i.e. water quality – by requiring water quality treatment and onsite infiltration or detention for new development as well as connection to sewer.

- P. **Existing Native Vegetation Protection:** While there is less native vegetation present given altered conditions, the SMP contains a suite of regulations that protect existing vegetation, particularly native vegetation and existing significant trees, in Vegetation Conservation and Shoreline Setbacks (Section 4.4). Volume 2 of WDFW Riparian Management Recommendations can be used to guide Vegetation Conservation areas on undeveloped shorelines.
- Q. **Soil Erosion Protection:** The SMP addresses soil erosion through the general Water Quality section (Section 4.5), and also in provisions of Vegetation Conservation and Shoreline Setbacks (Section 4.4) which require retention of stormwater runoff onsite.
- R. **Avoiding Chemical Applications:** The SMP also discourages use of chemical treatment of landscaping, and requires that any application of chemicals must be in strict conformance to the manufacturer's instructions.
- S. **Effective Package of Regulations addressing Shoreline Ecological Functions:** Together, the provisions for vegetation replacement, water quality treatment, and onsite infiltration for all new or redeveloped properties are expected to compensate for any potential effects of smaller setback widths on the shorelines of Lake Chelan.
- T. **Invasive Aquatic Plants.** Known populations of Eurasian milfoil are documented in Lake Chelan. Due to the seasonal drawdown of the pool depth, the growth and establishment of milfoil is typically restricted to below 15ft at full pool. Curlyleaf pond weed is also documented. (Aquatechnex, 2015)

1.6 Relationship to Other Codes, Ordinances and Plans

- A. All applicable federal, state, and local laws shall apply to properties in the shoreline jurisdiction. All developments that include lands covered by water are subject SEPA and may require approval or permits from state or federal agencies.
- B. The responsibility for determining applicable federal, state or special district statutes and regulations and complying with the same rests with the applicant/proponent or responsible person carrying out the activity, use, or development in question.
- C. Consistent with RCW 36.70A.480, the goals and policies of this SMP approved under Chapter 90.58 RCW shall be considered an element of City's comprehensive plans. All regulatory elements of this SMP, including, but not limited to definitions and use regulations, shall be considered a part of the City's development regulations.
- D. Certain non-regulatory elements of this SMP, limited to Appendix C: Public Access Plan, may be updated at any time without requiring a formal SMP amendment.
- E. All local development regulations including, but not limited to, zoning and subdivision rules shall apply in addition to this SMP. This SMP includes critical areas regulations applicable only in the shoreline jurisdiction, and shall control within shoreline jurisdiction over other City critical area regulations adopted pursuant to the Growth Management Act.
- F. In the event provisions of this SMP conflict with provisions of Federal, State, County or City regulations, the provision that is most protective of shoreline resources shall prevail, when consistent with policies set out in the Act.

1.7 Liberal Construction

As provided for in RCW 90.58.900, the Act is exempted from the rule of strict construction; the Act and this SMP shall therefore be liberally construed to give full effect to the purposes, goals, and policies for which they were enacted.

1.8 Severability

Should any section or provision of this SMP be declared invalid, such decision shall not affect the validity of this SMP as a whole.

1.9 Effective Date

The SMP adopted on November 8, 2016, with an effective date of January 1, 2017 is hereby updated and adopted under the periodic review effective as of **May 23, 2022**. This SMP and all amendments thereto shall become effective 14 days from the date of the Washington State Department of Ecology's written notice of final approval.

City Council passed Ordinance 2016-1524, revising the SMP and setting the effective date. Department of Ecology's written Notice of Final Approval is dated December 5, 2016, establishing the SMP effective date as December 19, 2016.

The City, through the Planning and Community Development Department underwent the public process to review and update its Shoreline Master Program beginning in 2019. City Council passed Ordinance 2021-1592, completing the SMP periodic review and establishing an effective date. Department of Ecology's written Notice of Final Approval is dated May 9, 2022, establishing the SMP effective date as May 23, 2022.

2 SHORELINE GOALS AND POLICIES

The City of Chelan contains two shorelines: Lake Chelan and the Chelan River, both of which are governed by the Shoreline Management Act (SMA). Further, both are considered shorelines of statewide significance calling for optimum implementation of the SMA in local Shoreline Master Programs (SMPs).

Per WAC 173-26-186(3), all relevant policy goals must be addressed in the planning policies of the SMP. This chapter contains City of Chelan SMP shoreline goals and policies, and comprises the Shoreline element of the City of Chelan Comprehensive Plan. Goals express the ultimate aim of the County, Cities and citizens along their shorelines. Policies are statements of principles that guide and determine present and future decisions. Goals and policies provide a framework upon which the more detailed SMP shoreline use environments, policies, regulations, and administrative procedures are based in the City of Chelan Municipal Code.



This chapter contains sub-elements or topics around which goals and policies are presented. The SMP sub-elements are as follows:

1. Economic development sub-element for the location and design of industries, transportation facilities, port facilities, tourist facilities, commerce and other developments that are particularly dependent on their location on or use of the shorelines of the state;
2. Public access sub-element for provision for public access to shorelines, particularly publicly owned areas;
3. Recreational sub-element for preserving and enlarging recreational opportunities including but not limited to parks, beaches, and recreational areas;
4. Circulation sub-element consisting of the general location and extent of existing and proposed major thoroughfares, transportation routes, terminals, and other public utilities and facilities, all correlated with the shoreline use element;
5. Shoreline use and modification sub-element for considering:
 - The proposed general distribution and general location and extent of the use on shorelines and adjacent land areas, including, but not limited to, housing, business, industry, transportation, agriculture, natural resources, recreation, education, public buildings and grounds, and other categories of public and private uses of the land;
 - The pattern of distribution and location requirements of water uses including, but not limited to, aquaculture, recreation, and transportation; and
 - Establishing the importance of locating water-oriented uses within shoreline jurisdiction. Of the three categories of water-oriented uses, water-dependent is most preferred, followed by water-related and water-enjoyment.
6. Conservation sub-element for the preservation of natural resources, including but not limited to scenic vistas, aesthetics, and critical areas' functions and values, fisheries and wildlife protection, and shoreline ecological functions;

7. Historical/cultural/scientific/and educational sub-element for protecting and restoring buildings, sites and areas having historic, archaeological, cultural, scientific, or educational values;
8. Flood hazard prevention sub-element for giving consideration to the state-wide interest in the prevention and minimization of flood damages, and construction, modification, and restoration of flood-damaged structures consistent with federal and state standards.

2.1 Economic Development Element Goals

Goal ED-1. Permit those commercial, industrial, recreational, and other developments requiring a shoreline location which may contribute to the economic well-being of the City.

Goal ED-2. Encourage the protection and restoration of unique, fragile, and scenic elements in shoreline areas as a means to promote long-term economic well-being.

2.1.1 Commercial Policies



A. Encourage water-oriented uses. Water-oriented commercial developments which provide an opportunity for substantial numbers of people to enjoy the amenities of the shorelines should be encouraged to locate near the water. Nonwater-oriented commercial development should be located landward or outside shoreline jurisdiction.

B. Commercial use preferences. All water-oriented commercial uses have preference over nonwater-oriented commercial uses. Preference should be given in the following order for commercial use: water-dependent, water-related uses, water-enjoyment. Water-related uses should have priority above water-enjoyment uses.

C. Location in existing commercial areas. New commercial development should be located in those areas where current commercial uses exist.

D. Design. New commercial development should be designed to provide economic activity meeting the needs of residents, businesses, and tourists, protect the public's

health, safety, and welfare, protect shoreline ecological functions, and provide public access where feasible and consistent with constitutional limits.

- E. **Compatibility.** Commercial development shall not infringe upon existing uses from continuing to operate or enjoy the shoreline environment.
- F. **Design and Redevelopment of Waterfront.** Mixed-use development projects that include retail shops, living spaces, overnight lodging, boardwalks, and water-related commercial activities should be encouraged.
- G. **Waterfront Development Priority.** Redevelopment of downtown properties is the shoreline should integrate mixed-use, green space, and pedestrian amenities with an emphasis on water enjoyment.
- H. **Lord Acres.** The Lord Acres area should be designated as a special use district as a mixed-use agricultural, tourist commercial, and residential use area.
- I. **Transition of Heavy Commercial to Mixed Uses.** When reviewing shoreline applications, the City should encourage relocation of the heavy commercial uses out of the South Shore waterfront area

and promote a mixed-use development which includes water-related/dependent tourist commercial activities, and residential.

- J. **Adequate Circulation, Parking, and Landscaping.** New development should adequately address parking, traffic and circulation, and landscaping requirements.
- K. **Limit Outdoor Storage.** Restrict outside storage of vehicles or materials to approved screening or enclosed areas in conformance with the fire code.

2.1.2 Industrial Policies

- A. **Industrial use preference.** Water-dependent industries require waterfront locations and shall be located where compatible with existing land use plans and zoning. Water-dependent industrial uses should be given priority over water-related, water enjoyment, and non-water oriented industrial uses in those zones.
- B. **Industries requiring navigable water. Water-dependent** industries which require frontage on navigable water should be given priority over other non-water oriented industrial uses.
- C. **Environmental limitations.** Lands designated for industrial development should not include shoreline areas with severe environmental limitations, such as critical areas.
- D. **Water and wastewater facilities.** Sewage treatment and potable water facilities are considered water dependent uses and should be compatible with surrounding uses designed to assure no net loss of ecological functions.to avoid adverse impacts to other shoreline resources and values.
- E. **Cleanup and restoration.** Industrial development and redevelopment should incorporate and be required to undertake environmental cleanup and restoration of the shoreline area..

2.2 Public Access Element Goals

Goal PA-1. Ensure public access to shorelines consistent with the following:

- Safe and convenient;
- Diversified, meaning providing a range of access types serving different user preferences from small access points to large open spaces and public beaches;
- Makes provisions for and protects public access to publicly owned shoreline jurisdiction areas;
- Avoids endangering life or adverse effects on private property
- Avoids unnecessary degradation to fragile ecosystems or natural features
- Minimizes conflicts between the public and private property
- Enables the public to enjoy the physical and aesthetic qualities of shorelines of the state
- Undeveloped shorelines of the State shall be preserved to the greatest extent feasible consistent with the overall best interest of the state and the people generally;
- Is designed for persons with disabilities, where feasible, consistent with federal standards; and
- Altered natural conditions of the shorelines of the state may occur in those instances when public access provides an opportunity for substantial numbers of people to enjoy the shorelines of the state.

2.2.1 Public Access Policies

- A. **Types of public access.** Public access includes both **physical** and **visual approaches** to shorelines and range from small neighborhood access points, natural shorelines with limited access, to large active areas for camping and boating.
- B. **Increase public access** The City should seek to increase the amount and diversity of public access to shorelines consistent with its shoreline public access goals, the SMP public access plan, PROS plans,

the shoreline character, property rights, public rights under the Public Trust Doctrine¹, and public safety.

- C. **Priorities.** Public access should be maintained, enhanced, and increased in accordance with the following priorities unless found infeasible or unconstitutional:
 - 1. Maintain existing public access sites and facilities, rights of way, and easements that provide physical or visual access.
 - 2. Provide new or enhanced public access opportunities on public lands and easements.
 - 3. Acquire property or easements to add public access opportunities to implement adopted public access plans and/or to recognize opportunities to protect areas that hold unique value for public enjoyment.
 - 4. Require public access to shorelines as part of new shoreline developments that would otherwise restrict existing access used by the public at large, including views.
- D. **Constitutional Considerations.** The City should require private development projects where there is a demonstrated nexus, proportionality and reasonable necessity to provide for public access., especially in those cases where prescriptive use statutes may apply or added demand to existing public sites will increase from the development.
- E. **Public access planning standards.** The City should implement planning goals and policies and adopted standards that are consistent with its approved parks and recreation plans as identified in Appendix C.
- F. **Implementation.** The City's Park and Recreation Department should implement the shoreline public access plan contained in Appendix C to meet the needs of growing resident and tourist populations. Implementation strategies shall be included in annual capital improvement programs. The City should periodically review the shoreline public access plan, at a minimum every eight years and incorporate plans into the PROS plan.
- G. **Public access exceptions.** Public access should not be required where it is demonstrated to be impracticable or infeasible due to reasons of incompatible uses, safety, security, or impact to the shoreline environment or due to constitutional or other legal limitations that may be applicable.
- H. **Willing property owners.** The City and other agencies should seek willing property owners to participate in public access projects, through voluntary agreements and incentives, including conservation easements and trail easements. Where purchase of property is negotiated, the City, agencies, or private parties seeking off-site mitigation areas are obligated to pay fair market value for private properties included in public access projects.
- I. **Respect private property.** The City of Chelan recognizes the importance of private ownership of shoreline properties. Public access planning should not include the right to enter upon or cross private property, except on dedicated public rights-of-way or easements or where development is specifically designed to accommodate public access. The design of public access should minimize potential conflicts with private property. Strategies to address conflict may include a variety of devices or designs that create physical separation between public and private spaces, through signage, landscaping, adequate space, and/or through screening.

¹ The "public trust doctrine" is a common law principle holding that "the waters of the state are a public resource owned by and available to all citizens equally for the purposes of navigation, conducting commerce, fishing, recreation and similar uses." While the doctrine "protect(s) public use of navigable waterbodies below the ordinary high water mark," the doctrine "does not allow the public to trespass over privately owned uplands to access the tidelands." See:

http://www.ecy.wa.gov/programs/sea/sma/laws_rules/public_trust.html.

- J. **Public Safety.** Public access should be designed consistent with public safety principles. Where public access is determined to be unsafe or pose security issues the proponent should consider alternate methods of providing public access, such as offsite improvements, viewing platforms, separation of uses through site planning and design and restricting hours of public access. Off-site public access improvements may be allowed if such improvements would provide a greater public benefit and reduce safety and environmental impacts.
- K. **Natural and Environmental Features.** Public access design should conserve or protect natural amenities and natural features. When public access may result in damage to natural amenities, alternate methods of public access should be considered.
- L. **Visual access.** Views to shorelines contribute to the City and County's quality of life, tourism economy, and property values. The City should consider the following sub-policies when considering new development:
1. Views from Public Properties and Significant Numbers of Single Family Dwellings: Establishing flexible development standards, such as height, bulk, scale, setbacks, lighting, and view corridors, should be established to assure preservation of water views and scenic features particularly where development would exceed three stories in height or block public viewsheds from public right-of-ways such as roads, bridges, walkways, parks, or trails.
 2. Private views of the shoreline although considered during the shoreline permit review process, are not expressly protected, particularly when development is less than 35 feet in height. Property owners concerned with the protection of views from private properties are encouraged to obtain view easements, purchase intervening property, or seek other means of minimizing view obstruction.
- M. **Roads, streets, and alleys abutting bodies of water.** Roads, streets, and alleys abutting bodies of water should be preserved, maintained, consolidated, enhanced, and/or created for public access. Vacations of roads, streets, and alleys should be discouraged and only allowed in strict compliance with RCW 35.79.035 (Streets and Alleys) or RCW 36.87.130 (County Roads).
- N. **Accessibility in Public Access, Parks, and Recreation Facilities.** Public access should be provided as close as possible to the water's edge without causing significant ecological impacts and should be designed in accordance with the Americans with Disabilities Act. The City should design outdoor picnic areas, trails, playgrounds, courts, fields, parking lots, restrooms, and other active and supporting facilities to be accessible to individuals and organized groups of all physical capabilities, skill levels, age groups, income, and activity interests.
- O. **Water Oriented Recreation.** The City should allow public and private development of camping, boat launching, docking and moorage facilities, marinas, and other water-related recreational opportunities on Lake Chelan and the Chelan River.
- P. **Trail Connections to Public Sites.** The City should integrate continuous trail corridors and local spur or loop routes with parks, schools, other public facilities, historical sites, and Chelan's historic downtown district.
- Q. **Lakeside Trail, Northshore Pathway, and Other Routes.** The City should continue efforts to develop trails and pathways that would provide connections among recreation sites and community features. Specifically, pursue development of the Lakeside Trail, Northshore Pathway, and other routes outlined in the Lake Chelan Valley Trail Plan or other future plans.
- R. **Onsite and Offsite Recreation Facilities.** The City should require a demand study for all development projects in excess of short plats, irrespective of shoreline location to establish the demand for and impact to existing shoreline access sites. Onsite site (or nearby off-site) development of recreation facilities shall be required in accordance with the impact and need identified in the study in conjunction with the approval of development projects.

- S. **Shoreline Public Access Plan.** The City should encourage developments and uses to provide their own private or community shoreline public access. When private or community access is not possible, developments must contribute to the implementation of the City of Chelan Shoreline Public Access Plan through exactions.
- T. **Incorporate Trails.** The City should require development projects along designated trail routes to be designed to incorporate the trail as part of the project.
- U. **Water Trail.** The City should support a system of kayak, canoe, and other hand carry boat access landings and other improvements for appropriate access to the city's Lake Chelan shoreline.
- V. **Hiking and Biking Trails.** Consistent with the Chelan Bike & Pedestrian Plan, the City should support a comprehensive system of hike and bike trails that access scenic, environmental, historic, and open space attributes in and around the city including between Lake Chelan and the Columbia River, and along the west Columbia River shoreline.
- W. **Acquire and Support Shoreline Access.** The City should acquire and support additional shoreline access for waterfront fishing, wading, swimming, and other related recreational activities and pursuits along the Lake Chelan and Columbia River shorelines.

2.3 Recreation Element

Goal REC-1. Promote diverse, convenient, and adequate recreational opportunities along public shorelines for local residents and visitors.

2.3.1 Recreation Policies

- A. **Promote recreation and public access.** Developments and uses should be designed and operated to provide the public with recreational areas, facilities, and access to the shorelines. Recreational developments should provide opportunities for the following activities in order of preference
 1. **Swimming**
 2. **Scenic viewing**
 3. **Boating**
 4. **Fishing**
 5. **Non-motorized boating**
 6. **Paddle/Boarding**
- B. **Parking facilities and access.** Parking is not a preferred shoreline use but is recognized as a high demand at recreational sites. Parking lots or structures must be developed proportionally to the capacity of the access site.
 - Parking areas for shoreline access shall not be developed that would lead to overuse of the existing capacity of the site.
 - Parking for natural areas should be sited to prevent undue concentration and overuse on fragile natural areas.
 - Alternatives to onsite parking such as shuttle systems, public transit, or multi-modal trails should be developed to minimize auto-oriented access.



- C. **Pedestrian-oriented.** Direct access to the water should be via paths, walkways, or other pedestrian-oriented features. Vehicular traffic on beaches and fragile shorelines shall be prohibited.
- D. **Public acquisition.** To reduce overcrowding of current facilities and avoid adverse impacts on adjacent properties, the increased public acquisition and dedication of land for shoreline parks and recreation areas are necessary.
- E. **Grounds management.** The use of fertilizers, herbicides, and pesticides to maintain recreational facilities such as golf courses, playfields, and lawns should not cause contamination of waterbodies by runoff. Management that utilizes organic treatments, integrated pest management, or non-synthetic chemicals is preferred where feasible and practical over management that utilizes synthetic chemicals.
- F. **Prevent impact to private property.** The location, design, construction and operation of recreational facilities should prevent undue adverse impacts on adjacent or nearby private properties.
- G. **Scenic views and vistas.** Scenic views and vistas should be preserved in the design of recreational facilities, wherever practical.
- H. **State and Federal recreation use preferred to local acquisition.** The acquisition of State and Federal lands for shoreline recreational facilities should be considered to serve statewide goals. Federal and state-owned shorelines are particularly adapted to providing wilderness beaches, ecological study areas, and other recreational uses for the public.

2.4 Circulation Element

Goal CIRC-1. Minimize conflicts between transportation and utilities. Since major transportation and utility systems pre-exist near many shorelines, minimizing conflicts between these systems and shoreline uses shall be considered during circulation additions or modifications.

2.4.1 Transportation and Circulation Policies

- A. **Circulation.** Public agencies and private developments should provide for a safe, efficient, and environmentally sensitive circulation facilities including roads, streets, alleys, pedestrian, bicycle, and public transportation facilities, consistent with federal, state, or local standards and sufficient to meet adopted levels of service and to provide for movement of goods, services, and people to places of employment, retail trade, education, recreation, and residence within the City and UGA.
- B. **Essential public facilities.** Comprehensive Plans, which include Shoreline Master Programs, may not preclude the siting of essential public facilities, which include state or regional transportation facilities as defined in RCW 47.06.140.
- C. **Minimize land consumption.** Where other options are available and feasible, new roads or road expansions should not be built within shoreline jurisdiction. When transportation facilities must be located along shorelines, efforts should be made to minimize the amount of land consumed. Where feasible, such transportation facilities should be sufficiently set back so that a usable shoreline area remains.
- D. **Erosion and groundwater.** Roads in shoreline areas should be designed and maintained to prevent erosion and to permit natural movement of groundwater.
- E. **Protect shorelands.** All construction should be designed to protect the adjacent shorelands from erosion, uncontrolled drainage, slides, pollution, and other factors detrimental to the environment.



Transportation facilities and parking facilities should be planned, located, and designed where routes will have the least possible adverse effect on unique or fragile shoreline features, will not result in a net loss of shoreline ecological functions or adversely impact existing or planned water-dependent uses.

- F. Fit topography.** Road locations should be planned to fit the topography so that minimum alterations of natural conditions will be necessary.
- G. Scenic highways and bridges.** Scenic highways and major bridge crossings should have provisions for safe pedestrian and other non-motorized travel. Also, provision should be made for sufficient viewpoints, rest areas and picnic areas along shorelines of the state, if feasible.
- H. Maintain old highways.** Extensive loops or sections of old highways with high aesthetic quality or multi-use potential should be kept in service or considered for trails.
- I. General maintenance and reconstruction.** Road maintenance and reconstruction should be allowed in accordance with best management practices adopted by the City and the State of Washington Department of Transportation.
- J. Trails.** Multi-purpose trails should be encouraged in shoreline jurisdiction consistent with public access policies and regulations.
- K. Appropriate bridges and culverts.** Road design for stream and ravine crossings should consider the best available science regarding future hydrology and fish passage for design of bridge and culverts based on federal and state, standards, for example, Washington Department of Fish and Wildlife's 2003 *Design of Road Culverts for Fish Passage*.
- L. Coordinate land use and transportation.** Since land use and transportation facilities are so highly interrelated, the plans for each should be closely coordinated and consider shoreline goals, policies, and standards.
- M. Parking.** Parking facilities in shorelines are not a preferred use and should be allowed only as necessary to support an authorized use. Parking facilities should be located as far inland as possible from the OHWM or ordinary high water line.
- N. View Potential.** The City should attempt to maximize view potentials when establishing roadway locations and designs.
- O. Nonmotorized Facilities.** The City and development applicants should consider provisions for non-motorized and pedestrian features in the design of all roadway and bridge projects.
- P. Tourist Routes.** The City should improve the safety and capacity of roadways in the shoreline while retaining the character of the existing shoreline environment and enhance it through views, wayfinding, or waysides.
- Q. Water Transportation.** The City should support water dependent transportation on Lake Chelan as a necessary means of moving people and goods to populated localities on the lake including, but not limited to Stehekin, Lucerne, Field's Point, and Manson.

2.5 Shoreline Use and Modification Element

Goal LU-1. Assure an appropriate pattern of sound development in suitable locations without diminishing the quality of the environment along shorelines.

2.5.1 General Design Policies

- A. Avoid Sensitive Areas.** Development and uses should be designed in a manner that directs land alteration to the least sensitive portions of the site to maximize vegetation conservation, both upland and aquatic; minimize impervious surfaces and runoff; protect riparian, nearshore, aquatic

and wetland habitats; protect wildlife and habitats; protect archaeological, historic and cultural resources; and preserve aesthetic values.

- B. Location of Non water-Oriented Accessory Uses.** Non water-oriented accessory development or use that does not require a shoreline location should be located landward of shoreline jurisdiction unless such development is required to serve approved water-oriented uses and/or developments. When sited within shoreline jurisdiction, uses and/or developments such as parking, service buildings or areas, access roads, utilities, signs, and materials storage should be located landward of shoreline setbacks, landward of vegetation conservation areas and wetland buffers, and landward of water-oriented developments and/or other approved uses.
- C. Minimize Impacts on Shoreline and Upland Uses.** Development should be located, designed, and managed to minimize impacts on shoreline or upland uses through bulk and scale restrictions, setbacks, buffers, light shielding, noise attenuation, and other measures.
- D. Vistas and Viewpoints.** Vistas and viewpoints from public properties and rights of way should not be degraded and visual access to the water from such vistas should not be impaired by the placement of signs.

2.5.2 Agricultural Policies

- A. Maintain Agriculturally Productive Lands.** Lands well suited for agriculture may be maintained in agricultural production.
- B. Encourage Vegetative Conservation.** The maintenance of permanent vegetation along the shoreline in agricultural areas should be encouraged in order to retard surface runoff, reduce siltation, and provide sanctuary for fish and other wildlife.
- C. Avoid Water Pollution.** Agricultural activities should be conducted and buildings designed to avoid surface or groundwater pollution.
- D. Manage Water Resources.** Water resources should be managed in accordance with federal and state laws and adopted County watershed plans.
- E. Water Quality.** The City should support ongoing measures found in the Lake Chelan Water Quality Plan or promulgated by the Lake Chelan Reclamation District, Chelan County Conservation District, area orchardists, and other related agencies and groups, as they raise awareness levels, and monitor and mitigate water quality issues related to agriculture.
- F. Continued Agricultural Use.** The City should recognize that lands can continue to be used for agricultural purposes. Existing agricultural uses within the UGA are grandfathered uses that have the right to continue as long as the owner chooses to operate them.
- G. Avoid Incompatible Uses.** The City should review existing land use plans and regulations to ensure that existing agricultural uses are protected from incompatible uses and are provided with reasonable flexibility regarding permitted uses and structures.
- H. Agricultural Support and Processing Facilities..** Ensure that agricultural support and processing facilities shall be allowed to expand into high intensity and commercially designated shoreline areas and that infrastructure plans are well coordinated to accommodate such use.



- I. **Agri-Tourism.** The City should promote and support efforts to diversify the agricultural industry through agri-tourism, wineries and other value-added agricultural products, and produce stands. Uses in the shoreline that support this goal shall be considered desirable during development review.

2.5.3 Boating Policies

Unless otherwise specified, all boating facilities must obtain proper permitting from state, PUD, and federal agencies prior to city approval. Boating and moorage regulations are found in [Section 5.5](#).

- A. **Recognize that boating facilities are water-dependent uses.** Boating facilities, including portions of marinas and public boat launch facilities, are water-dependent uses. Boating facilities that provide public access or provide an opportunity for substantial numbers of people to enjoy the shoreline are a priority. Shorelines suitable for marinas and public boat launch facilities should be identified and designated as a preferred use or requirement of development to prevent irreversible commitment for other uses having less stringent site requirements.
- B. **Plan and coordinate public boating facilities regionally.** Regional needs for marina and boat launch facilities should be carefully considered in reviewing new public proposals as well as in allocating shorelines for such development. Such facilities should be coordinated with park and recreation plans and, where feasible, co-located with other compatible water-dependent uses. Review of such facilities should be coordinated with recreation providers, including other local governments, adjacent counties, the Washington State Parks and Recreation Commission, and the Washington State Department of Natural Resources, to efficiently provide recreational resources, avoid unnecessary duplication, and minimize adverse impacts to shoreline ecological functions and processes.
- C. **Minimize modifications.** Boating facilities that minimize the amount of shoreline modification, in-water structure, and overwater cover are preferred.
- D. **Balance public access and ecological functions.** All new marinas should provide physical and/or visual public shoreline access, particularly where water-enjoyment uses are associated with the marina, to the extent compatible with shoreline ecological functions and processes and adjacent shoreline use.
- E. **Limitations on accessory uses.** Accessory uses at boating facilities should be limited to water-oriented uses, or uses that provide physical and/or visual shoreline access for substantial numbers of the general public. Nonwater-dependent accessory uses should be located outside of the shoreline setback or outside of shoreline jurisdiction whenever possible.
- F. **Minimize impacts to adjacent uses and users.** Boating facilities should be located, designed, constructed and maintained to avoid adverse impacts such as noise, light and glare; aesthetic impacts to adjacent land uses; impacts to public visual or physical access to the shoreline; or other adverse impacts to water-dependent uses.
- G. **Site facilities appropriately.** New boating facilities should be located only at sites where suitable environmental conditions, shoreline configuration, access, and compatible or similar uses are present.
- H. **No net loss of ecological functions.** Boating facilities should be located and designed to ensure no net loss of ecological functions or other significant adverse impacts, and should, where feasible, enhance degraded and/or scarce shoreline features.



2.5.4 Breakwaters, Jetties, Groins, Weirs and Barbs Policies

- A. **Allowed circumstances.** Breakwaters, jetties, groins, weirs and barbs located waterward of the OHWM should be allowed only where necessary to support water-dependent uses, public access, shoreline stabilization, or other specific public purpose.
- B. **Regional benefit and no net loss of ecological functions.** Breakwaters, jetties, groins weirs and barbs should be permitted only for water-dependent uses when the benefits to the region outweigh short-term resource losses from such works, and only where mitigated to provide no net loss of shoreline ecological functions and processes.
- C. **Use less-impacting alternatives.** Alternative structures, including floating, portable or submerged breakwater structures, or several smaller discontinuous structures, should be considered where physical conditions make such alternatives with less impact feasible.
- D. **Shoreline Conditional Use Permit required.** Breakwaters, jetties, groins, weirs, barbs and similar structures should require a Shoreline Conditional Use Permit, except for those structures installed to protect or restore ecological functions, such as woody debris, engineered log jams, or habitat-forming rock weirs installed in streams.
- E. **Protect critical areas.** Breakwaters, jetties, groins, weirs and barbs should be designed to protect critical areas and should provide for mitigation sequencing as stated in the SMP regulations.

2.5.5 Dredging Policies

- A. **Permitted.** Dredging should be permitted for water-dependent uses and/or essential public facilities only when necessary and when alternatives are infeasible or less consistent with this SMP. Dredging as part of flood hazard abatement, ecological restoration or enhancement, beach nourishment, public access or public recreation should be permitted if consistent with this SMP.
- B. **Prohibited.** Dredging of bottom materials for the primary purpose of obtaining material for fill, construction, or beach nourishment should not be permitted.
- C. **Disposal.** Spoil disposal on land outside of shoreline jurisdiction is generally preferred over open water disposal. Disposal of dredged material on shorelands should be discouraged.
- D. **Siting and design.** New development should be sited and designed to avoid or, where avoidance is not possible, to minimize the need for new maintenance dredging.
- E. **Ecological impacts.** Dredging and dredge material disposal shall be done in a manner that avoids or minimizes significant ecological impacts. Impacts that cannot be avoided should be mitigated in a manner that assures no net loss of shoreline ecological functions.
- F. **Navigation channels and basins.** Dredging for the purpose of establishing, expanding, relocating or reconfiguring navigation channels and basins should be allowed where necessary for assuring safe and efficient accommodation of existing navigational uses and then only when significant ecological impacts are minimized and when mitigation is provided. Maintenance dredging of established navigation channels and basins should be restricted to maintaining previously dredged and/or existing authorized locations, depths and widths.

2.5.6 Fill and Excavation Policies

- A. **Minimize fill and excavation.** Fill and excavation should only be permitted to the minimum extent necessary to accommodate an approved shoreline use or development and with assurance of no net loss of shoreline ecological functions and processes. Enhancement and voluntary restoration of landforms and habitat are encouraged.
- B. **Location.** Fills and excavation should be located and developed so that water quality, hydrologic and runoff patterns are not altered.

- C. **Shoreline stabilization.** Fill should not be allowed where shoreline stabilization would be required to maintain the materials placed.
- D. **Restoration.** Excavation and grading may be permitted landward of the OHWM or ordinary high water line of a waterbody for projects with the primary purpose of restoring ecological functions and natural character.
- E. **Creation of uplands.** Fill in waterbodies should not be permitted for creation of new uplands, unless it is part of an approved as mitigation, ecological restoration activity, or provides some other public benefit such as public access.
- F. **Benefits and impacts.** The predicted economic benefits of fills and excavation should be weighed against long-term cumulative impacts on ecological processes and functions.

2.5.7 Private Moorage Policies


- A. **Moorage as water-dependent use.** Moorage associated with a single-family residence is considered a water-dependent use provided that it is designed and used as a facility to access watercraft.
- B. **Preferred moorage.** To minimize continued proliferation of individual private moorage, reduce the amount of over-water and in-water structures, and reduce potential long-term impacts associated with those structures, mooring buoys are preferred over docks. Shared (either joint-use docks or community docks) or public moorage facilities are preferred over single-user moorage.
- C. **Avoid impacts to ecological functions.** Moorage should be sited and designed to avoid adversely impacting shoreline ecological functions or processes nearshore or offsite, and any unavoidable impacts to ecological functions should be mitigated.
- D. **Minimize interference with navigation and other uses.** Moorage should be spaced and oriented in a manner that minimizes hazards and obstructions to public navigation rights and corollary rights thereto such as, but not limited to, fishing, swimming and pleasure boating.
- E. **Minimize size.** Moorage should be restricted to the minimum size necessary to meet the needs of the proposed use. The length, width and height of over-water structures and other developments should be no greater than that required for safety and practicality for the primary use.
- F. **Materials.** Moorage should be constructed of materials that will not adversely affect water quality or aquatic plants and animals in the long term, and have been approved by applicable state or federal agencies.

2.5.8 Residential Policies

- A. **Compatibility with shoreline.** All subdivisions and residential development should be designed at a level of site coverage and density compatible with the physical capabilities of the shoreline and water in order to minimize probabilities of damage to life, property and the environment and the Comprehensive Land Use Plan.
- B. **Cluster development and other flexible standards.** Flexible standards such as zero lot line development, lot size averaging, clustering and other innovative designs should be encouraged outside shoreline jurisdiction wherever feasible to minimize shoreline impacts by residential development, to maintain both on-site and off-site aesthetic appeal, and to minimize disruption of the natural shoreline. Compact developments should ensure that public safety and



- convenience are not unreasonably compromised. The City should provide incentives for planned residential development to encourage more efficient and creative development.
- C. **Encourage restoration and environmental design.** Ecological restoration and measures to minimize environmental impacts, such as low impact development and vegetation conservation and enhancement, should be encouraged.
 - D. **Aesthetics.** All subdivisions and residential development should be designed to adequately protect and/or improve the water and shoreline aesthetic qualities.
 - E. **Overwater residential development.** New over-water residential development should be prohibited.
 - F. **Floating homes.** New floating homes should be prohibited.
 - G. **Liveaboards.** Liveaboards may be authorized provided the use is managed to limit impacts to shoreline resources consistent with State regulations.
 - H. **Adequate utilities.** Residential development should have adequate provision for sanitary sewage disposal, storm drainage, and water supply which minimizes harmful effects on shorelines and water quality.
 - I. **Focus residential development into areas with utilities and streets.** Residential development should be encouraged upland of areas presently having such improvements as utilities and streets so as to minimize additional expenditures of public funds, maximize use of existing public facilities, and not decrease availability of open space.
 - J. **Provide public access.** Residential developments should be encouraged to provide public access to shorelines within the development and to minimize impacts of vehicular use and parking upon shoreline aesthetics.
 - K. **Scenic views.** Residential development should be designed to avoid impacts to scenic views and vistas from public spaces or from substantial numbers of residences.
 - L. **Mix of Housing.** The City should encourage an adequate mix of housing units to meet the needs of existing and future residents of the area. Housing types should not be concentrated in one area but distributed in the UGA.
 - M. **Accessory Dwelling Units.** The City should allow accessory dwelling units in all residential districts for permanent residences, if allowed in zoning districts and if applicable standards of this SMP are complied with. ADU's shall be setback from the primary structure in relation to the shoreline setback so as to not create additional waterfront coverage.



2.5.9 Shoreline Stabilization Policies

- A. **Ecological functions and processes.** Shoreline stabilization should be located, designed, and maintained to protect and maintain shoreline ecological functions, ongoing shoreline processes, and the integrity of shoreline features. Ongoing stream or lake processes and the probable effects of proposed shoreline stabilization on other properties and shoreline features should be considered. Shoreline stabilization should not be developed for the purpose of filling shorelines or creating additional property.
- B. **Alternatives.** Hardened structural shoreline stabilization measures should only be used when more natural, flexible, non-structural methods such as placing the development farther from the OHWM or ordinary high water line, planting vegetation, or installing on-site drainage improvements, beach nourishment and bioengineering have been determined infeasible.
- C. **Future stabilization.** Structures should be located and designed to avoid the need for future shoreline stabilization where feasible. Land subdivisions should be designed to assure that future development of the created lots will not require shoreline stabilization for reasonable development to occur.
- D. **Protect existing structures.** New or expanded structural shoreline stabilization should only be permitted where demonstrated to be necessary to protect an existing primary structure, including residences, that is in danger of loss or substantial damage, and where mitigation of impacts would not cause a net loss of shoreline ecological functions and processes. Enhancing or replacing existing shoreline stabilizations should not adversely impact adjacent or down current properties or exacerbate shoreline erosion.
- E. **Adjacent properties.** New development that would require hardened shoreline stabilization should not be allowed without mitigation and must provide evidence that down current or adjacent properties will not adversely be impacted.

2.5.10 Utilities Policies

- A. **Meet demand for utilities.** Utilities should be located to meet the needs of current underserved areas or future growth. Development proposals should provide for adequate utility right of ways or easements concurrent with development.
- B. **Use existing corridors.** Intensified use of existing utility corridors should be encouraged, as opposed to the addition of new corridors. For example, the City should encourage the consolidation of utility facilities such as towers, poles, antennas, substation sites, trenches, easements and communication facilities where reasonably feasible. Efforts should be made to reduce the visual impact of existing utility corridors. The City should require effective and timely coordination of all public and private utility trenching activities.
- C. **Minimize visual impact.** Whenever utilities must be placed in a shoreline area, the location should be chosen so as to minimize their visual impact. Whenever feasible, utilities should be placed underground or designed to do minimal damage to aesthetic qualities of the shoreline area.
- D. **Upland and underwater utilities.** Upland locations are recommended for utility pipelines and cables. If an underwater location becomes necessary, easements for the utility must include proper provisions to insure against substantial or irrevocable damage to the waterway or the resident aquatic ecosystems.
- E. **Restoration of disturbed areas.** Upon completion of installation or maintenance projects on shorelines, all disturbed areas within shoreline jurisdiction should be restored to pre-project configuration where feasible, replanted with suitable plant species, and maintained until the newly planted vegetation is established consistent with Vegetation Conservation policies and standards of the SMP.

- F. **Outfalls.** Site outfalls to avoid impacts to critical areas. Design outfalls to reduce impacts to aquatic vegetation and water quality.
- G. **Water Quality.** The City should ensure that shoreline developments are consistent with applicable standards in the Lake Chelan Water Quality Plan and the Stormwater Management Manual for Eastern Washington, as applicable.
- H. **Utility Corridors and Wildfire.** Routine vegetation management for the purpose of managing fire risk in utility corridors may be maintained by public utilities and be considered exceptions under section 1.3.B.3. of this SMP.

2.5.11 Redevelopment, Repair, and Maintenance Policies

- A. **Continue existing uses.** The SMP should recognize existing uses and developments in the shoreline and allow them to continue consistent with their lawfully established condition.
- B. **Proportional application.** The City should apply applicable SMP provisions to the shoreline use or development proposed in shoreline jurisdiction, considering the size, location, duration and scope of the proposal where appropriate.

2.5.12 Nonconforming Structures, Uses, and Lots Policies

The following policies on nonconforming structures, uses, and lots are intended to guide the application of City nonconforming standards:

- A. **Continuation of nonconforming uses and structures.** Nonconforming existing legal uses and structures may continue according to City standards.
- B. **Transition to conforming uses.** Transitions from nonconforming uses to conforming uses should be encouraged.
- C. **Expansion of nonconforming structures.** Owners of nonconforming structures that wish to expand the structure should not increase the nonconformity according to City standards.
- D. **No-net-loss of ecological function.** The SMP no-net-loss of ecological function objective should guide review of proposed expansions or other changes to nonconforming uses and new development on nonconforming vacant lots. This objective may be addressed in an area-wide manner consistent with the SMP cumulative impacts analysis.
- E. **Balance historic character.** The City should consider balancing historic character of the community with conformity to SMP rules when considering changes to nonconforming uses, structures, and lots.

2.5.13 Shorelines of Statewide Significance Policies

Consistent with the use preferences for shorelines of statewide significance contained in RCW 90.58.020, the City shall base decisions administering this SMP on the following policies in order of decreasing priority:

- A. Recognize and protect the state-wide interest over local interest.
 - 1. Solicit comments and opinions from groups and individuals representing state-wide interests by circulating amendments to the Master Program, and any proposed amendments affecting Shorelines of Statewide Significance, to state agencies, affected Tribes, adjacent local governments' land areas, citizen's advisory committees and local officials, and state-wide interest groups.
 - 2. Recognize and take into account state agencies' policies, programs and recommendations in developing and administering use regulations and in approving shoreline permits.
 - 3. Solicit comments, opinions and advice from individuals with expertise in ecology and other scientific fields pertinent to shoreline management.

- B. Preserve the natural character of the shoreline.
 - 1. Designate and administer shoreline environments and use regulations to protect and restore the ecology and environment of the shoreline as a result of human intrusions on shorelines.
 - 2. Restore, enhance, and/or redevelop those areas where intensive development already exists in order to reduce adverse impact on the environment. When planning for growth, avoid high-intensity uses from extending into low-intensity use or underdeveloped areas.
 - 3. Protect and restore existing diversity of vegetation and habitat values, wetlands, and riparian corridors associated with shoreline areas.
 - 4. Protect and restore habitats for State-listed “priority species.”
- C. Support actions that result in long-term benefits over short-term benefits.
 - 1. Evaluate the short-term economic gain or convenience of developments relative to the long-term and potentially costly impairments to the natural shoreline.
 - 2. Preserve resources and values of shorelines of statewide significance for future generations and restrict or prohibit development that would irretrievably damage shoreline resources.
 - 3. Ensure the long-term protection of ecological resources of statewide importance.
- D. Protect the resources and ecology of the shoreline.
 - 1. All shoreline development should be located, designed, constructed and managed consistent with mitigation sequencing provisions outlined in Section 4.2.2 to minimize adverse impacts to regionally important wildlife resources, including spawning, nesting, rearing and habitat areas, and migratory routes and result in no net loss of shoreline ecosystems and ecosystem-wide processes.
 - 2. Actively promote aesthetic considerations when contemplating new development, redevelopment of existing facilities, or general enhancement of shoreline areas.
- E. Increase public access to publicly owned areas of the shoreline.
 - 1. Give priority to developing paths and trails to shoreline areas and linear access along the shorelines, especially those trail corridors that would be a regional recreational and transportation resource.
 - 2. Locate development landward of the OHWM or ordinary high water line so that access is enhanced and opportunities for access are not precluded.
 - 3. Increase public access opportunities for those with disabilities consistent with the Americans with Disabilities Act.
 - 4. Provide incentives to landowners that provide shoreline public access, such as development incentives, tax reductions, or other measures.
- F. Increase recreational opportunities for the public on the shoreline.
 - 1. Plan for and encourage development of facilities for public recreational use of the shoreline, including facilities for boating, swimming, fishing, and other water-oriented activities.
 - 2. Reserve areas for lodging and related facilities on uplands with provisions for appropriate public access to the shoreline.

2.6 Conservation Element

Goal CONS-1. Protect shoreline resources by:

- Preserving unique and fragile environments, and scenic elements such as views of natural features that support area tourism;
- Conserving non-renewable natural resources; and
- Managing renewable resources such as timber, water, and wildlife.

2.6.1 Ecological Protection and Critical Areas Policies

- A. **No net loss of ecological functions.** Shoreline use and development should be carried out in a manner that prevents or mitigates adverse impacts, both on site and to the extent that impacts may propagate up- or downstream, so that current conditions are not further degraded. For each development, this means assuring no net loss of ecological functions and processes relative to the existing condition, protecting critical areas designated in Appendix B of this SMP, and protecting additional established vegetation conservation areas in a manner consistent with all relevant constitutional and other legal limitations on the regulation of private property. Functions and Processes that should be protected include, but are not limited to:

Table 2.6.1. Shoreline Ecological Functions & Processes.

Shoreline Ecology Functions	Shoreline Processes
WDFW Priority Habitat and Species List and Maps	Water flow
Wildlife habitat	Erosion and accretion
Water quality	Infiltration and filtration
Water quantity	Groundwater recharge and discharge
Shade/Temperature Regulation	Sediment delivery, transport, and storage
	Large woody debris recruitment
	Organic matter input
	Channel formation/maintenance

- B. **Evaluating potential for adverse impacts.** In assessing the potential for new uses and developments to cause adverse impacts on ecological functions or processes, the City should take into account all of the following based on the most current, accurate, and complete scientific and technical information available that is applicable to the issues of concern:
1. Effects on ecological functions and ecosystem processes; and
 2. Effects that occur on-site and effects that may occur off-site; and
 3. Immediate effects and long-term effects; and
 4. Direct effects of the project and indirect effects; and
 5. Individual effects of the project and the incremental or cumulative effects resulting from the project added to other past, present, and reasonably foreseeable future actions; and
 6. Compensatory mitigation actions that offset adverse impacts of the development action and/or use.
- C. **Development standards should protect functions.** Development standards for density, frontage, setbacks, impervious surface, shoreline stabilization, vegetation conservation, critical areas and their buffers, and water quality should protect existing shoreline ecological functions and processes. During permit review, the Shoreline Administrator should consider the expected impacts associated with proposed shoreline development when assessing compliance with this policy.
- D. **Avoid Environmentally Sensitive and Hazardous Areas.** The City should discourage development in areas of natural hazard such as those susceptible to landslide, unstable soils and excessive slopes, flooding, mudflows, unless appropriate safeguards are taken.

2.6.2 Vegetation Conservation and Shoreline Setback Policies

- A. **Conserve shoreline vegetation.** Where intact, native vegetation should be retained in the shoreline. When new developments, uses and/or redevelopments are proposed, shoreline vegetation, both upland and waterward of the OHWM or ordinary high water line, should be conserved to maintain shoreline ecological functions and processes listed in Table 6.1. Vegetation conservation and restoration should be used to mitigate the direct, indirect and cumulative impacts of shoreline development, wherever feasible. Important functions of shoreline vegetation in the City of Chelan include, but are not limited to:
 - 1. Regulating microclimate in riparian and nearshore areas.
 - 2. Providing organic inputs necessary for aquatic life, including providing food in the form of various insects and other benthic macroinvertebrates.
 - 3. Stabilizing banks, minimizing erosion and sedimentation, and reducing the occurrence and severity of landslides.
 - 4. Reducing fine sediment input into the aquatic environment by minimizing erosion, aiding infiltration, and retaining runoff.
 - 5. Improving water quality through filtration and vegetative uptake of nutrients and pollutants.
 - 6. Providing habitat elements for riparian-associated and aquatic species, including downed wood, snags, migratory corridors, breeding and rearing sites, food, and/or cover.
- B. **Shoreline setbacks.** Regulations for shoreline setbacks should be developed for the City consistent with SMA objectives to protect existing ecological functions, accommodate water-oriented and preferred uses, recognize existing development patterns, and minimize creation of non-conforming uses and developments.
- C. **Native plant list.** When native plants are desired or required, property owners may choose species from the list located in Appendix E, or from lists maintained by the Washington Native Plant Society, Washington Department of Natural Resources Natural Heritage Program, Washington Department of Fish and Wildlife, or other agency or entity that has expertise.
- D. **Noxious and invasive weeds.** Encourage management and control of noxious and invasive weeds. Control of such species should be done in a manner that retains onsite native vegetation, provides for erosion control, and protects water quality. Use of mechanical, non-toxic or natural controls is preferred.

2.6.3 Water Quality, Stormwater and Nonpoint Pollution Policies

- A. **Do not degrade waters.** The location, construction, operation, and maintenance of all shoreline uses and developments should maintain or enhance the quantity and quality of surface and groundwater over the long term.
- B. **Assess and mitigate stormwater impacts.** New developments or expansions or retrofits of existing developments should assess the effects of additional stormwater runoff volumes and velocities, and mitigate potential adverse effects on shorelines through design and implementation of appropriate stormwater management measures.
- C. **Low impact development.** Use of low impact development (LID) techniques for minimization of impervious surfaces and management of stormwater runoff is encouraged.
- D. **Minimize need for synthetic chemical applications.** Shoreline use and development, including invasive or noxious weed control, should minimize the need for synthetic chemical fertilizers, pesticides or other similar synthetic chemical treatments to prevent contamination of surface and ground water and/or soils and adverse effects on shoreline ecological functions and values. Use of natural and non-synthetic applications is encouraged when treatment is necessary.

- E. **Water Quality.** The City should ensure that shoreline developments are consistent with applicable standards in the Lake Chelan Water Quality Plan, the Storm Water Management section of the City's *Development Standards Manual*, and the Stormwater Management Manual for Eastern Washington, as applicable.

2.6.4 General Aquatic Policies

- A. **Protect beneficial uses, including ecological functions and water-dependent uses.** Shoreline modifications and uses should be designed, located and operated in a manner that supports long-term beneficial use of the shoreline and protects and maintains shoreline ecological functions and processes. Modifications should not be permitted where they would result in a net loss of shoreline ecological functions, adversely affect the quality or extent of habitat for native species, adversely impact other habitat conservation areas, or interfere with navigation or other water-dependent uses.
- B. **Minimize and mitigate unavoidable impacts.** All significant adverse impacts to the shoreline should be avoided or, if that is not possible, minimized to the extent feasible and then mitigated.

2.6.5 Shoreline Habitat and Natural Systems Enhancement Projects Policies

- A. **Design.** Restoration and enhancement of shorelines should be designed using principles of landscape and conservation ecology and should restore or enhance chemical, physical, and biological watershed processes that create and sustain shoreline habitat structures and functions.
- B. **Improve shoreline ecological functions.** Restoration and enhancement actions should improve shoreline ecological functions and processes and should target meeting the needs of sensitive plant, fish and wildlife species as identified by Washington Department of Fish and Wildlife and Washington Department of Natural Resources.
- C. **Pursue funding.** The City should, and private entities are encouraged to, seek funding from State, Federal, private and other sources to implement restoration, enhancement, and acquisition projects, particularly those that are identified in the Restoration Plan of this SMP or the local watershed plans.
- D. **Streamline review.** The City should develop processing guidelines that will streamline the review of restoration-only projects.
- E. **Coordination.** Restoration and enhancement projects should be coordinated with local public utility and conservation districts.
- F. **Alternative mechanisms.** Allow for the use of tax incentive programs, mitigation banking, grants, land swaps, or other programs, as they are developed, to encourage restoration and enhancement of shoreline ecological functions and to protect habitat for fish, wildlife and plants.

2.7 Historic, Cultural, Scientific, and Educational Element

Goal HIST-1. Protect and restore areas having documented significant historic, cultural, educational or scientific values.

2.7.1 Archaeological and Historic Resources Policies

- A. **Preservation, Restoration, Education.** Archeological, cultural, and historic resources should be preserved for scientific study, public education, and for maintaining cultural associations and community character. In areas known to contain significant archaeological, cultural, and historic resources, shoreline permit applications shall allow for site survey work only by authorized and qualified cultural resource professionals.
- B. **Impact Avoidance.** Due to the limited and irreplaceable nature of the resource(s), prevent the destruction of or damage to any site having historic, cultural, scientific, or educational value as

identified by the appropriate authorities, including affected Indian tribes and the Washington State Department of Archaeology and Historic Preservation, or that have been inadvertently uncovered.

Any proposed site development and/or associated site demolition work should be planned and carried out so as to avoid impacts to the cultural resource or to provide appropriate mitigation.

- C. **Consultation.** Using the services of qualified cultural resource professionals is required to identify areas of archaeological, cultural, and/or historic significance. Appropriate agencies organizations, and governments to consult shall include, but are not limited to, the Confederated Tribes and Bands of the Yakama Nation, Confederated Tribes of the Colville Reservation, and the Washington State Department of Archaeology and Historic Preservation (DAHP).
- D. **Adjacent Cultural Site.** If development or demolition is proposed abutting an identified historic, cultural or archaeological site, then the proposed development should be designed and operated so as to be compatible with continued protection of the historic, cultural or archaeological site.

2.8 Chelan River Element

2.8.1 Flood Hazard Prevention Element

The Federal Emergency Management Agency has defined areas showing the extent of the 100 year flood boundary in order to establish actuarial flood insurance rates and assist communities in efforts to promote sound floodplain management. Development on floodplains retards their ability to absorb water, restricts the flow of water from land areas, and causes hazards downstream. The presence of the Lake Chelan hydroelectric dam limits the flooding hazard along the main lake valley. The presence of numerous hydroelectric dams along the Columbia River also limits flooding on this system. The possibility of flash flooding is a factor for the many smaller drainages and tributaries at lower elevations in the basin.

Goal FLOOD-1. Recognize the hydrologic functions of floodplains, and protect frequently flooded areas.

2.8.2 Flood Hazard Reduction Policies

- A. **Implement flood hazard plans and regulations.** The City should ensure public and private development applications site and design flood control measures consistent with appropriate engineering principles, including guidelines of the Natural Resource Conservation Service, the U.S. Army Corps of Engineers, Chelan County Multi-Jurisdiction Natural Hazard Mitigation Plan, watershed plans, restoration plans, critical area regulations, floodplain regulations, and stormwater management plans and regulations in order to prevent flood damage and conserve limited resources such as fish habitat, water, and soil.
- B. **No net loss of ecological functions.** Flood protection measures should result in no net loss of ecological functions and ecosystem-wide processes. Cumulative impacts associated with flood protection measures should be considered.
- C. **Non-structural methods preferred.** Where feasible, non-structural methods to protect, enhance, and restore shoreline ecological functions and processes and other shoreline resources should be encouraged as an alternative to structural flood control works. Non-structural methods may include, but are not limited to, shoreline setbacks, land use controls, use relocation, biotechnical measures, land or easement acquisition, voluntary protection and enhancement projects, or incentive programs.
- D. **Avoid structural flood control works.** New or expanding development or uses in shoreline jurisdiction, including subdivision of land, that would likely require structural flood control works should not be allowed.
- E. **When non-structural flood control is infeasible.** New structural flood control works should only be allowed in shoreline jurisdiction when it can be demonstrated by a scientific and engineering analysis that they are necessary to protect existing development, that impacts to ecological functions and

priority species and habitats can be successfully mitigated so as to assure no net loss, that appropriate vegetation conservation actions are undertaken, and where non-structural flood hazard reduction measures are infeasible.

- F. **Avoid damage to other properties.** Flood control works and shoreline uses, development, and modifications should be located, designed, constructed and maintained so their resultant effects on geo-hydraulic shoreline processes will not cause significant damage to other properties or shoreline resources, and so that the physical integrity of the shoreline corridor is maintained.

2.8.3 In-Water Structures Policies

- A. **Long-term compatibility.** In-water structures should be planned and designed to be compatible with appropriate multiple uses of resources over the long-term, especially in Shorelines of Statewide Significance. Appropriate multiple uses include, but are not limited to, public access and recreation.
- B. **Considerations.** The location, design, construction and maintenance of in-water structures should give due consideration to the full range of public interests; watershed processes, including prevention of damage to other properties and other shoreline resources from alterations to geologic and hydrologic processes; and ecological functions, with special emphasis on protecting and restoring priority habitats and species.
- C. **Siting and design.** In-water structures shall be sited and designed consistent with appropriate engineering principles, including, but not limited to, guidelines of the Washington Department of Fish and Wildlife, Natural Resources Conservation Service, and the U.S. Army Corps of Engineers. Planning and design of in-water structures should be consistent with and incorporate elements from applicable watershed management and restoration plans and/or surface water management plans.

3 SHORELINE JURISDICTION AND ENVIRONMENT DESIGNATIONS

3.1 Shoreline Jurisdiction

As defined by the Shoreline Management Act of 1971, shorelines include certain waters of the State plus their associated “shorelands.” The waterbodies designated as shorelines of the State are streams whose mean annual flow is 20 cubic feet per second (cfs) or greater and lakes whose area is greater than 20 acres. Certain shoreline waterbodies and their associated shorelands have elevated status under the Act if they are lakes equal to or larger than 1,000 acres or they are streams and rivers in Eastern Washington that are “...downstream of a point where the annual flow is measured at two hundred cubic feet per second or more, or those portions of rivers east of the crest of the Cascade range downstream from the first three hundred square miles of drainage area, whichever is longer” (RCW 90.58.030(2)(e)(v)(B)). These waterbodies are considered to be “shorelines of statewide significance,” and have unique supplemental provisions outlined in Section 3.4. The City of Chelan contains two shorelines: Lake Chelan and the Chelan River. Both waterbodies are a shoreline of statewide significance.

The City of Chelan adopts the minimum shoreline jurisdiction defined as:

“those lands extending landward for 200 feet in all directions as measured on a horizontal plane from the ordinary high water mark; floodways and contiguous floodplain areas landward 200 feet from such floodways; and all wetlands and river deltas associated with the streams, lakes, and tidal waters which are subject to the provisions of this chapter....”
(RCW 90.58.030)

The extent of shoreline jurisdiction for Lake Chelan and the Chelan River in the City of Chelan is indicated on the Official Shoreline Maps included in Appendix A as well as map databases maintained by City of Chelan. Lake Chelan extends to the lake side of the Lake Chelan Dam; the Chelan River begins at the downstream side of the Lake Chelan Dam. The purpose of the Official Shoreline Maps, and accompanying map databases, is to identify Environment Designations (Section 3.2). The maps only approximately identify or depict the lateral extent of shoreline jurisdiction. The actual lateral extent of the shoreline jurisdiction shall be determined on a case-by-case basis based on the location of the ordinary high water mark (OHWM), floodway, floodplain, and presence of associated wetlands.

In circumstances where shoreline jurisdiction does not include an entire parcel, only that portion of the parcel within shoreline jurisdiction and any use, activity or development proposed within shoreline jurisdiction on that portion of the parcel is subject to this Shoreline Master Program.

3.2 Environment Designations

3.2.1 Environment Designation System

This SMP shall contain a system to classify shoreline areas into specific environment designations based on pattern of use, biological and physical characteristics, and community goals consistent with requirements in WAC 173-26-211. It states that:

Master programs shall contain a system to classify shoreline areas into specific environment designations. This classification system shall be based on the existing use pattern, the biological and physical character of the shoreline, and the goals and aspirations of the community as expressed through comprehensive plans as well as the criteria in this section. Each master program's classification system shall be consistent with that described in WAC 173-26-211 (4) and (5) unless the alternative proposed provides equal or better implementation of the act. This SMP is consistent with the classification requirements in the SMA, deviating from WAC 173-26-211 (4) and (5) with respect only to some environment designation names, or the addition

of new environment designations. where such provides the City with opportunity to provide further, but complementary, designations consistent with existing land management plans. Each environment designation contains a purpose statement, designation criteria, and management policies components.

A. Shoreline Park/Public

A.1 Purpose

The purpose of the "Shoreline Park/Public" environment in the City of Chelan is to:

- A. Protect and restore ecological functions of open space, floodplain and other sensitive, public or protected lands where they exist in urban and developed settings, while allowing a variety of compatible uses.
- B. Ensure appropriate management and development of existing and future public parks and recreation areas.

A.2 Designation Criteria

A "Shoreline Park/Public" environment designation will be assigned to shorelines that:

- A. are within existing or planned public parks or public lands intended to accommodate public access and recreational developments that are compatible with maintaining or restoring the ecological functions of the area, and that are not generally suitable for commercial or industrial water-dependent uses ;
- B. are suitable for water-related or water-enjoyment uses;
- C. may be designated as open space, floodplain or other sensitive or protected areas that should not be more intensively developed; or
- D. retain important ecological functions, even though partially developed.

A.3 Management Policies

Development within the "Shoreline Park/Public" environment shall be consistent with the following policies:

- A. Public access and public recreation objectives should be implemented in parks or other public lands located within the City or its UGA whenever feasible and only when any significant ecological impacts can be mitigated.
- B. When considering park and urban recreational development proposals, water-oriented uses and their accessory uses should be given priority over nonwater-oriented uses. Nonwater-oriented uses should be allowed when located upland of other water-oriented uses or when the nonwater-oriented use does not preclude implementation of planned water-oriented uses.
- C. Uses that preserve the natural character of the area, where present, or promote preservation of open space, floodplain or sensitive lands either directly or over the long term should be the primary allowed uses. Uses that result in restoration of ecological functions should be allowed if the use is otherwise compatible with the purpose of this environment and the setting.
- D. Standards should be established for shoreline stabilization measures, vegetation conservation, water quality, and shoreline modifications within the "Shoreline Park/Public" designation to ensure. no net loss of shoreline ecological functions or further degrade other shoreline values.

B. Shoreline Residential – Single Family

B.1 Purpose

The purpose of the "Shoreline Residential – Single Family" environment is to accommodate single-family residential development and appurtenant structures consistent with this chapter. An additional purpose is to provide appropriate public access and recreational uses.

B.2 Designation Criteria

A "Shoreline Residential – Single Family" environment designation will be assigned to City of Chelan's shorelands if they are predominantly single-family residential development or are planned for single-family residential development.

B.3 Management Policies

Development within the "Shoreline Residential – Single Family" environment shall be consistent with the following policies:

- A. Commercial development should be limited to water-oriented uses and not conflict with the single-family residential character of lands in the Shoreline Residential – Single Family environment.
- B. Water-oriented recreational uses should be allowed.
- C. Adequate land area and services should be provided.
- D. Land division and development should be permitted only when 1) setbacks and vegetation conservation requirements are met; 2) where there is adequate access, water, sewage disposal, and utilities systems, and public services available; and 3) where the environment can support the proposed use in a manner which protects or restores the ecological functions.
- E. Development standards for setbacks, shoreline stabilization, vegetation conservation, critical area protection, and water quality should be established to protect and, where significant ecological degradation has occurred, restore ecological functions over time.
- F. New single-family residential development should be located and designed so that future shoreline stabilization is not required.

C. Shoreline Residential – Multi-Family

C.1 Purpose

The purpose of the "Shoreline Residential – Multi-Family" environment is to accommodate multi-family residential development and appurtenant structures that are consistent with this chapter. An additional purpose is to provide appropriate public access and recreational uses.

C.2 Designation Criteria

A "Shoreline Residential – Multi-Family" environment designation will be assigned to City of Chelan's shorelands if they are predominantly multi-family residential development or are planned for multi-family residential development.

C.3 Management Policies

Development within the Shoreline Residential – Multi-Family environment shall be consistent with the following policies:

- A. Commercial development should be limited to water-oriented uses and not conflict with the multi-family residential character of lands in the "Shoreline Residential – Multi-Family" environment.
- B. Water-oriented recreational uses should be allowed.

- C. Adequate land area and services should be provided.
- D. Land division and development should be permitted only 1) when setbacks and vegetation conservation requirements are met; 2) where there is adequate access, water, sewage disposal, and utilities systems, and public services available; and 3) where the environment can support the proposed use in a manner which protects or restores the ecological functions.
- E. Development standards for setbacks, shoreline stabilization, vegetation conservation, critical area protection, and water quality should be established to protect and, where significant ecological degradation has occurred, restore ecological functions over time.
- F. Multi-family and multi-lot residential and recreational developments should provide public access to the shoreline and joint-use community recreational facilities.
- G. New multi-family residential development should be located and designed so that future shoreline stabilization is not required.

D. High Intensity

D.1 Purpose

The purpose of the "High Intensity" environment is to provide for high-intensity water-oriented commercial, transportation, and industrial uses while protecting existing ecological functions and restoring ecological functions in areas that have been previously degraded.

D.2 Designation Criteria

A "High Intensity" environment designation will be assigned to shorelands designated for commercial or industrial use within the City and its urban growth area (UGA) if they currently support or are suitable and planned for high-intensity commercial, industrial, or institutional uses that either include, or do not detract from, the potential for water-oriented uses, shoreline restoration, and/or public access.

D.3 Management Policies

Development within the "High Intensity" environment shall be consistent with the following policies:

- A. In the "High Intensity" environment, first priority should be given to water-dependent uses. Second priority should be given to water-related and water-enjoyment uses. Nonwater-oriented uses should not be allowed except as part of mixed-use developments. Nonwater-oriented uses may also be allowed in limited situations where they do not conflict with or limit opportunities for water-oriented uses or on sites where there is no direct access to the shoreline, but only if identified in shoreline use analysis or through special area planning as described in WAC 173-26-201(3)(d)(ix).
- B. Developments in the "High Intensity" environment should be managed to enhance and maintain the shorelines for a variety of urban uses, with priority given to water-dependent, water-related, and water-enjoyment uses.
- C. Where feasible, visual and physical public access should be required as provided for in Section 4.3 of this SMP.
- D. Aesthetic objectives should be actively implemented in development proposals and should be in compliance with sign control regulations, appropriate development siting, screening and architectural standards, and maintenance of natural vegetative screens.
- E. No net loss of shoreline ecological functions shall occur as a result of new development. Where applicable, new development shall include environmental cleanup and restoration of the shoreline to comply with any relevant state and federal law.
- F. Full utilization of existing urban areas should be achieved before considering expanding this environment designation through future SMP amendments. Reasonable long-range projections of regional economic need should guide the amount of shoreline designated "High Intensity." During an

analysis of shoreline uses, consideration should be given to the potential for displacement of non-water-oriented uses with water-oriented uses when analyzing full utilization of urban waterfronts and before considering expansion of such areas. In order to make maximum use of the available shoreline resource and to accommodate future water-oriented uses, shoreline restoration and/or public access, the redevelopment and renewal of substandard, degraded, obsolete urban shoreline areas is encouraged.

E. Aquatic

E.1 Purpose

The purpose of the "Aquatic" environment is to protect, restore, and manage the unique characteristics and resources of the areas waterward of the OHWM.

E.2 Designation Criteria

An "Aquatic" environment designation will be assigned to shoreline areas waterward of the OHWM.

E.3 Management Policies

Development within the "Aquatic" environment shall be consistent with the following policies:

- A. New over-water structures should be prohibited except for water-dependent uses, public access, necessary shoreline crossings, or ecological restoration.
- B. The size of new over-water structures should be limited to the minimum necessary to support the structure's intended use.
- C. In order to reduce the impacts of shoreline development and increase effective use of water resources, multiple uses of over-water facilities is encouraged.
- D. All developments and uses on navigable waters or their beds should be located and designed to minimize interference with surface navigation, to consider impacts to public views, and to allow for the safe, unobstructed passage of priority or native fish and wildlife, particularly those species dependent on migration.
- E. Uses that adversely impact the ecological functions of critical freshwater habitats should not be allowed. Where those uses are necessary to achieve the objectives of RCW 90.58.020, their impacts shall be mitigated according to the sequence defined in Section 4.2, Ecological Protection and Critical Areas.
- F. Shoreline uses and modifications should be designed and managed to prevent degradation of water quality and alteration of natural hydrographic conditions.

3.2.2 Use Matrix and Development Standards

Application: The use matrix Table 3.1 and development standards are intended to provide clear administration of this SMP

- A. Table 3-1 indicates which uses and modifications may be allowed or are prohibited in shoreline jurisdiction within each shoreline environment. Applicants shall avoid piecemealing applications; for example, accessory structures are only allowed in association with a primary use. Accessory uses and structures shall be subject to the same shoreline permit process and SMP provisions as their primary use when proposed after the establishment of a primary use. Where there is a conflict between the chart and the written provisions in this SMP, the written provisions shall apply.
- B. An accessory use or structure shall not be established on a property prior to the development of its primary use.
- C. Authorized uses and modifications are only allowed in shoreline jurisdiction where the underlying zoning allows for it and subject to the policies and regulations of this SMP.

- D. Any use, development or modification not classified in the Shoreline Master Program or listed below shall require a Shoreline Conditional Use Permit.
- E. Uses and modifications identified as “Permitted” require either a Shoreline Substantial Development Permit or may be exempt from the requirement to obtain a Shoreline Substantial Development Permit, as outlined in the definition of *Substantial Development* included in Chapter 9, Definitions. Exempted uses and modifications, however, are not exempt from policies and provisions of the Act or this SMP, and must be consistent with the general regulations.
- F. If any part of a proposed development is not eligible for exemption, then a Shoreline Permit is required for the entire proposed development project.
- G. A development or use that is listed as a conditional use pursuant to this SMP or is an unlisted use, must obtain a Shoreline Conditional Use Permit even though the development or use does not require a Shoreline Substantial Development Permit.
- H. To preserve the existing and planned character of the shoreline consistent with the purposes of the shoreline environment designations, shoreline development standards regarding shoreline setbacks, lot frontage, side setbacks, and height are provided in Table 3-2. In addition, shoreline developments shall comply with all density, lot area, setback and other dimensional requirements of the City zoning and subdivision codes.
- I. When a development or use is proposed that does not comply with the shoreline setback, lot frontage, side yard setback, and other dimensional performance standards of this SMP not otherwise allowed by administrative reduction or administrative modification, such development or use can only be authorized by approval of a Shoreline Variance. Departures from the maximum height limit shall be subject to approval of a Shoreline Conditional Use Permit, including a view corridor analysis and demonstration that criteria are met consistent with Section 7.7.
- J. Except as otherwise stated, in addition to this SMP, the City zoning regulations, subdivision regulations, health regulations, and other adopted regulatory provisions apply within shoreline jurisdiction. In the event the provisions of this SMP conflict with provisions of other City regulations, the more protective of shoreline ecological functions and processes shall prevail.
- K. Where a use or modification may occur in the Aquatic environment as indicated in Table 3-1 and in the corresponding regulations for that use, the more restrictive permit process or prohibition on that use as may be indicated for the adjacent shoreland environment applies to that use in the Aquatic environment.
- L. The permit processes indicated below for each use or modification apply to new, expanded, modified or replacement uses and modifications. For those uses and modifications that meet one of the exemptions outlined in Section 7.6.3, Exemptions, a Shoreline Permit is not required if Table 3-1 indicates “P.” However, if “CU” is listed for the use or modification, that use or modification is not eligible for an exemption.

Table 3-1. Shoreline Use and Modification Matrix for the City of Chelan.

<p>The Permit Table is coded according to the following legend.</p> <p>P = Permitted, may be subject to Shoreline Substantial Development Permit or shoreline exemption requirements</p> <p>CU = Shoreline Conditional Use</p> <p>X = Prohibited; the use is not eligible for a Variance or Conditional Use Permit</p> <p>NA = Not Applicable</p> <p>All permitted and conditional uses are subject to general policies and regulations and use and modification regulations in Chapters 4 and 5 of this SMP and the zoning code</p>	Shoreline Park/Public	Shoreline Residential – Single Family	Shoreline Residential – Multi-Family	High Intensity	Aquatic
Agriculture	P	P	P	X	X
Agricultural-Commercial	X	CU	CU	P	X
Aquaculture	X	X	X	X	X
Boating Facilities and Private Moorage Structures					
Community dock	X	P	P	P	P
Marina, commercial dock, and public dock	P	CU	CU	P	P
Public boat launch facility	P	CU	P	P	P
Private commercial boat launch facility	X	X	X	P	P
Private community boat launch facility	X	CU	CU	CU	CU
Buoys	NA	NA	NA	NA	P
Residential dock	P	P	P	P	P
Watercraft lift and canopy	NA	NA	NA	NA	P
Covered moorage or boathouse	X	X	X	X	X
Private residential boat launch facility	X	X	X	X	X
Breakwaters/jetties/weirs/groins/barbs	P/ CU	CU	CU	CU	P/ CU ¹
Commercial Uses					
Water-dependent uses	P, CU ³	X	X	P	CU
Water-related uses					
Boat servicing and fueling	CU	X	X	CU	CU
Boat sales	X	X	X	P	CU
Other water-related uses	P, CU ³	X	X	P	X
Overnight boat or slip rental (STR)	X	X	X	X	P
Water-enjoyment uses	P, CU ³	CU	CU	P	X
Nonwater-oriented uses	X	X	X	CU	X
Mixed-use commercial	CU	X	CU	P	X
Mixed-use residential	CU	X	CU	P	X

CITY OF CHELAN SHORELINE MASTER PROGRAM

<p>The Permit Table is coded according to the following legend.</p> <p>P = Permitted, may be subject to Shoreline Substantial Development Permit or shoreline exemption requirements</p> <p>CU = Shoreline Conditional Use</p> <p>X = Prohibited; the use is not eligible for a Variance or Conditional Use Permit</p> <p>NA = Not Applicable</p> <p>All permitted and conditional uses are subject to general policies and regulations and use and modification regulations in Chapters 4 and 5 of this SMP and the zoning code</p>	Shoreline Park/Public	Shoreline Residential – Single Family	Shoreline Residential – Multi-Family	High Intensity	Aquatic
Transient businesses	X	X	X	P	X
Dredging and dredge materials disposal					
Dredging	NA	NA	NA	NA	P
In-water disposal	NA	NA	NA	NA	CU
Upland disposal outside of floodplain	CU	P	P	P	NA
Upland disposal inside of floodplain	CU	CU	CU	CU	NA
Fill					
Upland outside of floodplain	P	P	P	P	NA
Upland inside of floodplain	CU	CU	CU	CU	NA
In-water restoration	NA	NA	NA	NA	P
In-water non-restoration	NA	NA	NA	NA	CU
Forest Practices	X	X	X	X	NA
Industrial Uses					
Water-dependent uses	X	X	X	P	CU
Water-related uses					
Boat building	X	X	X	P	P
Industrial docks with appertaining machinery	X	X	X	P	P
Other water-related uses	X	X	X	P	CU
Nonwater-oriented uses	X	X	X	P	X
Institutional ²					
Water-oriented	P	X	P	P	CU
Nonwater-oriented	CU	CU	CU	CU	X
In-Water Structures	P	P	P	P	P
Mining	X	X	X	X	X
Recreational Use ²					
Water-oriented	P	P	P	P	P
Nonwater-oriented	P	P	P	P	X
Residential Use					

<p>The Permit Table is coded according to the following legend.</p> <p>P = Permitted, may be subject to Shoreline Substantial Development Permit or shoreline exemption requirements</p> <p>CU = Shoreline Conditional Use</p> <p>X = Prohibited; the use is not eligible for a Variance or Conditional Use Permit</p> <p>NA = Not Applicable</p> <p>All permitted and conditional uses are subject to general policies and regulations and use and modification regulations in Chapters 4 and 5 of this SMP and the zoning code</p>	Shoreline Park/Public	Shoreline Residential – Single Family	Shoreline Residential – Multi-Family	High Intensity	Aquatic
Single-family	P	P	P	P ⁵	X
Multi-family	X	X	P	P ⁵	X
Cabanas, existing legal	NA	NA	NA	NA	P
Over-water and Floating Homes	NA	NA	NA	NA	X
Liveaboards	NA	NA	NA	NA	CU
Shoreline habitat and natural systems enhancement projects	P	P	P	P	P
Shoreline Stabilization					
Bioengineering and Soft structural shoreline stabilization	P	P	P	P	P
Hard structural shoreline stabilization	CU	P	CU	CU	P
Dikes, levees	CU	CU	CU	CU	X
Transportation and Parking ⁴					
Local	P	P	P	P	CU
Regional – new	CU	CU	CU	CU	CU
Regional – existing (maintenance,)	P	P	P	P	P
Regional – existing (improvement, expansion)	P	P	P	P	P
Water transportation facilities	P	CU	CU	P	P
Utilities					
Small	P	P	P	P	CU
Large – new	CU	CU	CU	CU	CU ⁶
Large - existing (maintenance, improvement, expansion)	P	P	P	P	P

¹ Those structures installed to protect or restore ecological functions, such as woody debris installed in streams, may be processed as a Shoreline Substantial Development Permit.

² When the use is also commercial, it is also subject to Commercial use standards and matrix allowances

³ Water-oriented commercial uses are permitted when accessory to a public recreation facility. Otherwise the uses require Shoreline Conditional Use Permits.

⁴ Trails shall be permitted as a Recreational Use.

⁵ Except not allowed as a stand-alone use in the underlying Commercial Waterfront zone; only allowed as part of a mixed use development with water-oriented uses as a primary use.

⁶ New utilities that are fixed to existing overwater structures may be processed as a Shoreline Substantial Development Permit.

Table 3-2. Shoreline Development Standards Matrix for the City of Chelan.

Standard	Shoreline Park/Public	Shoreline Residential – Single Family	Shoreline Residential – Multi-Family	High Intensity	Aquatic
Note: All dimensions are in feet. n/a = not applicable					
Shoreline Setbacks – All Uses	See Section 4.4.2 of this SMP.				
Shoreline Lot Frontage Minimum – Residential	n/a	60	50	50	n/a
Side Yard Setback Minimum – Residential	n/a	5	5	0	5
Side property line spacing: Boating Facilities and Private Moorage Structures	See Section 5.5, Table 5.5-1 and Table 5.5-2 of this SMP.				
Height Limit Maximum	35	30	35	35	35

3.2.3 Official Shoreline Maps and Unmapped or Undesignated Shorelines

- A. Appendix A (Shoreline Jurisdiction Boundaries and Environment Designations Maps) includes a hard copy of the Official Shoreline Maps at the time of SMP adoption, which illustrate the delineation of shoreline jurisdiction and environment designations in the City and urban growth area (UGA). The electronic files of the Official Shoreline Maps will be considered the official version and may be updated administratively or through an SMP amendment as indicated in Subsections 3.2.2.B, C and D below. The Department of Ecology will be provided with electronic files of the Official Shoreline Maps when any updates are made. Minor mapping errors corrected administratively shall not be greater than 1.0 acre in size. If greater than 1.0 acre in size, a SMP amendment shall be completed within three years of finding the mapping error.
- B. Any areas within shoreline jurisdiction that are not mapped and/or designated due to minor mapping inaccuracies in the lateral extent of shoreline jurisdiction from the shoreline waterbody related to site-specific surveys of ordinary high water mark, floodway, and/or floodplain are automatically assigned the category of the contiguous waterward shoreline environment designation. Where the mapping inaccuracy results in inclusion of an unmapped associated wetland, that wetland shall be assigned a Shoreline Park/Public environment designation. Correction of these minor mapping inaccuracies may be made and incorporated into the Official Shoreline Maps without an SMP amendment.
- C. All other areas of shoreline jurisdiction that were neither mapped as jurisdiction nor assigned an environment designation shall be assigned a Shoreline Park/Public designation until the shoreline can be redesignated through an SMP amendment process conducted consistent with WAC 173-26-100 and SMP Section 7.16.
- D. The actual location of the OHWM, floodplain, floodway, and wetland boundaries must be determined at the time a development is proposed. Wetland boundary and ordinary high water mark determinations are valid for five years from the date the determination is made. Floodplain and floodway boundaries should be assessed using FEMA maps.
- E. In addition, any property shown in shoreline jurisdiction that does not meet the criteria for shoreline jurisdiction (e.g., is more than 200 feet from the OHWM or floodway, is no longer in floodplain as documented by a Letter of Map Revision from FEMA, and does not contain associated wetlands)

shall not be subject to the requirements of this SMP. Revisions to the Official Shoreline Maps may be made as outlined in this Section E without an SMP amendment.

3.2.4 Interpretation of Environment Designation Boundaries

- A. If disagreement develops as to the exact location of an environment designation boundary line, the Official Shoreline Maps shall prevail consistent with the following rules:
 - 1. Boundaries indicated as approximately following lot, tract, or section lines shall be so construed.
 - 2. In cases where boundary line adjustments or subdivisions occur, the designation applied to the parent parcel prior to the boundary line adjustment or subdivision shall not change as a result. The shoreline designation can be redesignated through an SMP amendment.
 - 3. Boundaries indicated as approximately following roads shall be respectively construed to follow the nearest right-of-way edge.
 - 4. Boundaries indicated as approximately parallel to or extensions of features indicated in (1), (2), or (3) above shall be so construed.
- B. In the event of an environment designation mapping error where the SMP update or amendment record, including the public hearing process, is clear in term of the correct environment designation to apply to a property, the Shoreline Administrator shall apply the environment designation approved through the SMP Update or Amendment process and correct the map. Appeals of such interpretations may be filed pursuant to Section 7.13 and the City's appeal procedures referenced in Chapter 7 of this SMP. If the use environment criteria were misapplied, but the map does not show an unintentional error, a SMP amendment may be obtained consistent with WAC 173-26-100 and Section 7.16.
- C. All shoreline areas waterward of the OHWM shall be designated Aquatic.
- D. Upland environment designations shall apply to shorelands.
- E. Only one environment designation shall apply to a given shoreland area. In the case of parallel designations, designations shall be divided along an identified linear feature and the boundary shall be clearly noted on the map (for example: "boundary is 100 feet upland from the OHWM"). Application of shoreline setbacks to parallel designations is explained in Section 4.4.2

3.3 Shoreline Use Preferences

This SMP adopts the following policy provided in RCW 90.58.020, and fully implements it to the extent of its authority under this SMP:

It is the policy of the State to provide for the management of the shorelines of the State by planning for and fostering all reasonable and appropriate uses. This policy is designed to insure the development of these shorelines in a manner which, while allowing for limited reduction of rights of the public in the navigable waters, will promote and enhance the public interest. This policy contemplates protecting against adverse effects to the public health, the land and its vegetation and wildlife, and the waters of the State and their aquatic life, while protecting generally public rights of navigation and corollary rights incidental thereto...

In the implementation of this policy, the public's opportunity to enjoy the physical and aesthetic qualities of natural shorelines of the State shall be preserved to the greatest extent feasible consistent with the overall best interest of the State and the people generally. To this end uses shall be preferred which are consistent with control of pollution and prevention of damage to the natural environment, or are unique to or dependent upon use of the state's shoreline. Alterations of the natural condition of the shorelines of the state, in those limited instances when authorized, shall be given priority for single family residences and their

appurtenant structures, ports, shoreline recreational uses including but not limited to parks, marinas, piers, and other improvements facilitating public access to shorelines of the state, industrial and commercial developments which are particularly dependent on their location on or use of the shorelines of the state and other development that will provide an opportunity for substantial numbers of the people to enjoy the shorelines of the state....

Permitted uses in the shorelines of the State shall be designed and conducted in a manner to minimize, insofar as practical, any resultant damage to the ecology and environment of the shoreline area and any interference with the public's use of the water. {See Section 1.1 for a full quote of this RCW}

When determining allowable uses and resolving use conflicts on shorelines within jurisdiction consistent with the above policy, the following preferences and priorities as listed in WAC 173-26-201(2)(d) shall be applied in the order presented below:

Reserve appropriate areas for protecting and restoring ecological functions to control pollution and prevent damage to the natural environment and public health.

Reserve shoreline areas for water-dependent and associated water related uses ... Local governments may prepare master program provisions to allow mixed-use developments that include and support water-dependent uses and address specific conditions that affect water-dependent uses.

Reserve shoreline areas for other water-related and water-enjoyment uses that are compatible with ecological protection and restoration objectives.

Locate single-family residential uses where they are appropriate and can be developed without significant impact to ecological functions or displacement of water-dependent uses.

Limit non-water-oriented uses to those locations where the above described uses are inappropriate or where non-water-oriented uses demonstrably contribute to the objectives of the Shoreline Management Act.

3.4 Shorelines of Statewide Significance

3.4.1 Designation Criteria

Shorelines of statewide significance include those lakes, whether natural, artificial, or a combination thereof, with a surface area greater than or equal to 1,000 acres measured from the OHWM, and natural rivers or segments thereof downstream of a point where the annual flow is measured at two hundred (200) cubic feet per second or more, or those portions of rivers downstream from the first three hundred (300) square miles of drainage area, whichever is longer. In the City of Chelan and its UGA, Lake Chelan and the Chelan River are shorelines of statewide significance.

3.4.2 Use Preferences

In accordance with RCW 90.58.020, the following management and administrative policies are hereby adopted for all shorelines of statewide significance in the City and UGA, as defined in RCW 90.58.030(2)(e). Consistent with the policy contained in RCW 90.58.020, preference shall be given to the uses in the following order of preference that are consistent with the statewide interest in such shorelines. These are uses that:

1. *Recognize and protect the statewide interest over local interest;*
2. *Preserve the natural character of the shoreline;*
3. *Result in long term over short term benefit;*
4. *Protect the resources and ecology of the shoreline;*
5. *Increase public access to publicly owned areas of the shorelines;*

6. *Increase recreational opportunities for the public in the shoreline;*
7. *Provide for any other element as defined in RCW 90.58.100 deemed appropriate or necessary. (WAC 173-26-251(2))*

Uses that are not consistent with these preferences should not be permitted on shorelines of statewide significance.

4 GENERAL REGULATIONS

Chapter 4 presents general regulations that apply to any developments, uses, or activities in any environment designation in order to protect environmental and cultural resources, reduce likelihood of harm to life or property from hazardous conditions, and promote access to shorelines.

Regulations are rules that govern developments, uses, or activities irrespective if a shoreline exemption or permit of any class is required.

4.1 Archaeological and Historic Resources

4.1.1 Overview

Archaeological and historic resources are valuable links to the City of Chelan's past and should be considered whenever a development is proposed along regulated shorelines. Where such resources are either recorded at the Washington State Department of Archaeology and Historic Preservation (DAHP) and/or with the County or City, or have been inadvertently discovered or uncovered, the following regulations apply.

4.1.2 Regulations

- A. **Site Assessment:** Upon receipt of an application for a shoreline permit or application for a demolition permit within the shoreline zone, or request for a statement of exemption for development on properties within 500 feet of a site known to contain a historic, cultural, or archaeological resource(s), the City shall require a cultural resource site survey/assessment. Such assessment shall be consistent with DAHP Standards for cultural resource reporting.
 1. The site assessment shall be conducted by a professional archaeologist or historic preservation professional, as applicable, to determine the presence of historic or significant archaeological resources.
 2. Buildings or structures over 40 years in age shall be inventoried in a DAHP Historic Property Inventory Database entry and archaeological sites shall be recorded on DAHP Archaeological Site Inventory Forms. The fee for the services of the professional archaeologist or historic preservationist shall be paid by the applicant.
 3. If the cultural resource site assessment identifies the presence of archaeological, or significant historic, cultural resources, recommendations shall be prepared by a professional archaeologist or historic preservation professional, as part of the survey/assessment. The fee for the services of the professional archaeologist or historic preservation professional shall be paid by the applicant.
 4. In the preparation of such site assessments and recommendations, the professional archaeologist or historic preservation professional shall solicit comments from DAHP, and affected Indian tribes. Comments received shall be incorporated into the conclusions and recommended conditions of the survey/assessment to the maximum extent practicable.
- B. **Uncovered Archaeological Resources.** Developers and property owners shall immediately stop work and notify the City, DAHP, and affected Indian tribes if archaeological resources are uncovered during excavation in order to discuss and agree upon appropriate next steps consistent with the State's Inadvertent Discovery Plan.
- C. **Mitigation – Archaeological, Cultural, and Historic Resources.** At locations where a qualified cultural resource professional as defined by the State of Washington, has identified a site, building, structure, district or object as having archaeological, cultural, and/or historical significance, or where such

resources are listed in national, state or local registers of historic places, the City shall require the identification and implementation of steps to avoid, minimize, or mitigate negative impacts to the resource(s). Mitigation measures may include but not be limited to preservation and/or retrieval of data, proposal modifications to reduce impacts, or other mitigation measures authorized through the State Environmental Policy Act, or other local, state, or federal laws. Archaeological sites located both in and outside shoreline jurisdiction are subject to Chapter 27.44 RCW (Indian graves and records) and Chapter 27.53 RCW (Archaeological sites and resources) and development or uses that may impact such sites shall comply with Chapter 25-48 WAC, as well as the provisions of this Master Program.

4.2 Ecological Protection and Critical Areas

4.2.1 Overview

This Shoreline Master Program must balance shoreline uses, public access, and environmental protection to assure “no net loss of shoreline ecological functions.” This section provides standards that require proposed individual uses and developments to analyze environmental impacts of the proposal and includes measures to mitigate environmental impacts not otherwise avoided or mitigated by compliance with this SMP and other applicable regulations.

In addition, any critical areas found within shoreline jurisdiction must be managed in a way that also results in no net loss of ecological functions and is based on the “most current, accurate, and complete scientific and technical information available that is applicable to the issues of concern.”

4.2.2 Regulations

- A. **Applicability.** The provisions of this Section and Appendix B, Critical Areas Regulations, shall apply to any use, alteration or development, including accessory/appurtenant uses, within shoreline jurisdiction, whether or not a shoreline permit or written letter of exemption is required.
- B. **Mitigation sequencing.** Applicants shall demonstrate all reasonable efforts have been taken to avoid, minimize and then mitigate likely adverse impacts to ecological function resulting from new development and redevelopment in shorelines in the following sequence of steps listed in prioritized order:
 1. Avoiding the impact altogether by not taking a certain action or parts of an action;
 2. Minimizing impacts by limiting the degree or magnitude of the action and its implementation, by using appropriate technology, or by taking affirmative steps, such as project redesign, relocation, or timing, to avoid or reduce impacts;
 3. Rectifying the impact by repairing, rehabilitating, or restoring the affected environment to the conditions existing at the time of the initiation of the project;
 4. Reducing or eliminating the impact over time by preservation and maintenance operations during the life of the action;
 5. Compensating for the impact by replacing, enhancing, or providing substitute resources or environments; and
 6. Monitoring the impact and the compensation projects and taking appropriate corrective measures.
 7. Lower priority measures shall be applied only where higher priority measures are determined to be infeasible or inapplicable.
- C. **Mitigation required for impacts.** A mitigation plan shall be developed and implemented for all projects within shoreline jurisdiction, including those waterward of the OHWM, that have adverse impacts identified during mitigation sequencing applied per Section 4.2.2.B to prevent net loss of

ecological functions. As part of the analysis of potential impacts, the applicant shall also evaluate whether the project may adversely affect existing hydrologic connections between streams and/or wetlands, and either modify the project or mitigate any impacts as needed. Mitigation must be designed to result in no net loss of ecological functions to the extent feasible. Except where mitigation ratios are otherwise identified for specific critical areas impacts in Appendix B, mitigation for adverse impacts to shoreline ecological functions shall be required at a ratio of one unit of mitigation for one unit of impact by area. However, depending on the nature and extent of adverse impacts and proposed mitigation, a reduction in the ratio may be allowed to meet the no net loss of ecological functions standard as specifically outlined in later sections of this SMP (e.g., 5.5.2.F) or if justified in a critical areas report per Appendix B (Section 1.030.G.3) or a mitigation plan per Subsection F.

D. Cumulative effects.

1. In review of applications for Shoreline Variance and/or Shoreline Conditional Use Permits, the City shall consider the cumulative impacts of individual uses and developments, including preferred uses and uses that are exempt from permit requirements, when determining whether a proposed use or development could cause a net loss of ecological functions. The geographic scope of the analysis shall include the shoreline waterbody potentially affected by the proposal within the bounds of the City's geographic authority, unless the Shoreline Administrator determines that a larger or smaller area of analysis is appropriate.
2. The City shall have the authority to require the applicant/proponent to prepare special studies, assessments and analyses as necessary to identify and address cumulative impacts including, but not limited to, impacts on priority or native fish and wildlife habitat, public access/use, aesthetics, and other shoreline attributes.
3. Proponents of shoreline use and development shall take the following factors into account when assessing cumulative impacts:
 - a. Current ecological functions and human factors influencing shoreline natural processes; and
 - b. Reasonably foreseeable future use and development of the shoreline; and
 - c. Beneficial effects of any established regulatory programs under other local, state, and federal laws; and
 - d. Mitigation measures implemented in conjunction with the proposed project to avoid, reduce and/or compensate for adverse impacts.
4. The City shall add conditions as needed based on the findings of H.1-H.3 above to address any adverse cumulative effects, and may prohibit any use or development that would result in unmitigated adverse cumulative impacts.

E. Restoration is not required. Developments shall not be required to provide mitigation in excess of that necessary to assure that development will result in no net loss of shoreline ecological functions and will not have a significant adverse impact on other shoreline functions fostered by the policy of the Act.

F. Alternative design and mitigation. For any development proposal, applicants shall comply with relevant design and mitigation standards found in this SMP. Provided, applicants may submit a mitigation plan that demonstrates how an alternative design or mitigation approach meets the no net loss of ecological functions standard. At a minimum, mitigation plans must contain information about existing and anticipated post-project conditions with a discussion of how the alternative design or mitigation approach is consistent with the SMA and this SMP.

G. Location of mitigation. When compensatory measures are appropriate pursuant to the mitigation priority sequence above, preferential consideration shall be given to measures that replace the

impacted functions directly and in the immediate vicinity of the impact. However, alternative compensatory mitigation within the watershed (e.g., area defined by the Watershed Planning Act and named as Water Resource Inventory Area 47 (Chelan)) that addresses limiting factors or identified critical needs for shoreline resource conservation based on the Shoreline Restoration Plan, or WRIA or comprehensive resource management plans applicable to the area of impact may be authorized if it would have a greater positive impact on ecological function. Authorization of compensatory mitigation measures may require appropriate safeguards, terms or conditions as necessary to ensure no net loss of ecological functions.

- H. Protection of critical areas and buffers.** The waters of Lake Chelan and the Chelan River, and their associated shoreline setbacks, are regulated by the body of this SMP. Any other critical areas and their buffers found within shoreline jurisdiction, such as wetlands, frequently flooded areas, geologically hazardous areas, fish and wildlife habitat conservation areas other than Lake Chelan and the Chelan River, and critical aquifer recharge areas, shall be regulated, protected and enhanced by Appendix B, Critical Areas Regulations. Lake Chelan, the Chelan River, and their associated shoreline setbacks shall be protected and/or enhanced pursuant to Section 4.4, Vegetation Conservation and Shoreline Setbacks, and all other applicable provisions of this SMP. Critical areas and their buffers located outside of shoreline jurisdiction are not regulated by this SMP, and instead are regulated under the City's critical areas regulations found in CMC 14.10.

4.3 Public Access

4.3.1 Overview

Public access refers to the ability of the general public "to reach, touch, and enjoy the water's edge, to travel on the waters of the state, and to view the water and the shoreline from adjacent locations" (WAC 173-26-221(4)(a)). Public access can be physical access such as via a trail or park and/or visual such as a view corridor from a road.

Public access is a preferred use per the Shoreline Management Act (RCW 90.58.020). The Shoreline Master Program (SMP) Guidelines require that public access be provided with most new development, except that more flexibility is allowed where there is a coordinated public access planning process (WAC 173-26-221(4)(c)). When public access is addressed in a SMP, it implements the "public trust doctrine" which is a common law principle holding that "the waters of the state are a public resource owned by and available to all citizens equally for the purposes of navigation, conducting commerce, fishing, recreation and similar uses." While the doctrine "protect(s) public use of navigable water bodies below the ordinary high water mark," the doctrine "does not allow the public to trespass over privately owned uplands to access the tidelands." Generally, public or private landowners are limited in terms of liability when there are unintentional injuries to any public access users based on state law at RCW 4.24.210.

4.3.2 Regulations

- A. City Shoreline Public Access Plan.** The City's shoreline public access plan provides for a connected network of parks and open space connected by trails. The City's public access planning process provided in Appendix C provides more effective public access than individual project requirements for public access, as provided for in WAC 173-26-221(4)(d)(iii)(A). The City shall review shoreline developments for consistency with the Shoreline Public Access Plan in Appendix C.
- B. Supporting Plans.** The City shall promote and implement shoreline public access consistent with the following plans that are the basis for the Shoreline Public Access Plan:
1. City of Chelan Comprehensive Land Use Plan
 2. Don Morse Park Shoreline Study & Master Plan
 3. Lake Chelan Valley Trail Plan

4. Lakeside Trail Feasibility Study
 5. Lord Acres Subarea Plan
 6. Northshore Pathway Feasibility Study
 7. Parks, Recreation, and Open Space Plan
 8. City Resolution 534 dated August 23, 1977
- C. **Public and recreation shoreline uses and activities.** Shoreline public access shall be required for the following public and recreation shoreline uses and activities when consistent with findings in Section E for any private development, and unless an exception in Section F applies:
1. Shoreline recreation pursuant to Section 5.13;
 2. New structural public flood hazard reduction measures, such as dikes and levees;
 3. Shoreline development by public entities, including the City, other local governments, port districts, state agencies, and public utility districts; and
 4. New marinas when water-enjoyment uses are associated with the marina.
 5. Where commercial or industrial use is proposed on land in public ownership.
- D. **New Development.**
1. Applicability: The City shall apply its adopted policies to developments proposed in shoreline jurisdiction. The City shall apply this SMP and, where appropriate, its municipal code to ensure that there are sufficient parks and recreation to meet the demands of new development including its authority in SEPA, subdivision regulations, and parks and community waterfront parks regulations.
 2. Intent: In applying plans, policies, and regulations regarding shoreline public access, the City's primary intent is to encourage shoreline uses and activities to provide their own shoreline public access; the secondary intent is that if providing shoreline public access is not possible under the circumstances that a contribution be made to the implementation of the City of Chelan Shoreline Public Access Plan, rather than require individual shoreline uses and activities independently provide for off-site mitigation.
 3. Specific Requirements: The following uses and activities shall provide public access, when consistent with findings in Section E, unless an exception in Section F applies:
 - a. Shoreline public access shall be required for subdivisions, master planned resorts or planned unit developments creating ten or more lots or multifamily developments of ten or more units. See section J.2 regarding community waterfront access.
 - b. Commercial and industrial uses shall incorporate shoreline public access. The amount of needed public access shall be based on the development's impacts to shoreline resources and values (providing access or restricting access including visual access to the shoreline).
 - c. Shoreline public access shall be required for uses or activities that interfere with lands or waters dedicated specifically for public use and subject to the public trust doctrine, or that interfere with an existing public access.
 - d. In conjunction with the approval of any development project, the City shall require on-site or nearby off-site development of recreation facilities such as trails or appropriate and usable park land per Appendix C.
- E. **Information and Considerations.** When applying public access provisions to private development applications, the City shall consider its adopted plans, regulations, level of service standards, SEPA review, and applicant information.

- F. **Exceptions:** Public access shall not be required if an applicant/proponent demonstrates to the satisfaction of the City at least one of the criteria 1 through 6 are met and that alternatives have been considered per Subsection G.
1. Unavoidable health or safety hazards to the public exist and cannot be prevented by any practical means;
 2. Inherent security requirements of the use cannot be satisfied through the application of alternative design features or other solutions;
 3. Significant environmental impacts will result from the public access that cannot be mitigated;
 4. Significant undue and unavoidable conflict between any access provisions and the proposed use and/or adjacent uses would occur and cannot be mitigated;
 - 5.
 6. The cost of providing the public access, easement or alternative amenity is unreasonably disproportionate to the total long-term cost of the proposed development; however, this shall not excuse standard improvements required of new development based on the City Municipal Code, such as street frontage improvements.
- G. **Alternatives Analysis.** When an exception from public access requirements is sought, an applicant shall demonstrate that all feasible alternatives have been exhausted, including, but not limited to:
1. where physical access is not feasible, providing for visual access instead;
 2. regulating access by such means as limiting hours of use to daylight hours;
 3. designing separation of uses and activities, i.e., fences, terracing, hedges, landscaping, signage, etc.; or
 4. provision of an off-site public access or a fee-in-lieu pursuant to Subsection I that allows public access at a site physically separated from, but capable of serving the proposal.
- H. **Sites Separated from the Shoreline:** Where a development in shoreline jurisdiction can safely and feasibly accommodate public access connections and creates demand for access, the City may require public access connections from upland properties in shoreline jurisdiction to the shoreline when the subject site is separated from the shoreline waterbody by public or private improvements such as highways, railroads, existing structures, or similar significant intervening improvements. Where infeasible, the City may require alternative measures per Subsection G.
- I. **Off-site Public Access or Fee-in-Lieu.**
1. Off-site public access may be permitted by the City where it results in an equal or greater public benefit than on-site public access, or when on-site limitations of security, environment, or feasibility are present. Off-site public access may be visual or physical in nature. Off-site public access may include, but is not limited to, enhancing a nearby public property (e.g. existing public recreation site; existing public access; road, street or alley abutting a body of water; or similar) in accordance with City standards; providing, improving or enhancing public access on another property under the control of the applicant/proponent; or another equivalent measure. The alternative location should serve the same population as would be impacted by the subject development.
 2. Instead of on-site or off-site public access improvements, the City may require or an applicant may propose a fee-in-lieu. A fee-in-lieu may be assessed through the SEPA process, where appropriate, such as where the off-site improvement is best accomplished by the City at a later date or better implements the City's Shoreline Public Access Plan in Appendix C. The cost of providing the off-site public access shall be proportionate to the total long-term cost of the proposed development, and equivalent to the cost of providing

the required public access on the subject site. The public access improvement to which the City would apply the fee-in-lieu should serve the population that would be impacted by the subject development. The fee-in-lieu agreements or mitigation measures shall address the responsibility and cost for operation and maintenance.

- J. **Standards.** The development of parks and trails in terms of uses, projects, and design standards shall be consistent with the above listed plans in Subsection B and the following:
1. Trails: Unless otherwise modified by the Shoreline Administrator due to feasibility, safety, environmental, or compatibility concerns, trails shall have a minimum improved surface width of 5 feet with a 1-foot clear area on each side of the paved surface, or widths as required in the adopted parks, trails, or recreation plans in Section B. Trails shall be designed to avoid riparian vegetation to the greatest extent feasible consistent with Section 4.4.2. Private trail development is addressed in Section 4.4.3.G.4.
 2. Community Waterfront Parks: Where the City's Shoreline Public Access Plan in Appendix C does not identify planned park and recreation improvements and where a development would cause increased demand for shoreline public access, the City may require or permit a community waterfront park as follows:
 - a. Definition: "Community waterfront park" is an area adjacent to Lake Chelan that is used for a subdivision or homeowners' association for recreational purpose and lake access.
 - b. Size: Required lineal feet of shoreline: Twenty contiguous lineal feet of shoreline for each residential unit, including multi-family, that is allowed access to the community waterfront area up to a maximum of 300 lineal feet, cumulatively.
 - c. Design: Physical spacing and visual screening will be required between parks and community waterfront and adjacent, noncompatible uses. Fences shall be placed on the dividing property line. Plantings shall be placed on property owned and maintained by the developer. Design of fencing and plantings shall be consistent with the City's municipal code and any conditions of approval.
- K. **Compatibility with Private Property.** Public access facilities shall be compatible with adjacent private properties through the use of techniques defining the separation between public and private space, including but not limited to: natural elements such as logs, vegetation, and elevation separations.
- L. **Connectivity.** Physical public access shall be designed to connect to existing or future public access features on adjacent or abutting properties, or shall connect to existing public rights-of-way or access easements, consistent with design and safety standards. Trail improvements following public rights-of-way per Appendix C shall be considered part of street frontage improvements in accordance with City of Chelan Public Works Development Standards.
- M. **Roads, Streets, and Alleys.** The City may not vacate any road, street, or alley abutting a body of water except as provided under RCW 35.79.035.
- N. **Public Easements.** For the subject site and areas within 300 feet of the subject site, shoreline applications shall identify public easements and proposed public access along dedicated easements. The Shoreline Administrator may approve a re-arrangement of the existing public easement locations to achieve improved shoreline public access and site plans that more effectively meet the Act and SMP goals and policies.
- O. **Environmental Protection.** Public access shall be designed to achieve no net loss of ecological functions. Where impacts are identified, mitigation shall be required.
- P. **Conditions of Approval.** The City may condition public access proposals to ensure compatibility with the Shoreline Public Access Plan in Appendix C, compatibility with existing public access or

transportation facilities, address environmental conditions or environmental impacts, and/or compatibility with adjacent properties. Conditions may include but are not limited to the following:

1. Use materials appropriate to the character and environmental condition;
 2. Include barrier free designs to meet Americans with Disabilities Act;
 3. Provide auxiliary facilities such as parking, restrooms, refuse containers or other amenities;
 4. Provide landscaping;
 5. Provide signage with the appropriate State, County or City logo and hours of access;
 6. Establish operation and maintenance responsibilities;
 7. Identify dedication and recording requirements;
 8. Determine timing of public access installation in relation to the construction of the proposal; and
 9. Determine ongoing availability to the public or community for which it is designed.
- Q. Conspicuous permanent signage shall ordinarily be required under subsection P.5 above, in accordance with the sign regulations in part 5.1.2.G below, unless there is compelling cause for substituting another form of public notification

4.4 Vegetation Conservation and Shoreline Setbacks

4.4.1 Overview

The intent of vegetation management is to protect and enhance the ecological functions performed by vegetation along streams, rivers, lakes, and wetlands. Vegetation management includes activities to prevent or minimize the loss of and increase the extent and viability of vegetation along or near the shoreline that contribute to the ecological functions of shoreline areas. Vegetation management activities may include the prevention or restriction of plant clearing and grading, vegetation rehabilitation, and the control of invasive weeds and nonnative species. Vegetation management may also be undertaken to increase the stability of river banks, to reduce the need for structural shoreline stabilization measures, to improve the visual and aesthetic qualities of the shoreline, or to enhance shoreline uses.

Vegetation management involves both passive and active measures. The intent of both systems is to minimize habitat loss and the impact of invasive plants, erosion, sedimentation and flooding. “Passive” vegetation management entails the protection and enhancement of existing native plant communities along the shorelines. “Active” vegetation management involves aquatic weed control and restoration of shoreline plant communities. Restoration using soil bioengineering further prevents the effects of erosion. The following provisions apply to all shoreline uses, activities and developments, including those normally exempted from permit requirements.

4.4.2 General Regulations

- A. **Conserve vegetation.** Shoreline developments shall be sited to minimize removal of existing significant trees and native vegetation in shoreline jurisdiction, and shall address conservation and maintenance of vegetation through compliance with this Section and, when other critical areas and their buffers are present, through the critical area standards in Appendix B.
- B. **Existing uses may continue.** Vegetation conservation standards shall not apply retroactively to existing, legally established uses and developments. Existing structures, uses and developments, including residential appurtenances, may be maintained, repaired, and operated within shoreline jurisdiction and within shoreline setbacks established in this SMP. In the absence of a development proposal, existing, lawfully established landscaping and gardens within shoreline jurisdiction may be maintained in their existing condition including, but not limited to, mowing lawns, weeding, removal

of noxious and invasive species, harvesting and replanting of garden crops, pruning and replacement planting of ornamental vegetation or indigenous native species to maintain the condition and appearance of such areas as they existed prior to adoption of this SMP, provided this does not apply to areas previously established as native growth protection areas, mitigation sites, or other areas protected via conservation easements or similar restrictive covenants.

- C. **Adverse impacts on vegetation.** Adverse impacts to shoreline vegetation are considered to occur when vegetation is removed that would reduce the performance of any of the functions listed in SMP Section 2.6.1.A.
1. For example, the following actions would be considered an adverse impact:
 - a. Removal or alteration of native plant communities in shoreline jurisdiction, except when the alteration is part of an approved restoration plan;
 - b. Removal of native or non-native trees that overhang the river or lake shoreline waterbody;
 - c. Removal of native or non-native vegetation on slopes if that vegetation supports maintenance of slope stability and prevents surface erosion; or
 - d. Removal of vegetation, followed by supplemental grading and alteration of existing drainage patterns.
 2. For example, the following vegetation alteration actions would not be considered an adverse impact when they occur outside of a shoreline setback, as defined in 4.4.3:
 - a. Removal of existing lawn, landscaping or other non-native vegetation associated with existing residential, commercial, industrial or other regulated uses provided that any impervious surfaces that may replace removed vegetation are infiltrated, treated, and/or detained as necessary to control potential adverse impacts to water quality or quantity;
 - b. Removal of native shrub or groundcover vegetation on lots upland of an improved road, railroad or other development that prevents vegetation on the subject property from providing functions identified in SMP Section 4.4.2.A, provided that the development is sited to minimize native vegetation removal and that new impervious surfaces that may replace removed vegetation are infiltrated, treated, and/or detained as necessary to control potential adverse impacts to water quality or quantity; or
 - c. Removal of invasive or noxious plant species, if replaced with species that provide similar ecological functions, such as soil retention and water quality improvement, and are not invasive or noxious.
- D. **Mitigation required.** The following standards apply specifically to projects that may adversely impact ecological functions provided by vegetation. See also the requirements of Section 4.2 of this SMP, which more generally address mitigation requirements for impacts to all ecological functions, including other functions provided by shoreline vegetation.
1. Where adverse impacts to shoreline ecological functions provided by vegetation are proposed, and if mitigation sequencing has been applied as outlined in Section 4.2.2.A and results in a need for compensations for impacts, new developments or site alterations shall be required to develop and implement a mitigation plan.
 2. Mitigation plans may be prepared by the applicant using guidance provided in Appendix E, Guidance for Development of Vegetation Mitigation Plans, or by a qualified professional and shall be consistent with the relevant mitigation plan requirements in Appendix B, including a five-year monitoring plan, or other monitoring timeframe specified by local, state or federal permitting agencies, and scaled drawings of existing and proposed conditions.

3. Mitigation plans shall describe actions that will ensure no net loss of ecological functions to the maximum extent practicable at the site scale, and shall describe the functions impacted per the list of potential functions provided in SMP Section 4.4.1.A above, and how the mitigation plan addresses those specific functions. For example, if vegetation removal results in loss of overhanging vegetation that provides shade, detritus and insects, the mitigation plan shall include supplemental overhanging vegetation where feasible, or provide mitigation that results in no net loss of that function. If the vegetation removal could destabilize a slope and increase erosion, the mitigation plan shall include re-vegetation in combination with erosion control measures to protect water quality and other measures that help stabilize slopes.
 4. Removal of significant trees shall be compensated as outlined in Subsection D and removal of other native vegetation must be compensated minimally at a 1:1 ratio with supplemental native shrub and groundcover plantings in the setback. Mature tree and shrub removal shall be addressed in the mitigation plan and may require a greater replacement ratio to account for temporal loss.
 5. Mitigation plans shall include a performance standard of 100 percent survival for the first year of growth post installation, with no less than 80 percent survival at the end of the third and fifth years.
 6. Mitigation measures specified in the mitigation plan shall be maintained over the life of the use and/or development and recorded on an appropriate document recorded with the County Auditor which can be passed to future owners.
 7. All mitigation areas shall be permanently identified and protected by means of a conservation easement or similar legal instrument recorded with the County Auditor.
 8. Monitoring reports may be prepared by the property owner or applicant at the end of years 1, 3 and 5, provided that the report fully addresses the performance standards and any other maintenance requirements prescribed by the mitigation plan, and provides as-built plans and comprehensive photo documentation. The City has the right to request that property owners and applicants hire a qualified professional to prepare the report if it is not adequate.
- E. **Tree Retention.** To maintain the ecological functions that trees provide to the shoreline environment, significant trees shall be retained as follows:
1. Within shoreline jurisdiction, significant trees shall not be removed or topped for the purpose of creating views unless allowed under Subsection 4.4.2.G. Tree removal activities include direct or indirect actions, including, but not limited to: (1) clearing, damaging or poisoning resulting in an unhealthy or dead tree; (2) removal of at least half of the live crown; or (3) damage to roots or trunk that is likely to destroy the tree's structural integrity.
 2. Within any shoreline setback, significant trees shall be retained to the maximum extent possible, except where the tree is dead, diseased, dying or hazardous including wildfire risk, as determined by a qualified professional (see Subsection 4.4.2.F below). The applicant shall be encouraged to retain viable trees in other areas on-site.
 3. If removal of a significant tree is approved, a one-for-one replacement is required. The required minimum size of the replacement tree(s) shall be five (5) feet tall for a conifer and one and three-quarters inches (1 ¾) caliper for deciduous or broad-leaf evergreen tree.
 4. For required replacement trees, a planting plan showing location, size and species of the new trees is required. Replacement trees are preferred to be located in the following order, with highest priority at the top of the list:
 - a. In the shoreline setback.
 - b. In a wildlife corridor perpendicular to the ordinary high water line.

- c. Any other on-site location in shoreline jurisdiction.
 5. All other tree removal in shoreline jurisdiction proposed as part of an approved use or development shall be minimized through site design, and mitigated if the tree removal has an adverse impact as outlined in SMP Subsection 4.4.2.C. When required, tree replacement shall occur at a one for one ratio, with native trees replaced with a similar native tree. Non-native trees may be replaced with a native tree or another non-native tree, provided that no invasive or noxious trees are allowed.
- F. Tree Pruning and Removal for Safety and Wildfire Preparedness.**
1. Selective pruning of trees for safety is allowed if consistent with the provisions of Section 4.2, Ecological Protection and Critical Areas.
 2. Where trees pose a significant safety hazard, including wildfire risk, they may be removed if the hazard cannot be removed by topping or other technique that maintains some habitat function. Determination of safety hazard shall be made by an arborist or other party as required by the Director. Stumps should be retained in the ground to provide soil stabilization unless another soil stabilization technique is utilized immediately after stump removal.
 3. Where vegetation, inclusive of grasses, shrubs, and trees under six inches in diameter, may pose a risk for wildfire spread to adjacent structures or neighboring properties, control of growth and fuels shall be permitted under section 1.3.B.3. of this SMP and in compliance with commonly acceptable FireWise landscaping recommendations.
 - Pruning, limbing, canopy thinning, and removal of ladder fuels shall be preferred to whole tree removal. Surface fuels shall be mechanically removed or mowed.
 - Whole tree removal shall be intended to protect structures and prevent canopy spread through canopy spacing and defensible space. Removal of significant trees larger than six inches diameter must comply with section 4.4.2.F.
 - Solitary trees that are not in contact with other tree canopies, structures, or overhang structures shall be retained in order to maintain the ecological benefits of shade and organic inputs.
 4. The use of burning to control fuels is prohibited within the City limits of the Chelan. Only agricultural burning is permitted in accordance with Department of Ecology.
- G. View Corridors.** View corridors can provide opportunities for visual access to waterbodies associated with waterfront lots. One view corridor, limited to 25 percent of the width of the lot frontage, or 25 feet, whichever distance is less, may be permitted per lot, when consistent with the provisions of [Section 4.2, Ecological Protection and Critical Areas](#), and this Section. A mitigation view corridor plan as required by Subsection 4.4.2.D must be submitted for review and approval in association with the permit required for the shoreline proposal. View corridors are also addressed in [SMP Subsection 5.1.2.E](#). Any development seeking to incorporate a view corridor must identify the location of the view corridor on development plans:
1. In addition to the submittal of a complete view corridor mitigation plan, an applicant must submit the following materials:
 - a. A graphic and/or site photos for the entire shoreline frontage which demonstrates that the existing or proposed development does not or will not have a view corridor of the waterbody, taking into account site topography and the location of existing shoreline vegetation on the parcel.
 - b. Demonstration that where the applicant already has an accessible shoreline physical access corridor per Subsection 4.4.3.G.4, the view corridor will include the

existing shoreline physical access corridor to minimize alteration of the shoreline setback.

2. Applications for view corridors must also be consistent with the following standards:
 - a. Native vegetation shall be conserved to greatest extent possible within the setback. Removal shall be limited to only the width needed to create or maintain the view corridor, provided that the view corridor is located to minimize removal of native trees and shrubs, in that order.
 - b. Pruning native trees for view corridors shall be consistent with view corridor plan. Tree topping shall be limited to corridors only and is discouraged. Pruning of vegetation waterward of the OHWM is prohibited.
 - c. Non-native vegetation within a view corridor may be removed when the mitigation plan can demonstrate a net gain in site functions, and where any impacts are mitigated.
 - d. Whenever possible, view corridors shall be located in areas dominated by non-native vegetation and invasive species.
 - e. A view corridor may be issued once for a property. No additional vegetation pruning for the view corridor is authorized except as may be permitted to maintain the approved view corridor from regrowth. Limitations and guidelines for this maintenance shall be established in the mitigation plan.
- H. **Clearing and grading.** Clearing and grading in shoreline jurisdiction shall be limited to the minimum necessary to accommodate approved shoreline development and shall also be in conformance with the provisions of [Section 4.2, Ecological Protection and Critical Areas](#). All earth-altering activities shall utilize best management practices to minimize and control erosion. Clearing and grading proposed without a proposed shoreline development is not allowed.
- I. **Unauthorized vegetation removal.** Vegetation removal within shoreline jurisdiction that is not allowed under this Section 4.4 herein, may have adverse impacts on ecological functions (see Subsections 4.4.2.B and C), and is conducted without the appropriate review and approvals is subject to enforcement provisions in Section 7.15. A restoration plan prepared by a qualified professional shall be submitted and approved consistent with the provisions of Section 4.2, Ecological Protection and Critical Areas. The restoration plan shall utilize only native vegetation or native compatible vegetation listed in Appendix E, and shall be designed to address the specific functions adversely impacted by the unauthorized vegetation removal. At a minimum, unauthorized vegetation removal shall be compensated consistent with ratios specified in this Section, with additional vegetation provided as needed to address temporal loss.
- J. **Non-native vegetation.** With the exception of hand removal or spot-spraying of invasive or noxious weeds, the determination of whether non-native vegetation removal may be allowed in a shoreline setback must be evaluated in conformance with Section 4.2, Ecological Protection and Critical Areas. Such removal of noxious weeds and/or invasive species shall be incorporated in mitigation plans, as necessary, to prevent erosion and facilitate establishment of a stable community of native plants. Non-native vegetation removal outside of shoreline setbacks does not require mitigation, except as noted under Subsections B and E, but must incorporate necessary erosion control measures.

4.4.3 Shoreline Setback Regulations

- A. **Establishment of Setbacks.** Table 4.4-1 establishes setbacks to be measured landward in a horizontal direction perpendicular to the OHWM of the Chelan River or the ordinary high water line of Lake Chelan.

Table 4.4-1. Shoreline Setbacks by Environment Designation for the City of Chelan.

Environment Designation ¹	Standard Setback	Reduced Setback – with Performance Standards
Shoreline Park/Public		
Lake Chelan	See regulations in Section 4.4.3.A.2.iv (Vegetation Management)	
Chelan River	100'	50'
Shoreline Residential – Single Family – Lake Chelan ²	Tier 1: 50' Tier 2: 25'	Tier 1: Not applicable – see Variance Tier 2: 20'
Shoreline Residential – Multi-Family – Lake Chelan	35'	25'
Shoreline Residential – Single Family and Multi-Family – Chelan River	100'	50'
High Intensity	20'	10'

¹ When environment designations are parallel, the setback of the waterward environment extends only to the upland edge of that environment. The setback for the landward environment would apply to uses and modifications in that upland environment. See 1-3 below for criteria guiding setback reductions.

² A setback tier has been assigned to all waterfront parcels located in the Shoreline Residential – SF environment designation as shown on the map in Appendix D based on their existing conditions.

1. **Standard Setback.** The standard setback shall apply to all new development (including accessory or appurtenant development), changes in use, and modifications of existing development consistent with the thresholds established in the non-conforming provisions. The standard setback may be reduced or altered only as outlined in Subsections 4.4.3.B through F below, which address administrative shoreline setback width reductions, conditions for new development, public parks and recreation lands and facilities, existing development, setback reduction standards and allowances for setback width averaging, setback tiers, modification of height and setback standards, mitigation plans, and developments or uses allowed in setbacks. Where administrative provisions in Subsections 4.4.3.B through F below do not apply, a Variance may requested consistent with Chapter 7.
2. **Public parks and recreation lands and facilities.**
 - a. In recognition of 1) the existing condition of current and planned City shoreline parks and recreation facilities located in the Shoreline Park/Public environment designation, or 2) parks and recreation facilities in current or future public easements or dedicated rights-of-way for public access and recreation purposes in other environment designations, or 3) community waterfront recreation providing contiguous shoreline greater than 200 feet in length and serving more than 20 homes located outside of the Shoreline Park/Public environment, the following standards shall guide new development and redevelopment of water-oriented public access and recreation facilities in lieu of shoreline setbacks. Applicants shall submit a management plan that addresses compliance with each of the following applicable standards and principles, and contains additional information listed in Subsection A.2.b. below. The City may review and condition the project to more fully implement the principles below.

Table 4.4-2. Design Standards for Public Parks and Recreation Lands and Facilities in Lieu of a Shoreline Setback.

Design Element	Design and Management Standards
i. Category of Use	<p>The following use preferences apply in priority order:</p> <ul style="list-style-type: none"> • Water-dependent uses located immediately upland of the ordinary high water line. • Water-related and/or water-enjoyment uses located upland of water-dependent uses. Water-related and water-enjoyment uses shall not displace existing or planned water-dependent uses. If water-dependent uses are not feasible, then water-related or water-enjoyment uses are allowed consistent with applicable performance standards. • Nonwater-oriented recreation uses located upland of water-oriented recreation uses. The preference is that nonwater-oriented uses occupy existing structures upland of water-oriented recreation uses rather than be established in new structures. Where new nonwater-oriented uses are proposed upland of water-oriented uses, but will not occupy existing structures, they shall avoid native and riparian vegetation consistent with subsection iv below. • Accessory, nonwater-oriented uses located upland of water-oriented uses. However, parking for those with disabilities, when no other location is feasible, may be located per "iii" below. <p>New or expanded public water-oriented development shall follow mitigation sequencing to protect existing riparian areas and other critical areas, and shall comply with vegetation management requirements below.</p> <p>Existing primary nonwater-oriented uses may only expand if they are located upland of water-oriented uses and if the expansion does not displace water-oriented uses. In addition, vegetation management requirements below shall apply.</p> <p>Water-enjoyment recreational uses may be expanded.</p> <p>Existing water-oriented uses may not be converted to a nonwater-oriented use except when the existing water-oriented use is separated from the ordinary high water line by another property.</p>
ii. Impervious Surface and Stormwater Management	<p>New and expanded pollution-generating impervious surfaces (e.g., surfaces used predominantly by vehicles, such as parking areas, roads) must provide water quality treatment before discharging stormwater through use of oil-water separators, bioswales, or other approved technique. This provision does not apply to boat launches.</p> <p>Treated runoff from pollution-generating impervious surfaces and runoff from non-pollution-generating impervious surfaces shall be infiltrated if feasible.</p> <p>New or expanded pollution-generating impervious surfaces within 50 feet of the ordinary high water line or within already disturbed areas shall be limited to those necessary to provide vehicle access to boat launches, to improve existing informal parking areas, to expand existing parking, or to provide ADA parking as outlined below under iii. Parking.</p> <p>New or expanded trail systems shall avoid existing riparian areas and comply with vegetation management requirements below. Existing trail systems may only be expanded in response to increased demand, and shall be expanded landward of existing trail where feasible. Portions of trails providing direct shoreline access are allowed. Parallel trails are preferred at least 25 feet upland of the ordinary high water line. Parallel portions of trails may be constructed closer to the aquatic area if the trail is located on previously disturbed rights-of-way, access and/or utility easements, and legally altered sites. Viewing platforms and crossings are allowed, provided they are also located to avoid significant vegetation removal.</p> <p>Parallel over-water trails are allowed and shall be the minimum size or length necessary to accommodate the anticipated demand and physical constraints of the subject area. Specifically, the amount of overwater coverage, the size and number of in-water structures,</p>

Design Element	Design and Management Standards
	the waterward length of the facility, and the extent of any necessary associated shoreline stabilization or modification shall be minimized.
iii. Parking	<p>New parking accessory to shoreline parks shall be at least 70 feet upland of the ordinary high water line, except where a minimum number of parking spaces are provided closer than 70 feet to accommodate those with disabilities or where parking is provided in existing impervious surfaces.</p> <p>Existing parking closer than 70 feet upland of the ordinary high water line may only be expanded in response to increased demand. Expanded parking shall be expanded in the following order of preference, with 1) being the most preferred: 1) landward of existing parking and 2) laterally of the existing parking, if it is serving a previously existing authorized use and is located on existing impervious surface. Parking shall not be located closer than 50 feet upland of the ordinary high water line unless the proposed expansion area is already an impervious surface or is necessary to accommodate those with disabilities.</p>
iv. Vegetation Management	<p>New and expanded uses in shoreline jurisdiction shall be located to avoid and minimize intrusion into riparian areas, as well as avoid tree and shrub removal.</p> <p>Significant tree removal within 50 feet of the ordinary high water line shall be mitigated at a 2:1 ratio and as otherwise consistent with SMP Section 4.4.2.E.</p> <p>Other trees and shrubs within 50 feet of the ordinary high water line shall also be replaced at a 2:1 ratio using the same preference for location established for significant trees.</p> <p>Landscape designs for new and modified recreation facilities in shoreline jurisdiction shall incorporate the following.</p> <ul style="list-style-type: none"> • Select species that are suitable to the local climate, having minimal demands for water, minimal vulnerability to pests, and minimal demands for fertilizers. Native species shall comprise 50 percent of the landscaped area, not counting lawn area. Redevelopment of lawn areas shall be no closer than 20 feet from the ordinary high water line. Native grasses may be used within the first 20 feet landward of the ordinary high water line. If lawn areas are not currently established within 50 feet of the ordinary high water line, the existing riparian vegetation within 50 feet of the ordinary high water line shall be maintained, unless a mitigation plan demonstrates improved ecological function. • Preserve existing soil and vegetation (especially trees) where possible. Amend disturbed soils with compost. Mulch existing and proposed landscapes regularly with wood chips, coarse bark, leaves or compost. • Group plants by water need, use more efficient irrigation methods like drip and soakers under mulch, and design and maintain irrigation systems to reduce waste. <p>Place vegetation to maximize the following benefits:</p> <ul style="list-style-type: none"> • development or supplementation of a native vegetated wildlife corridor, • development or supplementation of riparian vegetation adjacent to the water's edge, • screening parking areas from views from the water or the park, and/or • discouragement of wildlife that may directly or indirectly interfere with park use or human health (e.g., geese). <p>While a specified setback is not required for certain water-oriented recreational uses and developments in public park areas identified in Subsection 4.4.3.A.2, recreational improvement projects shall place an emphasis on shoreline restoration/enhancement within 50 feet of the ordinary high water line. This emphasis shall not require the removal of existing lawn areas, but should place an emphasis on incorporation of riparian plantings if the public access area is underutilized or public access would not be impaired by the plantings.</p>
v. Chemical Applications	A lawn and landscape management strategy for any allowed uses in shoreline jurisdiction shall be developed that incorporates the following:

Design Element	Design and Management Standards
	<ul style="list-style-type: none"> • A site-specific plan for use of integrated pest management technique, if applicable. • A detailed plan identifying anticipated use of fertilizers, herbicides and pesticides, to include method of application that ensures these materials will not enter the water. Phosphorus-containing fertilizer treatments shall not be applied to turf or landscaping within 50 feet of the ordinary high water line. Natural applications and hand removal are preferred over synthetic applications.
vi. Pools	<p>Pools and other upland recreational uses that utilize chemically treated water must either be connected to a sewer system or must collect the water for later discharge into a sewer system.</p> <p>Pools and other upland recreational uses that utilize chemically treated water shall be located a minimum of 75 feet upland of the ordinary high water line.</p>
vii. Lighting	<p>Outdoor lighting fixtures and accent lighting must be shielded and aimed downward, and shall be installed at the minimum height necessary. The shield must mask the direct horizontal surface of the light source. The light must be aimed to ensure that the illumination is only pointing downward onto the ground surface, with no escaping direct light permitted to contribute to light pollution by shining upward into the sky.</p> <p>Outdoor lighting fixtures and accent lighting shall not directly illuminate the shoreline waterbody, unless it is a navigational light subject to state or federal regulations.</p>

b. Application requirements:

- i. Drawings of existing park facilities, including a narrative that identifies area (sq. feet or sq. meters) and description of trails, parking, riparian vegetation, campsites, recreational facilities (ball parks, picnic table, grilling areas), upland vegetation and lawn areas.
- ii. Drawings of proposed park facilities, including a narrative that identifies area (sq. feet or sq. meters) and description of trails, parking, riparian vegetation, campsites, recreational facilities (ball parks, picnic table, grilling areas), upland vegetation and lawn areas.
- iii. Any increases in impervious surfaces (trail size, parking facilities, recreational facilities, etc.) shall be accompanied by a needs analysis that addressed the requirement for increased public facilities, what size facilities are needed by existing and projected park users, and the nearest locations of similar facilities.
- iv. Expansion of public/park facilities shall be accompanied by a mitigation plan that addresses the design elements and the design and management standards above, addresses mitigation sequencing, and demonstrates no net loss of shoreline ecological functions.

B. **Administrative Setback Width Reductions**

1. Existing Roads. The required standard setback may be administratively modified where a legally established road crosses a shoreline setback. The Shoreline Administrator may approve a modification of the minimum required setback width to the waterward edge of the improved road if a study submitted by the applicant and prepared by a qualified professional demonstrates that the part of the setback on the upland side of the road sought to be reduced:
 - a. does not provide additional protection of the shoreline waterbody; and

- b. provides insignificant biological, geological or hydrological functions relating to the waterward portion of the setback adjacent to the shoreline waterbody.

If the improved roadway corridor is wider than 20 feet, a study is not required.

2. Other Setback Reductions. The setback may be administratively reduced as indicated in Table 4.4-1 down to the “Reduced Setback” if the applicant provides the following to the satisfaction of the Shoreline Administrator:
 - a. A mitigation plan pursuant to Subsection 4.4.2.D indicates that enhancing the setback (by removing invasive plants or impervious surfaces, planting native vegetation, etc.) will result in a reduced setback that functions at a higher level than the existing standard setback through demonstration of improved ecological function; and
 - b. A site plan showing clearly the boundaries of the parcel, shoreline jurisdiction, the standard setback, the proposed reduced setback, and existing and proposed developments.
 - c. A narrative description of the design alternatives considered as part of each mitigation sequencing step outlined in Subsection 4.2.2.B, and how the applicant’s proposal incorporates mitigation sequencing to the maximum extent practicable.
 - d. A mitigation plan as outlined in Subsection F.

If the setback has been reduced under any other provisions of this chapter, has been varied or reduced by any prior actions administered by the City, or has used setback width averaging, the site is not eligible for any future setback width reductions under any other provisions of this Program, except as administered under Shoreline Variances.

C. Expansion of Existing Development in the Shoreline Setback.

1. Existing development located within the standard setback may expand vertically or landward of the development.
2. Expansions waterward are prohibited except when the reduced setback is consistent with Subsections 4.4.3.B or D below. All other waterward expansions are prohibited unless the applicant obtains a Shoreline Variance.
3. Expansions within the standard setback laterally toward the side lot lines may be allowed with installation of vegetation covering 50 percent of the remaining setback area, with 50 percent by area of those plantings to be native; recorded restrictions regarding synthetic fertilizer, pesticide and herbicide use within the setback area; and a combination of stormwater handling improvements, such as:
 - a. Installation of gutters that empty into an approved stormwater handling system,
 - b. Installation of 1-inch or greater diameter rock under all decks/un-guttered roof overhangs,
 - c. Installation of 1 inch or greater diameter rock on all dirt parking areas, or
 - d. Installation of angled discharge dip at the bottom of uphill driveways.

- D. **Setback Width Averaging.** Averaging of standard setback widths may be approved by the Shoreline Administrator for single- or multi-family dwellings on existing legal lots of record in place at the time of adoption of this Program, based on a report submitted by the applicant and prepared by a qualified professional biologist. Setback width averaging shall only be allowed where the applicant demonstrates all of the following:

1. Averaging is necessary to avoid an extraordinary hardship to the applicant caused by circumstances peculiar to the property;
 2. The designated setback contains variations in sensitivity due to existing physical characteristics or the character of the setback varies in slope, soils, or vegetation;
 3. The width averaging shall not adversely affect or impact the setback's functional value;
 4. The total area contained within the setback after averaging is no less than that contained within the standard setback prior to averaging.
 5. The minimum setback width at its narrowest point shall not be less than seventy-five (75) percent of the width established under the required standard setback found in Table 4.4-1;
 6. The setback has not been reduced under any other provisions of this chapter. The setback has not been varied or reduced by any prior actions administered by the City. Sites which utilize setback width averaging are not eligible for any future setback width reductions under any other provisions of this Program, except as administered under Shoreline Variances.
- E. **Modification of height or other setback standards.** The City may allow an increase in height above applicable SMP height standards or property setback standards if those actions will reduce or eliminate the need for the shoreline setback reduction. (See Subsection 5.1.2.E.3)
- F. **Mitigation Plan.** Applicants seeking a reduced shoreline setback must submit a mitigation plan that addresses the specific habitat components and/or ecological functions that may be lost as a result of the proposed reduction. Mitigation plan elements, including monitoring and maintenance, shall be included in the plan consistent with mitigation plan requirements outlined in the City of Chelan critical areas regulations (see Appendix B). Applicants may choose one or more of the setback reduction measures provided in Table 4.4-3 below, and reduce the required buffer by the number of feet specified. Reductions can be additive until the reduced setback (Table 4.4-1) is reached. If the applicant chooses either options 4, 5 or 7, the applicant can prepare the mitigation plan as indicated in Subsection 4.4.2.D. If the plan is not satisfactory, the City may require that the plan be prepared by a qualified professional.

Table 4.4-3. Shoreline Setback Reduction Options for Each Environment Designation

Shoreline Setback Reduction Options		Maximum Reduction in the Setback Allowed by Conducting a Given Setback Reduction Measure by Environment Designation			
		Shoreline Residential – SF, Tier 2	Shoreline Residential – Multi-Family Lake Chelan	Chelan River - Shoreline Residential and Shoreline Park/Public	High Intensity
Water Related Conditions or Actions					
1	Existing hard structural shoreline stabilization may receive the reduction allowance if it is removed and replaced with non-structural or bioengineered soft structural shoreline stabilization measures located at, below, or within 5 feet landward of the OHWM along at least 75 percent of the linear shoreline frontage of the subject property. If this option is selected, the applicant is not eligible for future hard structural shoreline stabilization. This option cannot be used in conjunction with Option 2 below.	5’	10’	25’	10’
2	Existing hard structural shoreline stabilization may receive the reduction allowance if it is removed and replaced with non-structural or bioengineered soft structural shoreline stabilization measures located at, below, or within 5 feet landward of the OHWM along at least 25 percent of the linear shoreline frontage of the subject property. If this option is selected, the applicant is not eligible for future hard structural shoreline stabilization. This option cannot be used in conjunction with Option 1 above.	3’	5’	15’	5’
3	Implement any other enhancement measure indicated by the Shoreline Restoration Plan, to an extent proportional to the proposed project’s impacts.	Up to the maximum reduction			
Upland Related Conditions or Actions					
4	Develop and implement a native vegetation enhancement plan in the shoreline setback that achieves the following. <ul style="list-style-type: none">Native shrubs planned to provide at least 50% aerial coverage of the setback enhancement area within 5 years of installation;Vegetation enhancement is maintained for the duration of the use or facility.	5’	5’	10’	5’

Shoreline Setback Reduction Options		Maximum Reduction in the Setback Allowed by Conducting a Given Setback Reduction Measure by Environment Designation			
		Shoreline Residential – SF, Tier 2	Shoreline Residential – Multi-Family Lake Chelan	Chelan River - Shoreline Residential and Shoreline Park/Public	High Intensity
	Note: Vegetation installed in the setback as required mitigation for a shoreline stabilization measure or over-water structure proposal may not be counted towards this mitigation option.				
6 5	<p>Develop and implement a native vegetation enhancement plan that achieves the following.</p> <ul style="list-style-type: none"> Native shrubs planned to provide a wildlife corridor extending upland and perpendicular to the OHWM or ordinary high water line at least a minimum width of 10 feet and a minimum length of 75 feet or full depth of the lot, whichever is greater, and planned to have 80% aerial coverage within 5 years of installation. Vegetation enhancement is maintained for the duration of the use or facility. <p>Subdivisions that include both waterward and upland lots in shoreline jurisdiction should plan and plant the upland parcels such that a continuous wildlife corridor extends upland of the waterfront lot.</p>	3'	3'	5'	3'
6	Installation of pervious material for at least 50 percent of all new or replaced pollution-generating surfaces, such as driveways, parking or private roads, that allows water to pass through at rates similar to or greater than pre-developed conditions.	3'	3'	5'	3'
7	Restoring or preserving native vegetation within at least 50 percent of the total lot area remaining outside of the reduced setback, the developed footprint, and outside of any other critical areas and their associated buffers. The mitigation plan shall address temporal loss. This reduction is not allowed if riparian vegetation removal would be needed inside the standard setback to accomplish the development.	3'	3'	5'	3'
8	Implement any other enhancement measure indicated by the Shoreline Restoration Plan, to an extent proportional to the proposed project's impacts.	Up to the maximum reduction			

1. The City shall accept previous actions that meet the provisions established in the setback reduction measure chart above as satisfying the requirements of this section, *provided* that the previous action was not otherwise a requirement of the City or other agencies either through specific regulation or as mitigation, and that all other provisions are completed, including, but not limited to, the agreement noted in F.4 below. The reduction allowance for previously completed reduction actions may only be applied once on the subject property, and the action must have taken place no more than three years prior to the applicant's submittal.
2. Measures identified in the setback reduction table may not be applied if they are required by federal, state, or local regulations or are offered as mitigation for other actions or impacts.
3. Prior to issuance of a certificate of occupancy or final inspection, the applicant shall provide a final as-built plan of any completed improvements authorized or required under this subsection.
4. Applicants who obtain approval for a reduction in the setback must record the final approved setback and corresponding conditions, including maintenance of the conditions throughout the life of the development and changes in ownership, in a form acceptable to the City and recorded with the County Auditor.
5. Where opportunities to mitigate in kind and on site are not available or adequate, the mitigation plan may include off-site or out-of-kind mitigation, or contributions to a fee in lieu restoration program when established. When off-site mitigation is proposed, projects included in the Restoration Plan found under separate cover (in Resolution 2015-1305) shall be considered first.
6. If setback reductions are approved and water-dependent uses are proposed in the future within the previously approved reduced setback area, the water-dependent use shall be located in the area not designated as the vegetated setback area when feasible. If infeasible, the impacted vegetated setback area must be mitigated at a 2:1 area ratio (2 sq. ft mitigation required for every 1 sq. ft of area disturbed).

G. Developments or Uses Allowed in Shoreline Setbacks with Appropriate Shoreline Permit or Exemption.

1. Those portions of water-dependent or public access development that require improvements or uses adjacent to the water's edge, or re-development of existing park areas or other similar activities, are allowed in the setback.
2. Balconies may not extend into the setback.
3. Landscaping may be installed and maintained in the shoreline setback with approved species in Appendix E, provided existing native vegetation is not removed. Use of noxious or invasive species is strictly prohibited. Areas of previously developed lawn or other impervious surfaces may be replaced with non-native landscaping, except those areas required to be maintained as mitigation areas, which include those areas planted in order to obtain a shoreline setback reduction. Chemical treatment of landscaping in shoreline setbacks is discouraged, and any application of chemicals must be in strict conformance to the manufacturer's instructions.
4. Shoreline residential access. A private access pathway a maximum of four (4) feet wide may be constructed through the shoreline setback to the OHWM or ordinary high water line. Impervious materials may be used if the applicant can demonstrate that the occupants of the residence require a paved surface in order to use the pathway. The pathway length

should be the minimum necessary to the water for safety. A safety railing may be installed on one edge of the pathway, a maximum of 36 inches tall and of open construction.

5. Modifications Necessary for Agency Compliance or Court Compliance: Modifications to existing development that are necessary to comply with environmental requirements of any State or Federal agency or court, when otherwise consistent with the Shoreline Master Program, may be located in and expanded in the shoreline setback if the use or activity cannot be reasonably accommodated or accomplished outside of the standard or reduced shoreline setback provided that the reviewing official determines that:
 - a. The facility cannot meet the dimensional standard and accomplish the state, federal or court ordered modification necessary to bring it into compliance;
 - b. The facility's modifications are located, designed, and constructed to meet specified required modification standards necessary while complying with mitigation sequencing, and minimizing damage to ecological function and values of the shoreline; and
 - c. The modification follows necessary provisions for non-conforming development and uses.
6. In the Shoreline Residential – Single-family environment, new minor structures that are normal residential amenities, such as play structures, non-habitable storage sheds limited to 200 sqft and 15 feet in height, gazebos, picnic tables and benches, may be located waterward of the shoreline setback provided all of the following criteria are met:
 - a. The maximum total footprint is not more than two hundred (200) square feet for all minor structures;
 - b. The structure is located outside of wetlands, non-shoreline streams, and their associated critical area buffers;
 - c. Trees or any native vegetation are not removed or adversely impacted by the structure; and
 - d. The structure does not require a permanent foundation.

See Chapter 8, Nonconforming Uses and Development Standards of this Master Program which considers pre-existing legal residential structures or developments as conforming.
7. Essential public facilities. Consistent with the use allowances for each environment designation, other essential public facilities as defined by RCW 36.70A.200 may be located in the shoreline setback if the use or activity cannot be reasonably accommodated or accomplished outside of the standard or reduced shoreline setback. Essential public facilities must also demonstrate that alternative sites are not available. These uses and modifications must be designed and located to minimize intrusion into the setback and should also be consistent with Section 4.2, Ecological Protection and Critical Areas and Section 4.3, Public Access.
8. Site investigative work necessary for land use application submittals such as surveys, soil logs, drainage tests and other related activities, may occur within shoreline jurisdiction. In every case, shoreline ecological function impacts should be avoided and/or minimized and disturbed areas shall be immediately restored.
9. Siting of roads. Where other options are available and feasible, new roads or road expansions shall not be built within shoreline setbacks. Crossings, where necessary, shall cross shoreline setbacks as near perpendicular as possible, unless an alternate path would minimize disturbance of native vegetation or result in avoidance of other critical areas such as wetlands or geologically hazardous areas. If no alternative exists to placing a roadway in a shoreline setback, a mitigation plan prepared by a qualified professional must be

submitted, and must be consistent with the provisions of Section 4.2, Ecological Protection and Critical Areas.

10. Utilities. Where no other practical alternative exists to the excavation for and placement of wells, tunnels, utilities, or on-site septic systems in a shoreline setback, these uses may be permitted if also allowed under Section 5.18, Utilities. A mitigation plan must be prepared by a qualified professional, and must be consistent with the provisions of Section 4.2, Ecological Protection and Critical Areas.
11. Trails and associated facilities may be permitted in shoreline setbacks, but should conform to design guidelines found in Public Access sections of this SMP. A mitigation plan must be prepared by a qualified professional, and must be consistent with the provisions of Section 4.2, Ecological Protection and Critical Areas.
12. Fences may be allowed in shoreline setbacks, consistent with the following standards:
 - a. Fences aligned roughly perpendicular to the shoreline within 25 feet upland of the OHWM or ordinary high water line shall be no more than 4 feet high when separating two residential lots and no more than 6 feet high when separating a residential lot from public lands, including rights-of-way, or community parks.
 - b. Fences aligned roughly parallel to the shoreline shall be set back at least 25 feet from the OHWM or ordinary high water line and shall be no more than 4 feet high.
 - c. Fences along a property line aligned roughly perpendicular to the shoreline may extend no farther waterward than 5 feet upland of the OHWM or ordinary high water line.
 - d. The opaque portions (e.g., boards or slats) of a fence must not cover more than 60 percent of the fence; at least 40 percent of the fence must be open. Chain link fences are not permitted within 25 feet of the OHWM or ordinary high water line.

4.5 Water Quality, Stormwater and Nonpoint Pollution

4.5.1 Overview

Protection of the state's water quality requires broadly applicable land use regulations. A variety of activities and uses cumulatively or directly impact water quality. Poorly managed development cumulatively degrades water quality, thereby threatening water quality for public health, wildlife and water-dependent economic interests. Impacts to water quality from development result in part from impervious surfaces and include:

- higher levels of stormwater discharge.
- erosion
- introduction of suspended solids, heavy metals, household wastes
- excess nitrogen and phosphorous that lead to low levels of dissolved oxygen detrimental to aquatic life

4.5.2 Regulations

- A. **Do not degrade waters.** Shoreline use and development shall incorporate measures to protect and maintain surface and groundwater quantity and quality in accordance with all applicable laws.
- B. **Requirements for new development.** New development and re-development shall manage short-term and long-term stormwater runoff to avoid and minimize potential adverse effects on shoreline ecological functions through the use of best management practices (BMPs) and/or through compliance with the current Stormwater Management Manual for Eastern Washington in effect at the time if applicable to the project. When the Stormwater Management Manual applies, deviations from the standards may be approved where it can be demonstrated that off-site facilities would

provide better treatment, or where common retention, detention and/or water quality facilities meeting such standards have been approved as part of a comprehensive stormwater management plan. Stormwater runoff must be retained or infiltrated on-site, and may not be directly discharged to the waterbody without treatment.

- C. **Lake Chelan Water Quality Plan.** All developments shall implement applicable provisions of the Lake Chelan Water Quality Plan to the extent consistent with the City's Comprehensive Plan and the current Stormwater Management Manual for Eastern Washington.
- D. **Maintain storm drainage facilities.** Maintenance of storm drainage facilities on private property shall be the responsibility of the property owner(s). This responsibility and the provision for maintenance shall be clearly stated on any recorded subdivision, short plat, or binding site plan map, building permit, property conveyance documents, maintenance agreements and/or improvement plans.
- E. **Sewage management.** Municipal sewer services are available to all of the designated SMP area, with the South Shore area within the UGA being serviced by the Lake Chelan Sewer District and the North Shore area within the UGA as well as the incorporated area being serviced by the City of Chelan. To avoid water quality degradation and remain in compliance with the Lake Chelan Water Quality Plan as adopted by reference in the City of Chelan Comprehensive Plan, sewer service is subject to the requirements outlined below.
 - 1. Any existing septic system or other on-site system that fails or malfunctions will be required to connect to one of the existing municipal sewer service systems.
 - 2. Any new development, business, single-family or multi-family unit will be required to connect to one of the existing municipal sewer service systems.
- F. **Materials requirements.** All materials that may come in contact with water shall be constructed of materials, such as untreated or approved treated wood, concrete, approved plastic composites or steel, that will not adversely affect water quality or aquatic plants or animals. Materials used for decking or other structural components shall be approved by applicable state or federal agencies for contact with water to avoid discharge of pollutants from wave splash, rain, or runoff. Wood treated with creosote or pentachlorophenol is prohibited in shoreline waterbodies and other waters.
- G. **Low Impact Development.** Use of Low Impact Development (LID) techniques shall be considered and implemented to the greatest extent practicable throughout the various stages of development including site assessment, planning and design, site preparation, construction, and ongoing management. Existing public stormwater management systems and facilities shall be retrofitted and improved to incorporate LID techniques whenever feasible.

4.6 Safety (no wake) Buoys

4.6.1 Overview

High recreational use of Lake Chelan's waters by pleasure craft, including motorboats and jet skis, has led to private residents of the shoreline to deploy unpermitted safety devices such as no wake buoys in navigable waters of the Aquatic Environment, creating an un-coordinated and cluttered visual experience of the shoreline. The City recognizes the need for improved water safety and enforcement of no wake zones to balance the growth of both motorized and non-motorized water-enjoyment activities. Therefore, the following regulations are developed to create a coordinated process for safety buoys on Lake Chelan.

4.6.2 Regulations

1. Placement or removal of buoys shall be done in coordination with Chelan County Sherriff's Department. Shoreline residents or property owners may submit a request for placement or removal to the City of Chelan and requests shall be coordinated with the Sheriff's Department.
2. Buoy anchoring. All anchoring must comply with provisions in Section 5.2.2.S of this SMP.
3. Safety buoys are exempt under this SMP from a shoreline substantial development permit, but must meet all required state and federal regulations for navigational buoys where applicable. Removal and placement of buoys shall comply with the Washington State Department of Fish and Wildlife Hydraulic Code WAC 220-660.

5 SHORELINE MODIFICATIONS AND USES

Chapter 5 presents specific regulations that apply to particular developments, uses, or activities in any environment designation.

Each section includes policies and regulations. Policies are statements of principles that guide and determine present and future decisions. Regulations are rules that govern developments, uses, or activities.

The Use Matrix and Development Standards sections found in Chapter 3 Chapters 4 through 9, and Appendices A, B, and D are considered part of the regulations.

Shoreline application requirements are found in Section 7.4 of this SMP. Chapter 5 may contain specific submittal requirements for a particular use or modification beyond those stated in Section 7.4. Chapter 5 also contains performance standards for shoreline modifications and uses. Further, the Shoreline Administrator may condition a proposal in order to comply with the Act or this SMP consistent with the provisions in Section 7.5.3, 7.7.3, 7.8.3, and 7.9.

5.1 General Upland Shoreline Modification and Use Regulations

5.1.1 Overview

This section provides standards addressing preferred layouts of shoreline development and appropriate signage serving the intended use and recognizing shoreline locations.

5.1.2 Regulations

- A. **Design features for compatibility.** Shoreline use and development activities shall be designed to complement the character and setting of the property, minimize noise and glare, and avoid impacts to view corridors. Shoreline applicants shall demonstrate efforts to minimize potential impacts to the extent feasible, including:
 - 1. Building mechanical equipment shall be incorporated into building architectural features, such as pitched roofs, to the maximum extent possible. Where mechanical equipment cannot be incorporated into architectural features, a visual screen shall be provided consistent with building exterior materials that obstructs views of such equipment.
 - 2. Outdoor storage shall be screened from public view through techniques such as landscaping, fencing and/or other equivalent measures.
- B. **Preference for water-oriented facility location.** Shoreline developments shall locate the water-oriented portions of their developments along the shoreline and place all other facilities landward or outside shoreline jurisdiction.
- C. **Minimize changes to topography.** To the extent feasible, design of structures, and motorized and nonmotorized vehicular improvements, shall conform to natural contours and minimize disturbance to soils, native vegetation, and natural features while meeting applicable government standards.
- D. **Soil disturbance.** All disturbed areas shall be restored and protected from erosion using vegetation and other means.
- E. **Height, setbacks and public view corridors.**
 - 1. Heights Greater than 35 Feet: Per WAC 173-27-180, applicants for new or expanded structures exceeding 35 feet in height shall provide a depiction of the impacts to views from substantial numbers of residences and public areas. To mitigate impacts, site design shall

provide for view corridors between buildings through the use of building separation, setbacks, upper story setbacks, pitched roofs, and other mitigation. In order to determine appropriate view corridor location, applicants and the City shall review shoreline public access plans (Appendix C), location of Federal- or State-designated scenic highways, government-prepared view studies, SEPA documents, or applicant-prepared studies. The maximum width of a view corridor shall be 25% of the lot width of the lot frontage; where the view corridor requires vegetation removal, the view corridor may be limited to 25% or 25 feet, whichever is less.

2. View Analysis Standards: In the case of heights proposed above 35 feet, the following view analysis standards and procedures apply:
 - a. The applicant shall prepare a view analysis conducted consistent with Section 7.4. The analysis shall address such considerations as cumulative view obstruction within a 1,000-foot radius with implementation of the proposed development combined with those of other developments that exceed 35-feet in height. The cumulative impact analysis shall address overall views that are lost, compromised, and/or retained; available view corridors; and surface water views lost, compromised, and/or retained. For phased developments, the view analysis shall be prepared in the first phase and include all proposed buildings.
 - b. Building heights above 35 feet require authorization via a Shoreline Conditional Use Permit pursuant to Section 7.7 of this Shoreline Master Program, except as provided in subsection 3.
 3. Modification of height or other setback standards to achieve shoreline setback. The City may allow an increase in height above applicable SMP height standards or property setback standards if those actions will reduce or eliminate the need for the shoreline setback reduction. These modifications of standards may be approved without a Shoreline Conditional Use Permit or a Shoreline Variance if the modification is consistent with underlying zoning regulations and is not anticipated to have adverse impacts on adjacent properties.
- F. **Lighting.** Interior and exterior lighting shall be designed and operated to avoid illuminating nearby properties, public areas, or the lake waters. All outdoor lighting shall be compliant with CMC 17.62; Lighting shall be directed away from shoreline vegetation conservation areas, shoreline aquatic areas, and other critical areas, unless necessary for public health and safety.
- G. **Sign regulations.**
1. Sign Size, Location, and Lighting Standards: Signs are allowed subject to the following:
 - a. Signs shall comply with lighting standards of subsection 5.1.2.F. above.
 - b. Signs required by law shall not be subject to limitations with respect to the number, location, and/or size, provided that they are the minimum necessary to achieve the intended purpose. Signs required by law include, but are not limited to, official or legal notices issued and posted by any public agency or court, or traffic directional or warning signs.
 - c. Flashing signs or other advertising structures having lights or illuminations that flash, move, rotate, scintillate, blink, flicker, vary in intensity or color, or use intermittent electrical pulsations are prohibited in shoreline jurisdiction. Pennants, banners and other devices of seasonal, holiday, or special event character may be utilized on a temporary basis consistent with the City's zoning code and sign standards.
 - d. Freestanding signs authorized by this SMP are subject to the shoreline setbacks and critical area buffers and vegetation conservation standards in Section 4.5 and

Appendix B. Building mounted signs are subject to shoreline setbacks and other setbacks applicable to buildings. Height of wall signs shall be not exceed the development standards of this SMP.

2. Views: Signs shall not significantly obstruct visual access to the water or scenic vistas nor impair driver vision. Signs shall be subject to the review of Section 5.1.2.E.
 3. Natural Features: Signs shall not be posted or painted on natural features such as trees, rocks, and hillsides, etc., within shoreline jurisdiction.
 4. Moved Signs: Signs that are moved, replaced, or substantially altered shall conform with SMP requirements and City regulations. For the purposes of this section, “substantial alterations” includes modifying structural elements of the sign.
 5. Development shall comply with the City of Chelan Dark Sky Ordinance, CMC 17.62.
- H. **No Net Loss of Ecological Function.** Upland uses, development, and modifications shall be located and designed to assure no net loss of ecological functions and no significant adverse impact on other shoreline resources and values.
- I. **Pools.** Pools and other upland recreational uses that utilize chemically treated water must either be connected to a sewer system or must collect the water for later discharge into a sewer system. Pools and other upland recreational uses that utilize chemically treated water shall be located a minimum of 75 feet upland of the ordinary high water line.

5.2 General Aquatic Shoreline Modification and Use Regulations

5.2.1 Overview

General aquatic shoreline modification and use regulations apply to all modifications and uses taking place waterward of the OHWM, whether or not a shoreline permit or written statement of exemption is required.

5.2.2 Regulations

The following regulations shall apply to in-water work, including, but not limited to, installation of new structures, repair or maintenance of existing structures, replacement projects, restoration projects, and aquatic vegetation removal:

- A. **Siting and design requirements.** In-water structures and activities shall be sited and designed to avoid the need for future shoreline stabilization activities and dredging, giving due consideration to watershed functions and processes, with special emphasis on protecting and restoring priority habitat and species. All modifications and uses located in the Aquatic environment shall be the minimum size necessary.
- B. **Setbacks.** Water-dependent in-water structures, activities and uses are not subject to the shoreline setbacks established in this SMP.
- C. **Required permits.** Projects involving in-water work must obtain all applicable state and federal permits or approvals, including, but not limited to, those from the U.S. Army Corps of Engineers, Ecology, Washington Department of Fish and Wildlife, Washington Department of Natural Resources, and/or Chelan County Public Utility District.
- D. **Timing restrictions.** Projects involving in-water work shall comply with timing restrictions as set forth by state and federal project approvals.
- E. **Structure removal.** Removal of existing structures shall be accomplished so the structure and associated material does not re-enter the waterbody.
- F. **Disposal of waste material.** Waste material, such as construction debris, silt, excess dirt or overburden resulting from in-water structure installation, shall be deposited outside of shoreline

jurisdiction in an approved upland disposal site. Proposals to temporarily store waste material or re-use waste materials within shoreline jurisdiction may be approved provided that use of best management practices is adequate to prevent erosion or water quality degradation and that an on-site location outside of shoreline jurisdiction is not available.

- G. **Hazardous materials.** Extreme care shall be taken to ensure that no petroleum products, hydraulic fluid, fresh cement, sediments, sediment-laden water, chemicals, or any other toxic or deleterious materials are allowed to enter or leach into the waterbody during in-water activities. Necessary refueling of motorized equipment, other than watercraft, shall be conducted outside of shoreline setbacks and a minimum of 50 feet from the OHWM or ordinary high water line if feasible. Appropriate spill clean-up materials must be on-site at all times, and any spills must be contained and cleaned immediately after discovery.
- H. **Over- and In-water Materials.** See SMP Subsection 4.5.2.F.
- I. **Prevent siltation of adjacent areas.** In-water work shall be conducted in a manner that causes little or no siltation to adjacent areas. A sediment control curtain shall be deployed in those instances where siltation is expected. The curtain shall be maintained in a functional manner that contains suspended sediments during project installation.
- J. **Below-OHWM excavations.** Any trenches, depressions, or holes created below the OHWM shall be backfilled prior to inundation by high water or wave action.
- K. **Concrete management.** Fresh concrete or concrete by-products shall not be allowed to enter the waterbody at any time during in-water installation. All forms used for concrete shall be completely sealed to prevent the possibility of fresh concrete from entering the waterbody.
- L. **Protection of bank and vegetation.** Alteration or disturbance of the bank and bank vegetation shall be limited to that necessary to perform the in-water work. All disturbed areas shall be restored and protected from erosion using vegetation or other means.
- M. **Trash and unauthorized fill removal required.** All trash and unauthorized fill, including concrete blocks or pieces, bricks, asphalt, metal, treated wood, glass, and paper, found below the OHWM at the time of project implementation shall be removed if the project includes use of equipment suited for that purpose. Where the trash or fill is visibly providing some habitat function, consultation with Washington Department of Fish and Wildlife and/or the U.S. Army Corps of Engineers should occur before removal. Disposal should occur in an approved upland disposal location, outside of shoreline jurisdiction if feasible, but at a minimum landward of the OHWM or ordinary high water line. See Sections 5.8, Dredging and Dredge Material Disposal and 5.9, Fill and Excavation for potentially applicable policies and regulations regarding dredging, fill and disposal.
- N. **Notification when fish harmed.** If at any time, as a result of in-water work, fish are observed to be in distress or killed, immediate notification shall be made to appropriate state or federal agency(ies), including the Washington Department of Fish and Wildlife, National Marine Fisheries Service and/or U.S. Fish and Wildlife Service.
- O. **Notification of water quality problems.** If at any time, as a result of in-water work, water quality problems develop, immediate notification shall be made to the appropriate state or federal agency(ies), including Ecology, National Marine Fisheries Service and/or U.S. Fish and Wildlife Service.
- P. **Retain natural features.** Natural in-water features such as snags, uprooted trees, or stumps should be left in place unless it can be demonstrated that they are actually causing bank erosion, higher flood stages, or a hazard to navigation or human safety.
- Q. **Floatation materials.** Floatation material (floats, buoys) must be encapsulated within a commercially manufactured shell, typically polyethylene or another material specifically approved for use in aquatic environments, that prevents breakup or loss of the floatation material into the water, and is not readily subject to damage by ultraviolet radiation or abrasion. During maintenance,

existing un-encapsulated floatation material must be replaced. Tires may not be modified for use as floatation devices.

- R. **Tire use.** Tires shall not be allowed as part of above- or below-water structures or where tires could potentially come in contact with the water (e.g., floatation, fenders). Existing tires used for floatation should be replaced with inert or encapsulated materials such as plastic or encased foam during maintenance or repair of the structure.
- S. **Anchors.** Floats, rafts, mooring buoys, and navigational aids, such as channel markers or buoys, must use be anchored using techniques that will prevent dragging or scouring. Where practicable, embedment style anchors are preferred. Where not possible, pre-cured concrete surface-style anchors may be used, sized appropriately for the object to be anchored. Floats and rafts may also be anchored with piles as provided in SMP Sections 5.5 and 5.14.
- T. **Mitigation.** All aquatic shoreline modifications and uses are subject to the mitigation sequencing requirements in Section 4.2, Ecological Protection and Critical Areas, with appropriate mitigation required for any unavoidable impacts to ecological functions. If other critical areas in shoreline jurisdiction are impacted, the project is also subject to relevant requirements of Appendix B, Critical Areas Regulations.
- U. **State-owned aquatic lands.** Proposals on state-owned aquatic lands shall be consistent with the Washington Department of Natural Resources Aquatic Land Management standards (WAC 332-30, RCW 79.105).
- V. **No Net Loss of Ecological Function.** Aquatic uses, development, and modifications shall not be permitted if they cannot be located and designed to assure no net loss of ecological functions and no significant adverse impact on other shoreline resources and values.

5.3 Agriculture

5.3.1 Overview

The Lord Acres area of Chelan as well as the Chelan UGA contain agricultural uses.

Existing agricultural activities, as of the date of Shoreline Master Program (SMP) adoption, are not limited or required to modify agricultural activities occurring on agricultural lands. For the purposes of this section, the terms agricultural activities, agricultural products, agricultural equipment and facilities and agricultural land shall have the specific meanings as provided in WAC 173-26-020.

5.3.2 Regulations

- A. **Existing Agriculture.** The provisions of this SMP do not limit or require modification of agricultural activities on agricultural lands as of the date of adoption of the SMP.
- B. **Applicability.** SMP provisions shall apply in the following cases:
 1. new agricultural activities on land not meeting the definition of agricultural land;
 2. expansion of agricultural activities on non-agricultural lands or conversion of non-agricultural lands to agricultural activities;
 3. conversion of agricultural lands to other uses;
 4. other development on agricultural land that does not meet the definition of agricultural activities; and
 5. agricultural development and uses not specifically exempted by the Act.
- C. **Development Standards.**

1. A Substantial Development Permit shall be required for all agricultural development not specifically exempt by the provisions of RCW 90.58.030(3)(e)(iv) and for activities listed in Section B.
2. Feedlots are prohibited.
3. Agricultural-Commercial Uses. Agricultural-commercial uses are allowed where specified in environment designations in Chapter 3 and when consistent with Commercial use standards in Section 5.7.
4. Non-agricultural activities on agricultural lands. New non-agricultural activities proposed on agricultural lands shall be consistent with other applicable shoreline use standards in Chapter 5, for example Commercial or Industrial, and with other General Policies and Regulations.
5. New agricultural uses such as feedlots of any size, all processing plants, other activities of a commercial nature, upland finfish facilities and other activities which require alteration of the contour of the shorelands by leveling or filling other than that which results from normal cultivation, shall not be considered normal or necessary farming or ranching activities and shall comply with the applicable development standards found in regulations in Chapters 4 and 5.
6. New Agricultural uses on non-agricultural lands are allowed where specified in Table 3-1 and when consistent with other applicable standards in Chapters 4 and 5.

5.4 Aquaculture

At present, there are no aquaculture uses within the City's shoreline jurisdiction. Due to lake water quality concerns; the urban condition of the City's lake shoreline including the commercial waterfront, residential, and recreation uses; and incised Chelan River, aquaculture is not a compatible use within City of Chelan shorelines. Accordingly, aquaculture is a prohibited use in shoreline jurisdiction.

5.5 Boating Facilities and Private Moorage Structures

5.5.1 Overview

Boating facilities and private moorage structures are important uses in Lake Chelan for private and public recreation and economic benefits. Section 5.5.2 provides general regulations that govern both categories of boating-related structures, with specific regulations for each category found in Sections 5.5.3 and 5.5.4.

Public, community or private boating facilities, including marinas, community docks, public docks, fishing docks, and boat launch facilities, shall be subject to the policies and regulations of Sections 5.5.3. Buoys associated with these facilities are also subject to these policies and regulations, as well as the general location and design standards found in Section 5.5.4.D.

Section 5.5.4 provides policies and regulations for the location and design of private docks, watercraft lifts, swim floats, buoys, and moorage piles serving four or fewer residential dwellings. Dock is a general term for the structure or group of structures that provides boat moorage or other uses. A dock may be made up of piers (which are structures on fixed piles) and floats (which float on the water's surface and are typically attached to piles so that they may rise and fall with changes in the water's elevation). Swim floats are addressed in Section 5.5.4.F. Private boat launches serving four or fewer residential dwellings are prohibited in the City of Chelan and its UGA.

All new or expanded boating facilities and private moorage facilities are prohibited in the Chelan River. Any existing facilities may continue to operate and be repaired and maintained.

All boating facilities and private moorage structures that extend onto State-owned aquatic lands must also comply with Washington Department of Natural Resources² standards and regulations.

5.5.2 General Regulations

A. Location Standards.

1. Boating facilities and private moorage structures shall be sited to avoid adversely impacting shoreline ecological functions or processes.
2. Boating facilities and private moorage structures shall be spaced and oriented in a manner that minimizes hazards and obstructions to public navigation rights and corollary rights thereto such as, but not limited to, fishing, swimming and pleasure boating.
3. Boating facilities and private moorage structures shall not be permitted within the following shoreline habitats because of their scarcity, biological productivity and sensitivity unless no alternative location is feasible, the project results in a net enhancement of shoreline ecological functions, the proposal is otherwise consistent with this SMP, and the project obtains a Shoreline Conditional Use Permit:
 - a. Native aquatic vegetation or wetlands with emergent vegetation (marsh type areas), or
 - b. Spawning and holding areas for priority resident or native fish, per applicant consultation with WDFW (see Section F.2 for submittal requirements).
4. New boating facilities and private moorage structures shall not be permitted in areas where dredging will be required to create or maintain the new facility, where a flood hazard will be created, or where impacts to shoreline ecological functions and processes cannot be mitigated. To the extent feasible, expansions of existing boating facilities and private moorage facilities should be designed to minimize the need for new or maintenance dredging.
5. New or expanded boating facilities and private moorage structures shall be designed such that any moored boats will be located in water depths which prevent prop scour at ordinary high water levels, unless the applicant can demonstrate that prop scour will not adversely impact aquatic vegetation or increase suspended sediment loads.
6. Boating facilities and private moorage structures shall be located and designed in a manner that eliminates the need for shoreline stabilization. When the need for stabilization is unavoidable, as indicated by a study prepared consistent with SMP Section 5.16, only the minimum necessary shoreline stabilization to adequately protect facilities, users, and watercraft from floods or destructive storms shall be permitted when in compliance with Section 5.16.
7. Launch ramps shall be located where 1) there is adequate water mixing and flushing; 2) they will not adversely affect flood channel capacity or otherwise create a flood hazard; 3) water depths are adequate to eliminate or minimize the need for dredging or filling; and 4) wetlands or native fish spawning habitat is not present.
8. Docks, boatlifts, swim floats, buoys, watercraft lifts, and moorage piles shall only be approved as an accessory to an existing principle permitted and established use, or may be permitted concurrently with a principle use. Joint-use and community docks, however, may be constructed after final plat approval.

² The Washington Department of Natural Resources is currently developing new standards for uses and modifications on State-owned aquatic lands.

B. General design standards.

1. All over- and in-water structures shall be constructed and maintained in a safe and sound condition. Abandoned or unsafe structures or materials, including treated wood, pilings, derelict structures, vessels, buoys, and equipment, shall be repaired promptly by the owner or removed after obtaining any necessary permits.
2. Lighting associated with overwater structures shall be beamed, hooded or directed to avoid causing glare on adjacent properties or waterbodies. Illumination levels shall be the minimum necessary for safety.
3. Temporary moorages shall be allowed for vessels used in the construction of shoreline facilities. The design and construction of temporary moorages shall be such that upon termination of the project, the aquatic habitat in the affected area can be returned to its original (pre-construction) condition within one year at no cost to the environment or the public.
4. No skirting is allowed on any structure, unless it serves a public purpose and is approved by state and federal agencies.
5. If a dock is provided with a safety railing, such railing shall meet International Building Code requirements and shall be an open framework, following appropriate safety standards, that does not unreasonably interfere with shoreline views of adjoining properties.
6. Moorage facilities shall be marked with reflectors, or otherwise identified to prevent unnecessarily hazardous conditions for water surface users during the day or night. Exterior finish of all structures shall be generally non-reflective.
7. Private moorage for float planes may be permitted accessory to existing or concurrently proposed moorage where construction and operation would not adversely affect shoreline functions or processes, including wildlife use, or interfere with navigation.

C. Replacement of Existing Facilities.³ Proposals involving replacement of the entire existing dock or 75 percent or more of the dock support piles or 75 percent or more of an existing boat launch are considered a new facility and must meet the dimensional, materials and mitigation standards for new facilities as described in Sections 5.5.3 or 5.5.4, except the Shoreline Administrator may approve an alternative design if it meets all of the following criteria:

1. All appropriate Federal agencies have already approved the proposal; and
2. The total square footage of the replacement structure is no larger than the existing structure.

D. Additions to Dock. Proposals involving the modification and/or enlargement of existing docks must comply with the following measures:

1. The applicant must demonstrate to the satisfaction of the City that there is a need for the enlargement of an existing dock. Proposals that demonstrate an enlargement is necessary due to safety concerns; increased or changed use or demand for public, commercial or community facilities; or inadequate depth of water will be considered.
2. Enlarged portions of docks must comply with the dimensional, design, materials and mitigation standards for new docks as described in Sections 5.5.3 and 5.5.4. Dock additions

³ Nonconforming private moorage facilities are not governed by nonconforming structure provisions located in Chapter 8; instead, they are governed by regulations found in this section that relate to modification of existing nonconforming structures.

that result in the completed structure exceeding the area limits for reasons not specifically allowed above may only be approved through a Shoreline Variance.

E. Repair of Existing Facilities.

1. Repair proposals which replace 75 percent or greater of the existing dock-support piles or boat launch area over a five-year period, with the five-year period commencing at the time of the first repair proposal, are considered replacement facilities and must comply with requirements in Section 5.5.2.C.
2. All proposed replacement piles shall be the minimum size allowed by site-specific engineering or design considerations.
3. Other repairs to existing legally established facilities where the nature of the repair is not described in the above subsections shall be considered minor repairs and are permitted, consistent with all other applicable codes and regulations. If the cumulative repair proposed over a five-year period, with the five-year period commencing at the time of the first repair proposal, exceeds thresholds established for reconstructed or repaired facilities listed above in SMP Section 5.5.2.C, the current repair proposal shall be reviewed under those replacement provisions.

F. Mitigation

1. Mitigation proposals that may be necessary after application of mitigation sequencing shall provide mitigation at a one to one (1:1) ratio by area of effective overwater cover or substrate coverage to mitigation action using any of the potential measures listed under F.3. "Effective overwater cover or substrate coverage" shall be calculated by subtracting any open spaces in the deck or grating from the total footprint, and then multiplying the result by 0.25 in recognition that most of the structures in the City waterward of the OHWM are landward of the water line approximately nine months of the year. Applicants should consult with other permit agencies, such as Washington Department of Fish and Wildlife and/or U.S. Army Corps of Engineers, for additional specific mitigation requirements. Alterations to the land shall be mitigated as necessary consistent with Section 4.4.2 of this SMP.
2. Applicants wishing to propose an alternate mitigation strategy may submit a mitigation plan prepared by a qualified professional that provides one unit of mitigation for each unit of lost function unless justified as outlined in Subsection 4.2.2.F. Potential adverse impacts may include substrate disturbance and alteration, vegetation disturbance or alteration, alterations in priority or native species behaviors, increases in shoreline hardening, or reduction in presence or benefit of terrestrial vegetation adjacent to the water, among others. The mitigation provided shall be consistent with Section 4.2, Ecological Protection and Critical Areas. The proposed mitigation plan shall include a discussion of how the proposed mitigation adequately compensates for any lost functions.
3. For new development and modification or reconstruction of legally existing structures, appropriate mitigation may include one or more of the following measures, or other measures when consistent with objective of compensating for adverse impacts to ecological function:
 - a. Removal of any additional legal existing over-water and/or in-water structures that are not the subject of the application or are not otherwise required to be removed because they are not legal.
 - b. Planting of native vegetation along the shoreline immediately landward of the ordinary high water line consisting of trees and/or shrubs native to Chelan County and typically found in undisturbed areas adjacent to Lake Chelan. When shoreline plantings are the only mitigation option for a given proposal, the additional effective overwater cover or substrate coverage shall be compensated for at a 1:1 planting area ratio (unless modified as described in Subsections 4.2.2.C, 4.2.2.F,

5.5.2.F.3) with required trees planted on 15-foot centers and/or shrubs planted on 6-foot centers. Native groundcover can be supplemental to the planted shoreline area, but does not count toward the total square footage requirement. Alterations to the land shall be mitigated as necessary consistent with Section 4.4.2 of this SMP. Applicants may prepare the vegetation mitigation plan using guidance provided in Appendix E, Guidance for Development of Vegetation Mitigation Plans.

- c. Removal or ecological improvement of hardened shoreline, including existing launch ramps or hard structural shoreline stabilization. Improvements may consist of softening the face and toe of the stabilization with soil, gravel and/or cobbles and incorporating vegetation or large woody debris.
- d. Removal of man-made debris waterward of the OHWM, such as car bodies, oil drums, concrete or asphalt debris, remnant docks, or other material detrimental to ecological functions and ecosystem-wide processes.
- e. Placement of large woody debris above 1,099 or below 1,055 feet above sea level, except that public entities may place large woody debris, excluding root wads, between 1,055 and 1,099 if issues of navigation and public safety have been addressed. Large woody debris shall only consist of species native to the area immediately adjacent to Lake Chelan.
- f. Participation in an approved mitigation banking or in-lieu-fee program.

G. Other Uses and Standards.

- 1. Long-term boat storage located landward of the ordinary high water line is regulated as a nonwater-oriented commercial use under Section 5.7, Commercial Development of this SMP, unless it is equipped with a boat launch facility. If the storage use is equipped with a boat launch facility (either launch ramp, crane, hoist or similar device) and the boats are not stored on trailers, it may be regulated as a water-related commercial use. The dry boat storage portion shall be located outside shoreline jurisdiction, unless it is part of a mixed-use project. In such cases, the boat storage portion shall be located landward of the shoreline setbacks. If there are site constraints that prevent the boats from being moved inland, a Shoreline Variance will be required. In all cases, boat storage shall comply with applicable height restrictions.
- 2. Covered docks or other covered structures are not permitted waterward of the OHWM, except for canopies on boatlifts associated with private residential docks (see Subsection 5.5.4.E).
- 3. New over-water residences, including floating homes, are not a preferred use and shall be prohibited.

5.5.3 Boating Facilities Regulations

A. Facility Design.

- 1. Boating facilities shall not be located within 200 feet of beaches commonly used for public swimming, valuable public fishing areas, aquaculture facilities, or commercial navigation areas unless no alternative location exists and appropriate measures are installed or best management practices are implemented to minimize impacts to such areas and protect the public health, safety and welfare. For example, clearly delineating swimming, fishing or boating areas through upland signage, wake limit buoys, and/or floating swim area marker ropes.
- 2. Boating facilities shall be located only where adequate utility services that are necessary to meet applicable health, safety and welfare requirements, such as water, power and/or

wastewater collection and treatment, are available or where they can be provided concurrent with the development.

3. Community Docks

- a. For all subdivisions or other divisions of land occurring after December 19, 2016 that result in more than four residential units, community docks shall be permitted and may be allowed where they are found to be consistent with the provisions of this SMP unless further limited by other land use approval documents. A probable site for the community dock with access provided from the other lots in the subdivision to the dock shall be noted on the subdivision's conditional approval.
- b. No single-use docks may be authorized for any lot within a subdivision or other division of land unless the applicant can demonstrate that all other reasonable community or joint-use options have been investigated and found infeasible.
- c. Community docks must be located on a waterfront parcel or be shared among waterfront parcels having at least 80 linear feet of continuous shoreline frontage. A site for shared moorage at a community dock should be owned in undivided interest by property owners or managed by a homeowner's association as a common easement within the residential community that is served by the dock.
- d. See Section 5.5.4 of this SMP for regulations addressing single-use and joint-use docks serving four or fewer residential dwelling units.

4. Design Standards.

Table 5.5-1. Design Standards for Boating Facilities.

Boating Facility Design Standards	
General	All private and public boating facilities shall be no larger than the minimum size necessary to accommodate the anticipated demand. Specifically, the amount of overwater coverage, the size and number of in-water structures, the waterward length of the facility, and the extent of any necessary associated shoreline stabilization or modification shall be minimized. Specific sizing of all private and public boating facility components shall be based on the results of the analyses conducted under Subsection E, Submittal Requirements, with the following limitations for specific boating facilities:
Community Docks and Marinas	
Width	<ul style="list-style-type: none"> No part shall be wider than 8 feet. The Shoreline Administrator may approve components up to 10 feet wide if justified in documentation submitted consistent with Subsection E, Submittal Requirements.
Length	<ul style="list-style-type: none"> No longer than 250 feet measured perpendicularly from the OHWM. Up to 50 feet of additional length may be approved without a Shoreline Variance, provided the total length does not exceed one-third of the width of the waterbody, if the additional length is needed to reach 12 feet of moorage depth as measured from the OHWM. The extra length will not be allowed if the extension would interfere with navigation or other public uses of the water.
Spacing	<ul style="list-style-type: none"> Community Docks and Marinas shall be spaced a minimum of 10 feet from the side property lines, provided that the Shoreline Administrator may reduce this spacing measure to zero feet if an applicant demonstrates to the Administrator's satisfaction that the community dock or marina would not adversely affect adjacent developments, navigation, or other in water activities due to

Boating Facility Design Standards	
	features of the proposed design, cooperative planning between adjacent property owners, natural features, or level of anticipated use.
Number of Slips	<ul style="list-style-type: none"> Community docks shall be designed to accommodate no more than 0.75 boats per waterfront residential unit, or residential unit that shares a legal interest in a community waterfront parcel, served by the pier. One additional boat moorage location for guests may be included in the design for every ten waterfront residential units served, with a minimum of one guest location for developments under ten waterfront units and rounding to the nearest whole number for other fractions of ten waterfront units (e.g., if there are 13 units, the additional 3 units comprise 0.3 of the number of units required to get an additional guest slip. The final number of guest slips would remain at one. Units numbering from 15 through 24 would be allowed two guest slips).

- Launch ramps shall be designed and constructed using methods/technology that have been recognized and approved by state and federal resource agencies as the best currently available, with consideration for site-specific conditions and the particular needs of that use outlined in the submittal requirements in Subsection E. At a minimum, they shall minimize the obstruction of currents, alteration of sediment transport, and the accumulation of drift logs and debris.

B. Site Design and Operation.

- New marinas shall provide physical and/or visual public access for as many water-oriented recreational uses as possible, commensurate with the scale of the proposal. Features for access could include, but are not limited to, walk-on access, fishing platforms, and underwater diving and viewing platforms.
- Accessory uses at boating facilities shall be limited to water-oriented uses or uses that support physical or visual shoreline access the public. Accessory development may include, but is not limited to, parking, non-hazardous waste storage and treatment, stormwater management facilities, and utilities where these are necessary to support the water-oriented use.
- New and modified marinas shall provide a pump-out facility.

C. Parking and Vehicle Access. Public boat launch facilities shall include parking spaces for boat trailers commensurate with projected demand. All boating facilities shall provide parking facilities commensurate with projected demand and consistent with Section 5.17 of this SMP and local zoning standards.

D. Waste Disposal.

- Discharge of solid waste or sewage into a waterbody is prohibited. Garbage or litter receptacles shall be provided and maintained by the operator at several locations convenient to users. Marinas shall provide adequate restroom and sewage disposal facilities (pump out, holding, and/or treatment facilities) in compliance with applicable health regulations.
- Commercial disposal or discarding of fish-cleaning wastes, scrap fish, viscera, or unused bait into water or in other than designated garbage receptacles is prohibited. Private recreational fish waste disposal is allowed.
- Marina operators shall post all regulations pertaining to handling, disposal and reporting of waste, sewage, fuel, oil or toxic materials where all users may easily read them.

4. Fail-safe facilities and procedures for receiving, storing, dispensing, and disposing of oil or hazardous products, as well as a spill response plan for oil and other products, shall be required of new marinas and expansion or reconfiguration of existing marinas. Compliance with Federal or State law may fulfill this requirement. Handling of fuels, chemicals or other toxic materials must be in compliance with all applicable Federal and State water quality laws as well as health, safety and engineering requirements. Rules for spill prevention and response, including reporting requirements, shall be posted on site.
5. Boating facilities providing fuel or storing other toxic and hazardous waste on site must provide secondary containment and prepare a spill prevention, containment, and control plan.

E. Submittal Requirements.

1. Applicants shall provide an assessment of demand for new or expanded boating facilities, including, but not limited to, the following:
 - a. The total amount of moorage proposed (except for boat launch facility proposals);
 - b. For new or expanded facilities proposing permanent or temporary moorage, the existing supply of temporary or permanent moorage spaces within the service range of the proposed facility, including vacancies or waiting lists at existing facilities. The service range is a site-specific determination made by the applicant considering the proposed facility location and proximity to other locations within either boating or driving distance;
 - c. For new or expanded boat launch ramps, identification of the nearest existing boat launch facility, the expected or current level of use of the new or expanded boat launch ramp, and any other relevant factors related to the need for safe or efficient access to public waters, if that information supports justification for specific design elements;
 - d. The expected service population and boat ownership characteristics of the population, if that information supports justification for specific design elements related to facility length or necessary water depth; and/or
 - e. Existing approved facilities, or pending applications, within the service range of the proposed new facility.
2. Applicants for new or expanded boating facilities located in any of the areas listed under Subsection 5.5.2.A.3 shall provide habitat surveys and/or critical area studies consistent with Section 4.2, Ecological Protection and Critical Areas and Appendix B, Critical Areas Regulations.
3. Applicants for new or expanded boating facilities shall provide an assessment of existing water-dependent uses in the vicinity, including, but not limited to, navigation, fishing, hunting, pleasure boating, swimming, beach walking, picnicking and shoreline viewing, and document potential impacts and mitigating measures. The City will assist the applicant in identification of area water-dependent uses. Potential impacts on these resources shall be considered in review of proposals and specific conditions to avoid or minimize impacts shall be imposed.
4. New boat launch facilities shall be approved only if they provide public access to public waters that are not adequately served by existing access facilities, or if use of existing facilities is documented to exceed the designed capacity. Prior to providing boat launch facilities at a new location, documentation shall be provided demonstrating that expansion of existing launch facilities would not be adequate to meet demand.

5.5.4 Private Moorage Structure Regulations

- A. Land division and joint-use requirements.** If moorage is to be provided or planned as part of a new residential development of two or more adjacent waterfront dwelling units or lots or as part of a subdivision or other divisions of land occurring after December 19, 2016 that results in less than five residential units, joint-use dock⁴ facilities shall be required, when feasible, rather than allow individual docks for each residence. See Section 5.5.3 for regulations addressing community docks serving more than four residential dwelling units. The following conditions apply:
1. New residential developments, including division of land, shall contain a restriction on the face of the plat prohibiting individual docks and identifying locations for joint-use or community dock facilities. However, a single-use dock may be authorized if the applicant can demonstrate that all other reasonable community or joint-use options have been investigated and found infeasible.
 2. A site for shared moorage at a joint-use dock should be owned in undivided interest by property owners or managed by a homeowner's association as a common easement within the residential development. In the City of Chelan and its UGA, joint-use docks must be located on a waterfront parcel or be shared among waterfront parcels having at least 80 linear feet of continuous shoreline frontage.
 3. If moorage joint-use dock is provided, the applicant shall file at the time of building permit submittal for the dock a legally enforceable joint use agreement or other legal instrument that, at a minimum, addresses the following:
 - a. Provisions for maintenance and operation;
 - b. Easements or tracts for joint-use access; and
 - c. Provisions for joint use for all benefiting parties.
- B. Dock dimensional and materials standards.** The following dimensional standards shall apply to all new docks serving four or fewer residential dwellings. Deviations from the dimensional standards must be approved through a Shoreline Variance.

Table 5.5-2. Dimensional and Materials Standards for Docks.

Dimension/ Specification	Standard
Width	<ul style="list-style-type: none"> • Piers and floats, including terminal ells, shall not exceed 8 feet in width⁵. Ramps shall not exceed 4 feet in width. • Pier finger extensions shall not exceed 3 feet in width. • Float finger extensions shall not exceed 4 feet in width.
Length	The length of the dock shall not exceed 55 feet or the length necessary in order for the waterward terminal 20 feet of the dock to be located over water 12 feet deep when measured at ordinary high water, whichever is greater. Docks shall not exceed 100 feet without first obtaining a Shoreline Variance.

⁴ When a joint-use dock serves more than four residential units, it is regulated as a community dock under Boating Facilities Regulations, SMP Section 5.5.3

⁵ WAC 220-660-140 Washington State Department of Fish and Wildlife Hydraulic code limits dock width to 6 feet beyond the low mean water line.

Dimension/ Specification	Standard
Area	<ul style="list-style-type: none"> 320 square feet for single use docks. This number may be increased by 8 square feet for each additional foot of length beyond 55 feet necessary to reach 12 feet of water depth for the terminal 20 feet of dock length measured at ordinary high water. The maximum area approved without a Shoreline variance is 680 square feet. 450 square feet for joint use docks. This number may be increased by 8 square feet for each additional foot of length beyond 55 feet necessary to reach 12 feet of water depth measured for the terminal 20 feet of dock length at ordinary high water. The maximum area approved without a Shoreline variance is 810 square feet.
Pilings	<ul style="list-style-type: none"> Piling shall be structurally sound and cured prior to placement in the water. Pilings shall not be treated with pentachlorophenol, creosote, copper naphthalene, chromate copper arsenate, or comparably toxic compounds. Pilings shall not extend beyond the end of the dock.
Spacing	<ul style="list-style-type: none"> Docks and watercraft lifts shall be spaced a minimum of 10 feet from the side property lines. Joint-use structures may abut or overlap property lines provided the adjacent property owners have mutually agreed to the structure location, and the agreement is recorded through contract or covenant is recorded with the County Auditor's Office. For those new docks located adjacent to larger existing overwater structures, such as marinas or community docks, the City may require a greater separation between moorage structures to reduce potential navigation and use conflicts. No new structure may be installed within 100 feet of the outlet of any river or stream.
Decking/Materials	<ul style="list-style-type: none"> Decking shall be installed so that a minimum ½ inch space is left between deck planks. Grating or other deck materials that provide at least as much light transmission below the deck are allowed consistent with requirements set forth in the Washington State Department of Fish and Wildlife Hydraulic Code 220-660-140 3(iv)A-F. Flotation materials shall be permanently encapsulated as described in Subsection 5.2.2.Q.

* Applicants should also consult with the Corps to review waterbody-specific standards and application review processes.

- C. **Mooring piles.** Mooring piles are located adjacent to docks to provide a supplementary point to which a boat could be tied for additional security and stability. They are preferred over dock finger extensions or other decked over-water structures that often serve the same purpose, and are not independently locations for moorage. Mooring piles may be allowed as an accessory to docks, provided:

1. All piles shall be located not farther than 20 feet to the side of a dock, and must be at least 10 feet from side property lines.
2. In no case may a pile be placed farther waterward than the end of the dock.
3. The height of the piles shall be between 2 and 6 feet above the OHWM.

- D. **Mooring Buoys.**

1. A single-family residence or parcel without a dock may have up to three buoys. Each waterfront single-family residence or parcel may be allowed one moorage buoy in addition to a dock.

2. Mooring buoys shall be placed at a distance specified by State and Federal agencies with authority to avoid nearshore habitat and to minimize obstruction to navigation. However, buoys shall not extend farther waterward of the OHWM than 300 feet, and no closer than 50 feet, and shall be anchored at least 25 feet from side property lines or at the center of a parcel when the lot is less than 50 feet wide. Private buoys shall not be placed within 100 feet of a public facility or park, and shall not interfere with access to private or public property.
 3. At a minimum, the buoy shall be placed so that the boat will not ground during Lake Chelan's ordinary high water level and is in water at least 4 feet deep at ordinary high water.
 4. A radius of 100 feet from the proposed buoy shall be clear of existing buoys, docks, and other hazards. A smaller radius may be approved if the applicant demonstrates that a boat moored at the proposed buoy provides a safety margin of at least 20 feet from any other fixed hazard, including from boats moored at nearby buoys.
 5. A mooring buoy shall secure no more than two boats.
 6. Anchor, buoy, and moored vessel are not located over or within 25 feet of vegetated shallows (except where such vegetation is limited to State-designated noxious weeds).
 7. Anchor, buoy, and moored vessel are not to be located over or within 300 feet of spawning habitat for listed fish species or fish species proposed for listing, or over or within 25 feet of spawning habitat for other priority or native fish species.
 8. Anchors should be designed to prevent dragging or scouring. Where practicable, embedment style anchors are preferred. Where not possible, pre-cured concrete surface-style anchors may be used, sized appropriately for the object to be anchored. The anchor system, including the tethering mechanism to connect the vessel to the anchor, should be appropriate for the size and weight of the vessel. Other design features shall meet Washington Department of Fish and Wildlife, U.S. Army Corps of Engineers and/or Department of Natural Resources standards.
- E. **Watercraft lifts and watercraft lift canopies.** Watercraft lifts and canopies may be permitted as an accessory to a residential dock. They may only be approved provided that:
1. To the maximum extent practicable, all lifts shall be oriented in a north-south direction to minimize shading impacts.
 2. All lifts are to be placed as far waterward as feasible and safe, within the limits of the dimensional standards for docks. Watercraft lifts must be located at least 10 feet from side property lines.
 3. A maximum of three lifts are allowed per single-family residential unit (e.g., nine lifts if dock shared by three property owners). Two of these lifts may be ground-based; all other lifts must be floating or suspended.
 4. The lifts must comply with all other regulations as stipulated by State and Federal agencies.
 5. Watercraft lift canopies must be made of translucent material. The lowest edge of the canopy must be at least 8 feet above the OHWM. Only one canopy is allowed per owner.
 6. The lifts and canopies must comply with all other regulations as stipulated by State and Federal agencies.
- F. **Swim floats**
1. Private swim floats should be no longer than 8 feet and no wider than 8 feet.
 2. Where private swim floats are allowed, they must utilize the least impacting anchor method available and suited to the site-specific location. Anchors and other design features shall

meet Washington Department of Fish and Wildlife and/or Department of Natural Resources standards.

3. Swim floats shall be placed at a distance specified by State and Federal agencies to avoid nearshore habitat and to minimize obstruction to navigation, and must be located at least 10 feet from side property lines, unless it is designated as a joint-use structure between two or more adjoining waterfront properties.
4. Only one swim float may be approved per waterfront property. Swim floats supplementary to an existing dock may be approved on Lake Chelan only when necessary for safety or to accommodate the expected level of swim use.

5.6 Breakwaters, Jetties, Groins, Weirs and Barbs

5.6.1 Overview

Breakwaters, jetties, groins, weirs and barbs are generally intended to protect harbors, moorages, navigation activity, or stream banks or bed from wave and wind action or stream flow by creating slow- or still water areas along shore. A secondary purpose is to protect shorelines from wave- or flow-caused erosion. In addition to this section, development of breakwaters, jetties, groins, weirs, and barbs is also subject to provisions in Section 6.2 (In-water structures).

5.6.2 Regulations

- A. **Allowed circumstances.** New, expanded or replacement structures shall only be permitted waterward of the OHWM if they support water-dependent uses, public access, shoreline stabilization, or other specific public purpose.
- B. **Limitations on groins.** Groins are prohibited except as a component of a professionally designed community or public beach management program that encompasses an entire reach for which alternatives are infeasible, or where installed to protect or restore shoreline ecological functions or processes.
- C. **Use less-impacting alternatives.** Jetties and breakwaters are prohibited except as an integral component of a professionally designed marina. Where permitted, floating, portable or submerged breakwater structures, or smaller discontinuous structures, are preferred where physical conditions make such alternatives with less impact feasible.
- D. **Professional design.** Proposed designs for new or expanded structures shall be designed and certified by a qualified professional, including an engineer, hydrologist, or geomorphologist.

5.7 Commercial Development

5.7.1 Overview

The City's shoreline jurisdiction includes existing commercial uses, and areas designated for future commercial uses. The commercial development regulations within the shoreline jurisdiction help address the preferences for water-oriented commercial uses, and conditions and siting criteria for commercial development within shoreline jurisdiction.

5.7.2 Regulations

- A. **Water-oriented uses allowed.** Water-dependent, water-related, and water-enjoyment uses are permitted where allowed by zoning and this SMP. Water-dependent commercial uses shall be given preference over water-related and water-enjoyment uses. The applicant shall demonstrate to the satisfaction of the City that proposed uses meet the definitions of water-dependent, water-related or water-enjoyment (water-oriented use).

- B. **Residential uses as part of mixed use development.** Nonwater-oriented uses, including but not limited to residential uses, may be located with water-oriented commercial uses provided:
1. The mixed-use project includes one or more water-dependent uses; and
 2. Water-dependent commercial uses as well as other water-oriented commercial uses have preferential locations along the shoreline; and
 3. The underlying zoning district permits residential uses together with commercial uses; and
 4. Public access is provided for significant number of persons in accordance with Section 4.3 and/or ecological restoration is provided as a public benefit; and
 5. Residential uses meet requirements of Section 5.14 of this SMP.
- C. **Non- water-oriented commercial uses limited.** In areas designated for commercial use, non-water-oriented commercial uses are allowed if the site is physically separated from the shoreline by another property or public right of way. On properties fronting the shoreline, new non-water-oriented commercial development is prohibited in shoreline jurisdiction, except where such use provides a significant public benefit with respect to the Act's objectives, such as providing public access and ecological restoration and meets one of the following conditions:
1. The use is part of a mixed-use project that includes water-dependent uses; or
 2. Navigability is severely limited at the proposed site, such as not available for commercial navigation.
- D. **Overwater uses.** Non-water-dependent commercial uses shall not be located over water except in existing structures or in the limited instances where they are auxiliary to and necessary in support of water-dependent uses.
- E. **Accessory uses to water-oriented commercial activities.** Accessory commercial development that does not require a shoreline location shall be located landward of the water-oriented portions of the development and comply with shoreline setbacks for nonwater-oriented uses. Accessory uses may be allowed in existing structures or where necessary in support of water-oriented uses. Accessory development includes, but is not limited to, parking, storage and service areas, and circulation.
- F. **Public access.** See Section 4.3.
- G. **Short-term overnight rentals**
1. General Requirements
 - a. Any boat, liveaboard, vessel, cabin cruiser or watercraft capable of overnight accommodations may be used for short-term rentals or may occupy a seasonal slip for short term rentals pursuant and subject to conditions set forth in Section 5.7 G.2 herein.
 - b. Overnight accommodations on boats shall meet the minimum criteria:
 - i. In-door provisions for sleeping
 - ii. Provisions for food preparation and storage
 - iii. Refuse and waste disposal provisions
 - c. Short term overnight boat rentals and slips are restricted to private group or community docks and marinas in the Aquatic Designation when the upland jurisdiction is zoned High Intensity in the SMP, and when the underlying land use designation is Commercial Waterfront (C-W) zone in CMC 17.
 - d. Short-term overnight rentals on vessels in the Aquatic Designation shall be considered water-oriented uses.

- e. Vessels for overnight rentals must be moored to a dock. Overnight rentals of vessels moored to a float or buoy or anchored to the lake bed is prohibited.
 - f. Short-term overnight rentals on vessels at Lakeshore Marina or any other publicly owned marina are prohibited.
 - g. Short-term overnight rentals of vessels are restricted to commercial, group, and community docks. Private single-family docks are prohibited from short-term rentals.
2. Conditions. The following conditions (a-h) constitute minimum requirements for overnight boat or slip rentals pursuant to this SMP. Additional administrative requirements may be applied by the administrator of this SMP to ensure adequate protection of water quality or public health and safety.
- a. City of Chelan Business Licensing and any existing or future STR registration requirements.
 - b. Any short-term rental requirement pertaining to signage, marketing, and listings in print or online advertising as they currently exist or shall be established in by the City.
 - c. Any overnight short-term rental must strictly adhere to nuisance ordinance CMC 8.31 as well as observe quiet hours (eleven p.m. – six a.m.) set forth for Lakeshore Marina in CMC 8.34030 N, even if the boat is located on a private dock or marina.
 - d. Vehicular access for loading, unloading, and parking shall not impede or obstruct the regular vehicle or multi-modal traffic flow patterns along public rights-of-way or trails.
 - e. Short-term rentals are restricted to vessels that occupy a seasonal slip lease or by owner only; subletting of vessels for overnight rentals is prohibited.
 - f. Consecutive night stays must be limited to 2-30 days. No single night rentals are allowed.
 - g. The number of persons staying per vessel must not exceed occupancy limits of the watercraft.
 - h. The number of persons staying per vessel must equal the number of beds on the vessel and shall not exceed Coast Guard approved occupancy limit of the craft.
3. Parking for overnight rentals: Parking requirements are subject to the following:
- a. Upon Short-term rental registration, proof of adequate parking space for overnight renters must be submitted with the business license.
 - b. Proof of parking may be submitted in the form of a site map indicating adequate parking space within ¼ mile of the dock entrance OR a recorded legal description in the form of a covenant, easement, or a notarized joint parking agreement between two parties.
 - c. Parking shall be required in as ratio of 1 space/1 boat rental.
 - d. Parking shall not be in excess of ¼ mile from the dock.
 - e. Public right-of-ways may not be used for parking for overnight guests on watercraft.
 - f. Public parking lots may not be used for overnight guests.
 - g. Private lots may be used upon approval of the City and subject to recorded joint use agreement between the two parties as listed in section 1.b herein.

4. Waste Disposal. Solid waste, sewage pump outs, holding tanks, and bilge water. All solid waste and sewage disposal must comply with Section 5.5.3.D of this SMP and the following.
 - a. At the time of STR registration and business licensing, the permit application must include a detailed description of the solid waste and sewage disposal plan to include the following:
 - i) name and contact information of the entity responsible for waste and sewage removal.
 - ii) schedule of routine solid waste removal; proof of solid waste service such as an account number associated with the site.
 - iii) site map with location of the receptacle(s) for solid waste to be used by guest(s).
 - iv) identification of the location which of pump out station shall be used:

25 mile State Park
Chelan Lakeshore Park Marina
Manson Old Mill Park
Stehekin
 - b. Slip owners must provide renters/leases with the location of approved pump out stations.
 - c. All vessels and dock slips rented for overnight stays must provide clearly labelled receptacles for waste disposal conveniently located on the dock or landing.
 - d. Sewage holding tanks. Operators of short-term overnight boat slips or vessels must provide the vessel with dye tablets for holding tanks.
5. Bilge Water. No bilge water from any vessels may enter the waters of Lake Chelan.
 - a. Bilge socks must be placed in the bilge and replaced regularly on all vessels used as overnight rentals. Owners of the slip must provide bilge socks to any vessel in their slip for overnight stays.
 - b. Disposal of contaminated bilge socks must be disposed of like household hazardous waste; or be wrapped in newspaper and placed in a sealed plastic bag for disposal in solid waste receptacles that are not overwater.
 - c. Contaminated bilge water must be pumped out at approved pump out stations.
 - d. The discharge of contaminated water from sewage, grey water, or bilge water into Lake Chelan is illegal and subject to state fines, local, and federal fines.
6. Enforcement.
 - a. Compliance with the conditions set forth in this SMP for overnight short-term rentals of boats or slips in section 5.7.2.G shall be met upon issuance of the City of Chelan Business license.
 - b. Issuance of a Business License and associated Short Term Rental permit in accordance to CMC 5.15 and shall be subject to the enforcement authority vested in this SMP in Section 7.15. Fees applicable to the review processing of a business license in accordance with this SMP shall be applied pursuant to 7.1.1 H.
 - c. Violations of the conditions herein are subject to penalties and fees, including revoking of Business Licenses.

5.8 Dredging and Dredge Material Disposal

5.8.1 Overview

As regulated in this SMP, dredging is the excavation or displacement of the bottom or shoreline of a waterbody (waterward of the OWHM) for purposes of flood control, navigation, utility installation (excluding on-site utility features serving a primary use, which are “accessory utilities” and shall be considered a part of the primary use), the construction or modification of essential public facilities and regional transportation facilities, and/or restoration (of which the primary restoration element is sediment/soil removal rather than being incidental to the primary restoration purpose). This section is not intended to cover other excavations waterward of the ordinary high water mark that are incidental to construction of an otherwise authorized use or modification (e.g., bulkhead replacements, large woody debris installations, boat launch ramp installation, pile placement). These in-water substrate modifications should be conducted pursuant to regulations found in Section 5.2, General Aquatic Shoreline Modification and Use Regulations, Section 5.9, Fill and Excavation, and regulations found in sections of this Master Program governing the use or modification with which the excavation is associated, such as Section 5.5, Boating Facilities or Section 5.16, Shoreline Stabilization.

All dredging and dredge material disposal on state-owned aquatic lands must also comply with Washington Department of Natural Resources standards and regulations.

5.8.2 Regulations

- A. **Siting and design. To the greatest extent feasible**, new development shall be sited and designed to avoid new or maintenance dredging.
- B. **Allowed dredging activities.** New dredging shall only be permitted when mitigation is provided and one or more of the following conditions are demonstrated:
 - no other feasible alternatives exist
 - other alternatives may have a greater ecological impact
 - only where necessary for assuring safe and efficient accommodation of existing navigational uses

Dredging shall only be permitted for the following activities:

1. Development of new or expanded wet moorages, harbors, ports or water-dependent industrial uses
2. Development of essential public facilities when there are no feasible alternatives.
3. Maintenance of irrigation reservoirs, drains, canals, or ditches for agricultural purposes.
4. Restoration or enhancement of shoreline ecological functions and processes benefiting water quality and/or fish and wildlife habitat.
5. Trenching to allow the installation of underground utilities (excluding “accessory utilities” associated with a primary use) if no practicable alternative exists, and:
 - a. Impacts to priority or native fish and wildlife habitat are minimized to the maximum extent possible, which may require mitigation sequencing and implementation of a mitigation plan.
 - b. Appropriate best management practices are employed to prevent water quality impacts or other environmental degradation.
6. Establishing, expanding, relocating or reconfiguring navigation channels and basins where necessary to assure safe and efficient accommodation of existing navigational uses.

7. Maintenance dredging of established navigation channels and basins, which shall be restricted to maintaining previously dredged and/or existing authorized location, depth, and width.
 8. Flood hazard reduction, including dam maintenance.
- C. **Prohibited dredging activities.** Dredging shall be prohibited for the primary purpose of obtaining fill material except when necessary for restoration of ecological functions. In the latter circumstance, the fill must be placed waterward of the OHWM. The project must be either associated with a MTCA or CERCLA habitat restoration project or, if approved through a Shoreline Conditional Use Permit, any other significant habitat enhancement project.
 - D. **Maintain ecological functions and processes.** The physical alignment and ecological functions and processes of shoreline waterbodies shall be maintained, except to improve hydraulic function, water quality, priority or native fish or wildlife habitat, or fish passage. When required, mitigation plans shall be prepared by a qualified professional and shall be consistent with the relevant plan requirements in Appendix B, Critical Areas Regulations. The City may approve five-year management plans addressing maintenance dredging, use of best management practices, and other measures to assure no-net-loss of shoreline ecological functions.
 - E. **Conditions may be applied.** Limitations on dredge or disposal operation may be imposed to reduce proximity impacts, protect the public safety and assure compatibility with the interests of other shoreline users. Conditions may include limits on periods and hours of operation, type of machinery, and may require provision of landscaped setback strips and/or fencing to address noise and visual impacts at land disposal or transfer sites.
 - F. **Circumstances when disposal is allowed.** Dredge material disposal within shoreline jurisdiction is permitted under the following conditions:
 1. Shoreline ecological functions and processes will be preserved, restored or enhanced, including protection of surface and groundwater; and
 2. Erosion, sedimentation, floodwaters or runoff will not increase adverse impacts to shoreline ecological functions and processes or property.
 - G. **Circumstances when open water dredge disposal is allowed.** Dredge material disposal in open waters may be approved only when authorized by applicable agencies, which may include the U.S. Army Corps of Engineers pursuant to Section 10 (Rivers and Harbors Act) and Section 404 (Clean Water Act) permits, and Washington State Department of Fish and Wildlife Hydraulic Project Approval (HPA); and when one of the following conditions apply:
 1. Land disposal is infeasible, less consistent with this SMP, or prohibited by law; or
 2. Nearshore disposal as part of a program to restore or enhance shoreline ecological functions and processes is not feasible.
 - H. **Open water dredge disposal conditions.** Dredge materials approved for disposal in open waters shall comply with the following conditions:
 1. Offshore habitat will be protected, restored, or enhanced;
 2. Adverse effects on water quality or biologic resources from contaminated materials will be mitigated;
 3. Shifting and dispersal of dredge material will be minimal; and
 4. Water quality will not be adversely affected.
 - I. **Submittal requirements.** The following information shall be required for all dredging applications:
 1. A description of the purpose of the proposed dredging and an analysis of compliance with the policies and regulations of this SMP.

2. An analysis of the existing shoreline and potential adverse impacts, including the following:
 - a. A site plan map outlining the perimeter of the proposed dredge area. The map must also include the existing bathymetry and have data points at a minimum of 2-foot depth increments.
 - b. A detailed description of the existing physical character, shoreline geomorphology, and biological resources provided by the area proposed to be dredged. This description should include information on the stability of bedlands adjacent to proposed dredging and spoils disposal areas.
 - c. A detailed description of potential adverse impacts to ecological functions and processes.
 - d. A mitigation plan to address any identified adverse impacts to ecological functions or processes.
3. A detailed description of the physical, chemical and biological characteristics of the dredge materials to be removed, including:
 - a. Physical analysis of material to be dredged (material composition and amount, grain size, organic materials present, source of material, etc.).
 - b. Chemical analysis of material to be dredged (volatile solids, chemical oxygen demand (COD), grease and oil content, mercury, lead and zinc content, etc.).
 - c. Biological analysis of material to be dredged.
4. A description of the method of materials removal, including facilities for settlement and movement.
5. Dredging procedure, including the estimated length of time it will take to complete dredging, method of dredging, and amount of materials removed.
6. Frequency and quantity of project maintenance dredging.
7. Detailed plans for dredge spoil disposal, including specific land disposal sites and relevant information on the disposal site, including, but not limited to:
 - a. Dredge material disposal area;
 - b. Physical characteristics including location, topography, existing drainage patterns, surface and ground water;
 - c. Size and capacity of disposal site;
 - d. Means of transportation to the disposal site;
 - e. Proposed dewatering and stabilization of dredged material;
 - f. Methods of controlling erosion and sedimentation; and
 - g. Future use of the site and conformance with land use policies and regulations.
8. Plan for disposal of maintenance spoils for at least a 50-year period, if applicable.
9. Hydraulic modeling studies sufficient to identify existing geo-hydraulic patterns and probable effects of dredging.

5.9 Fill and Excavation

5.9.1 Overview

Fill regulations in this section apply to fills anywhere in shoreline jurisdiction, in both aquatic and upland environments. “Fill” is the addition of soil, sand, rock, gravel, sediment, earth retaining structure, or other material to an area waterward of the OHWM, in wetlands, or on shorelands in a manner that raises the elevation or creates dry land.

Excavation regulations in this section apply to excavation anywhere in shoreline jurisdiction. “Excavation” is the disturbance or displacement of unconsolidated earth material such as silt, sand, gravel, soil, rock or other material. In addition to upland excavation, this section is intended to cover excavations waterward of the ordinary high water mark that are incidental to construction of an otherwise authorized use or modification (e.g., bulkhead replacements, large woody debris installations, boat launch ramp installation, pile placement). See Section 5.8, Dredging and Dredge Material Disposal for dredging for purposes of flood control, navigation, primary utility installation, the construction of water-dependent portions of essential public facilities, and/or restoration whose primary project element is removal of material waterward of the OHWM.

All fill and excavation on state-owned aquatic lands must also comply with Washington Department of Natural Resources standards and regulations.

5.9.2 Regulations

- A. **Protect ecological function.** Fill and excavation shall be minimized to the maximum extent practicable and necessary to accommodate approved shoreline uses and development activities that are consistent with this SMP. When fill or excavation causes adverse impacts to ecological functions, a mitigation plan must be prepared and implemented consistent with Section 4.2 of this SMP.
- B. **Permissible fill and excavation in sensitive areas.** Fill and excavation within wetlands or waterward of the OHWM shall only be permitted in limited instances for the following purposes and when other required state or federal permits have been obtained, with due consideration given to specific site conditions, and only along with approved shoreline use and development activities that are consistent with this SMP, such as:
 - 1. Water-dependent uses, public access, and cleanup and disposal of contaminated sediments as part of an interagency environmental clean-up plan;
 - 2. Disposal of dredged material considered suitable under, and conducted in accordance with, the Dredged Material Management Program of the Department of Natural Resources and/or the Dredged Material Management Office of the U.S. Army Corps of Engineers (see Section 5.8.2 of this SMP);
 - 3. Expansion or alteration of transportation facilities of statewide significance currently located on the shoreline where alternatives to fill are infeasible;
 - 4. Ecological restoration or enhancement, including, but not limited to, beach nourishment, habitat creation, culvert upgrades to improve fish and flow passage, or bank restoration when consistent with an approved restoration plan; or
 - 5. Protection of cultural or historic resources when fill is the most feasible method to avoid continued degradation, disturbance or erosion of a site. Such fills must be coordinated with any affected Indian tribes and comply with applicable provisions of Section 4.1.2 of this SMP.

All fills and excavation waterward of the OHWM not associated with ecological restoration, flood control or approved shoreline stabilization shall require a Shoreline Conditional Use Permit.
- C. **Permissible upland excavations and fills.** All other upland fills and excavations are permitted provided they are conducted outside required setbacks and as part of an approved shoreline use or

modification or are necessary to provide protection to cultural or historic resources, are the minimum necessary to implement the approved use or modification, are planned to fit the topography so that minimum alterations of natural conditions will be necessary, do not adversely affect hydrologic conditions or increase the risk of slope failure, and are consistent with applicable provisions of Appendix B, particularly regulations governing floodways and 100-year floodplains.

- D. **Shoreline stabilization.** Fills or excavation shall not be located where shoreline stabilization will be necessary to protect materials placed or removed, except when part of an approved plan for protection of cultural resources.
- E. **Physical and visual consistency.** Fills, beach nourishment and excavation shall be designed to blend physically and visually with existing topography whenever possible, so as not to interfere with long term appropriate use including lawful access and enjoyment of scenery.
- F. **Maximum slopes.** Cut and fill slopes shall generally be sloped no steeper than one foot vertical for every two feet horizontal (1:2) unless a specific engineering analysis has been provided.
- G. **Erosion control.** A temporary erosion and sediment control (TESC) plan, including BMPs, consistent with the Stormwater Management Manual for Eastern Washington, or the most recent adopted stormwater manual, shall be provided for all proposed fill and excavation activities, and approved by the Shoreline Administrator prior to commencement of activity. Disturbed areas shall be immediately protected from erosion using weed-free straw, mulches, hydroseed, or similar methods and revegetated, as applicable.

5.10 Forest Practices

The City of Chelan and its UGA do not contain forested vegetation in shoreline jurisdiction. Accordingly, forest practices are prohibited in shoreline jurisdiction.

5.11 Industry

5.11.1 Overview

The City's shoreline jurisdiction contains areas used or planned for industrial uses (e.g. along the Chelan River). The industry regulations provide guidance for appropriate siting and conditions applied to industrial uses within shoreline jurisdiction.

5.11.2 Regulations

- A. **Water-dependent or water-related uses allowed.** Industrial facilities and structures that are water-dependent or water-related are permitted where allowed by zoning and this SMP. The applicant shall demonstrate to the satisfaction of the City that proposed uses are water-dependent and/or water-related. Water-dependent industrial uses have preference over water-oriented industrial uses.
- B. **Nonwater-oriented industrial uses limited.** In areas designated for industrial use, new nonwater-oriented industrial uses are allowed only if the site is physically separated from the shoreline by another property or public right-of-way or railroad prior to adoption of this SMP December 19, 2016. On properties fronting the shoreline, new nonwater-oriented industrial development is prohibited in shoreline jurisdiction, except where such use provides a significant public benefit with respect to the Act's objectives, such as providing public access and ecological restoration, and meets one of the following conditions:
 1. The use is part of a mixed-use project that includes water-dependent uses; or
 2. Navigability is severely limited at the proposed site such as not available for commercial navigation.

- C. **Accessory uses to water-dependent or water-related industrial activities.** Accessory industrial development that is not water-dependent and does not require a shoreline location shall be located upland of the water-dependent or water-related portions of the development and comply with shoreline setbacks found in Section 4.5.2. Accessory development includes, but is not limited to, parking, warehousing, open-air storage, waste storage and treatment, and transportation corridors.
- D. **Environmental protection.** Industrial development shall be located, designed, and constructed in a manner that assures no net loss of shoreline ecological functions and without significant adverse impacts to other preferred land uses and public access features.
- E. **Public access.** See SMP Section 4.3.
- F. **Clean up and Restoration.** Industrial development and redevelopment are encouraged to locate where environmental cleanup and restoration of the shoreline area can be incorporated. Federal and state requirements for hazardous materials clean up or management shall be addressed.

5.12 Mining

At present, there are no mining uses within the City's shoreline jurisdiction or that of its associated UGA and it is not anticipated in the future. Accordingly, mining is a prohibited use.

5.13 Recreational Development

5.13.1 Overview

Recreational development provides opportunities for play, sport, relaxation, amusement or contemplation. The City's shoreline jurisdiction includes existing areas designated for active or more intensive uses such as parks, campgrounds, and ball fields as well as passive recreational activities such as hiking, photography, sightseeing and fishing. This section applies to both publicly and privately owned shoreline facilities intended for use by the public or a private club, group, association or individual.

5.13.2 Regulations

- A. **Design.** Recreational uses and facilities, both commercial and public, shall be designed to be primarily related to access, enjoyment and use of the water and shorelines of the state.
- B. **Use consistency.** Proposed recreation uses shall be designed, located and operated consistent with the purpose and intensity of the shoreline environment designation and environmental conditions.
- C. **Accessory uses.** Accessory uses and support facilities such as maintenance facilities and parking lots shall be consolidated and located in upland areas outside shoreline setbacks, wetlands, and wetland buffers to the extent feasible, except for access to water-dependent facilities such as boat launches.
- D. **Public access.** See SMP Section 4.3. Where recreation facilities for public access include overwater structures, such as public view or fishing platforms, those overwater structures should comply with relevant requirements of SMP Section 5.5, Boating Facilities and Private Moorage Structures.
- E. **Fertilizer and chemical management.** For recreation developments such as golf courses and playfields that use fertilizers, pesticides, or other chemicals, the applicant shall submit plans demonstrating the best management practices and methods to be used to prevent these chemical applications and resultant leachate from entering adjacent waterbodies. Management that utilizes organic treatments, integrated pest management, or non-synthetic chemicals are preferred over management that utilizes synthetic chemicals where feasible and practical.
- F. **Compatibility with adjacent private properties.** Recreational facilities shall make adequate provisions, such as screening, vegetated strips, fences, and signs, to prevent overflow onto adjacent private properties.

- G. **Adequate utilities and services.** Proposals for recreational development shall include facilities for water supply, wastewater, and garbage disposal in conformance with City standards.
- H. **Environmental protection.** Recreational development shall be located, designed, and constructed in a manner that assures no net loss of shoreline ecological functions.
- I. **Management Plans.** In order to simplify the future review of exempt and non-exempt activities that are or will be ongoing in association with new or redeveloped public parks and recreation proposals, the City shall develop and review five-year recreation management plans addressing public recreation facility operations and maintenance, use of best management practices, and other measures to assure no net loss of shoreline ecological function. Management plans are optional for existing public parks and recreation facilities or expansions of existing parks and recreation facilities. The City may require applicants for special event or temporary activities that have the potential to interfere with shoreline use or adversely alter shoreline ecological conditions to prepare a management plan.
 - 1. New recreation proposals or redevelopment of park areas, or special events/temporary activities when required by the City, shall prepare a plan that shall minimally contain the following categories when applicable:
 - a. Description of in-stream or in-lake habitat protection measures, and commitment to implement mitigation for any new or expanded development that has adverse impacts;
 - b. Description of riparian and wetland protection measures, and commitment to implement mitigation for any new or expanded development that has adverse impacts;
 - c. Description of site-appropriate water use management activities, including use of less water-dependent landscaping, maximizing the efficiency of the application system, and reducing the area irrigated;
 - d. Description of stormwater management practices to treat stormwater runoff to reduce both water quantity and water quality impacts, including maximizing use of infiltration, bio-filtration, and detention;
 - e. Description of erosion and sediment control practices that prevent off-site movement of sediment for new construction, stored soils, and potential surface erosion areas; and
 - f. Description of chemical and nutrient use and containment practices that demonstrate minimization of overall inputs of these contaminants, restrict the type of inputs, and develop an acceptable method of application through a comprehensive management program, such as Integrated Pest Management (IPM).
 - 2. Each category specified in I.1 above shall be comprised of one to several standards. Each standard should describe the management objective or desired outcome for habitat conditions, specific performance requirements for each standard, and corrective actions that would be implemented if the performance requirement(s) is not met.
- J. **Recreation Performance Standards in Lieu of Setbacks:** Public parks and recreation facilities or those facilities proposed on public easements or dedicated rights of way shall follow the performance standards of Section 4.5.2.D.5. in lieu of shoreline setbacks.

5.14 Residential Development

5.14.1 Overview

Existing and planned single-family and multifamily residential uses are found in portions of the City's shoreline jurisdiction. The following provisions address standards to ensure compatible land use patterns, avoidance of environmentally sensitive areas, and provision of services and utilities.

5.14.2 Regulations

A. **Subdivisions and plats.** Subdivisions and plats shall:

1. Comply with all applicable subdivision, critical area, and zoning regulations.
2. Include facilities for water supply, wastewater, stormwater, solid waste, access, utilities and other support facilities in conformance with City standards and which do not result in harmful effects on the shoreline or waters. See Section 4.5.2.E. for specific wastewater requirements.
3. Be designed to prevent the need for new hard or soft shoreline stabilization or flood hazard reduction measures per Section 6.1.A. note limiting shoreline stabilization shall be placed on the face of the plat at the time of subdivision.
4. Be designed, configured and developed in a manner that assures that no net loss of ecological functions results from division of land at full build-out of all lots and throughout all phases of development.
5. Be required to cluster residential units and structures where necessary and when allowed by the City to avoid critical areas and to preserve natural features and minimize physical impacts.
6. Identify locations for public or community access when consistent with Section 4.3, community or joint use docks, marinas, or conservation and utility easements, where proposed.
7. Lots shall be configured in a way so as not to require a Shoreline Variance in the future for residential development. Lot configurations shall plan for building sites behind the required shoreline setback. At the time of building or construction permit, shoreline setbacks and administrative reductions or variances may be requested.

B. **Environmental protection.** Residential development including accessory uses and appurtenant structures shall:

1. Meet all applicable critical area, vegetation conservation, and water quality standards of Chapter 4 and Appendix B of this SMP.
2. Be sufficiently set back from steep slopes and shorelines vulnerable to erosion so that structural improvements, including bluff walls and other stabilization structures, are not required to protect such structures and uses. To accomplish this, the City shall apply geologically hazardous area buffers established in Appendix B and shoreline setbacks found in Section 4.4.2 of this SMP. The City may require greater geologically hazardous area buffers to protect health and safety based on a geotechnical analysis or other information in the application record.
3. Be located, designed, and constructed in a manner that assures no net loss of shoreline ecological functions.

C. **Public access.** See SMP Section 4.3.

- D. **Over-water residences.** Existing, legal cabanas are considered permitted uses; rebuilding and alteration of existing, legal cabanas are subject to Chapter 8 of this SMP. New over-water residences and floating homes shall be prohibited.
- E. **Liveaboards.** When a liveaboard is allowed in waters regulated by the City, that use must be conducted consistent with best management practices and in accordance with federal, state, and local laws governing proper disposal of sewage, oil and hazardous substances, gray water, and solid wastes. Liveaboards shall be accommodated only in marinas equipped with the necessary facilities. Liveaboards must be located and operated such that navigation and lawful public access on those waters is not obstructed or made hazardous. Liveaboards moored on State-owned aquatic lands must comply with all other provisions in WAC 332-30-171.
- F. **Accessory uses and structures.** Residential accessory uses or appurtenances of a permanent nature, affixed or on foundation, including ADUs shall not be located in required shoreline setbacks or vegetation conservation areas. Unless specifically authorized in Vegetation Conservation standards and Appendix B, no clearing of vegetation for accessory uses is allowed. Temporary, seasonal structures such as shade tents or play structures are exempt from this provision.
- G. **Underground Utilities.** See Section 5.18.
- H. **Single-Family Residences.** Single-family residences shall be a priority use when developed in a manner consistent with control of pollution and prevention of damage to the natural environment.
- I. **Overwater Accessory Uses/structures.** Over water structures permanently affixed to docks shall be prohibited unless clearly water-dependent such as boatlifts. Privacy fencing or screening shall be prohibited. Storage sheds and containers must be placed the landward.

5.15 Shoreline Habitat and Natural Systems Enhancement Projects

5.15.1 Overview

Shoreline habitat and natural systems enhancement and restoration projects include those activities proposed and conducted specifically for the purpose of establishing, restoring, or enhancing habitat for priority species in shorelines. Examples of shoreline habitat and natural systems enhancement projects include floodplain restoration projects, fish passage barrier removal or improvement, and projects to increase shoreline habitat complexity, among others. Stabilization of eroding banks may be considered under this section provided that the purpose of the project is clearly restoration of the natural character and ecological functions of the shoreline, and the project uses bioengineering approaches, including limited use of rock as a stabilization only at the toe of the bank as necessary, and with primary emphasis on using native vegetation to control erosive forces.

5.15.2 Regulations

- A. **Approved plan.** Restoration and enhancement shall be carried out in accordance with an approved shoreline restoration plan.
- B. **Protect adjacent resources.** All shoreline restoration and enhancement projects shall protect the integrity of adjacent natural resources, including aquatic habitats and water quality.
- C. **Maintenance and monitoring.** Long-term maintenance and monitoring (minimum of three years, but preferably longer) shall be arranged by the project applicant and included in restoration or enhancement proposals.
- D. **Adverse effects.** Shoreline restoration and enhancement may be allowed if the project applicant demonstrates that no significant change to sediment transport or river current will result and that the enhancement will not adversely affect ecological processes, properties, or habitat.

- E. **Use of best information and BMPs.** Shoreline restoration and enhancement projects shall be designed using the best available scientific and technical information, and implemented using best management practices.
- F. **Public use of waters and lands.** Shoreline restoration and enhancement shall not interfere with lands or waters dedicated specifically for public use, as determined by the Shoreline Administrator, without appropriate mitigation. For projects on state-owned aquatic lands, project proponents must coordinate with the Washington Department of Natural Resources to ensure the project will be appropriately located prior to the solicitation of permits from regulatory agencies.
- G. **Permitted.** Shoreline restoration and ecological enhancement projects may be permitted in all shoreline environments, provided the project's purpose is the restoration of the natural character and ecological functions of the shoreline.
- H. **Relief for OHWM shifts.** Applicants seeking to perform restoration projects are advised to work with the City to assess whether and how the proposed project is allowed relief under RCW 90.58.580, in the event that the project shifts the OHWM landward.

5.16 Shoreline Stabilization

5.16.1 Overview

Shoreline stabilization includes actions taken to address erosion impacts to property and dwellings, businesses, or structures caused by natural processes, such as current, wind, or wave action. These actions include structural and nonstructural methods. Nonstructural methods include shoreline setbacks, relocation of the structure to be protected, groundwater management, planning and regulatory measures to avoid the need for structural stabilization.

Shorelines are by nature unstable, although in varying degrees. Erosion and accretion are natural processes that provide ecological functions and thereby contribute to sustaining the natural resource and ecology of the shoreline. Human use of the shoreline has typically led to hardening of the shoreline for various reasons including reduction of erosion or providing useful space at the shore or providing access to docks. The impacts of hardening any one property may be minimal, but cumulatively the impact of this shoreline modification is significant.

Shoreline hardening typically results in adverse impacts to shoreline ecological functions such as:

- Beach starvation. Sediment supply to nearby beaches is cut off, leading to "starvation" of the beaches for the gravel, sand, and other fine-grained materials that typically constitute a beach.
- Loss of vegetation degradation. Riparian vegetation that is eliminated, thus degrading the value of the shoreline for many ecological functions, including upland and aquatic habitat and shoreline stability.
- Sediment impoundment. As a result of shoreline hardening, the sources of sediment on beaches (eroding "feeder" bluffs) are progressively lost. This leads to lowering and reduction of beach area, and the coarsening of beach sediment.
- Exacerbation of erosion. The hard face of shoreline armoring, particularly concrete bulkheads, reflects wave energy back onto the beach, leading to scouring and lowering of the beach, to coarsening of the beach, and to ultimate failure of the structure.

"Hard" structural stabilization measures refer to those with solid, hard surfaces, such as concrete bulkheads, while "soft" structural measures rely on less rigid materials, such as biotechnical vegetation measures or beach enhancement. There is a range of measures varying from soft to hard that include: vegetation enhancement, upland drainage control, biotechnical measures, beach enhancement, anchor trees, gravel placement, rock revetments, gabions, concrete groins, retaining walls and bluff walls, and bulkheads.

Generally, the harder the construction measure, the greater the impact on shoreline processes, including sediment transport, geomorphology, and biological functions.

5.16.2 Regulations

- A. **General.** The purpose of this section is to provide standards and guidelines for the location and design of hard structural and soft structural shoreline stabilization measures that have the potential to adversely impact the shoreline natural environment.
1. New development shall be located and designed to avoid the need for future shoreline stabilization to the extent feasible.
 2. Land subdivisions shall be designed to assure that future development of the created lots will not require shoreline stabilization for reasonable development to occur.
 3. New development on steep slopes or bluffs shall be set back sufficiently to ensure that shoreline stabilization is unlikely to be necessary during the life of the structure, as demonstrated by a geotechnical analysis.
 4. New development that would require shoreline stabilization which causes significant impacts to adjacent or down-current properties and shoreline areas should not be allowed.
 5. In all cases, the feasibility of soft structural shoreline stabilization shall be evaluated prior to hard structural stabilization.
 6. Shoreline stabilization shall be designed so that net loss of ecological functions does not occur.
- B. **New or enlarged structural shoreline stabilization.** New structural shoreline stabilization measures, including both hard and soft structural shoreline stabilization measures, shall include measures installed to address erosion impacts to property and dwellings, businesses, or structures caused by natural processes, such as current, flood, wind, or wave action. These actions include structural and nonstructural methods. Existing structural shoreline stabilization measures that are enlarged, including additions to or increases in height, width, length, or depth, shall be considered new structures. New or enlarged structural stabilization measures shall not be allowed, except as follows:
1. To protect an existing primary structure, including residences, when conclusive evidence, documented by a geotechnical analysis, is provided that the structure is in danger from shoreline erosion caused by currents or waves. Normal sloughing, erosion of steep bluffs, or shoreline erosion itself, without a scientific or geotechnical analysis, is not demonstration of need. The geotechnical analysis should evaluate on-site drainage issues and address drainage problems away from the shoreline edge before considering hard or soft structural shoreline stabilization. OR
 2. In support of new nonwater-dependent development, including single-family residences, when all of the conditions below apply:
 - a. The erosion is not being caused by upland conditions, such as drainage and the loss of vegetation.
 - b. Nonstructural measures, such as placing the proposed development farther from the shoreline, planting vegetation, or installing on-site drainage improvements, are not feasible or not sufficient to adequately address erosion impacts.
 - c. The need to protect primary structures from damage due to erosion is demonstrated through a geotechnical analysis. The damage must be caused by natural processes, such as currents or waves. OR
 3. In support of water-dependent development when all of the conditions below apply:

- a. The erosion is not being caused by upland conditions, such as drainage and the loss of vegetation.
 - b. Nonstructural measures, such as planting vegetation, or installing on-site drainage improvements, are not feasible or not sufficient to adequately address erosion causes or impacts.
 - c. The need to protect primary structures, including residences, from damage due to erosion is demonstrated through a geotechnical analysis. OR
 - 4. To protect projects for the restoration of ecological functions or for hazardous substance remediation projects pursuant to Chapter 70.105D RCW when nonstructural measures, planting vegetation, or installing on-site drainage improvements, are not feasible or not sufficient to adequately address erosion causes or impacts.
 - 5. To protect cultural or historic resources when nonstructural measures, planting vegetation, or installing on-site drainage improvements are not feasible or not sufficient to avoid continued degradation, disturbance or erosion of a site. Cultural resource protection projects shall be coordinated with any affected Indian tribes and comply with applicable provisions of Section 4.1.2 of this SMP.
- C. **Repair of existing shoreline stabilization measures.** This section allows repair and maintenance of existing shoreline stabilization measures, subject to all of the following provisions. [Note: repair of shoreline stabilization structures may meet the criteria for exemption from a Shoreline Substantial Development Permit, but they are not exempt from the policies and regulations of this Section or the SMP.]
- 1. Maintenance and repair shall include modifications or improvements to an existing shoreline stabilization measure that are designed to ensure the continued function of the stabilization measure by preventing failure of any part of the stabilization measure.
 - 2. Modifications or improvements that include additions to or increases in size of existing shoreline stabilization measures shall be considered new structures, and are not maintenance and/or repair.
 - 3. Replacement of greater than 50 percent or 35 feet, whichever is smaller, of linear length of existing shoreline stabilization on a waterfront parcel is not considered a repair or maintenance for purposes of these regulations, and must be designed and reviewed as a replacement subject to the provisions contained in Subsection 5.16.2.D. For shoreline stabilization projects, “replacement” occurs when the existing structure, including its footing or bottom course of rock, is removed prior to placement of new shoreline stabilization materials. Repairs and maintenance that involve only removal of material above the footing or bottom course of rock are not considered replacements. Replacement of existing shoreline stabilization may still qualify for an exemption from a Shoreline Substantial Development Permit as listed in Section 7.6.3 of this SMP. Further limitations on non-conforming shoreline stabilization are located in the City’s Nonconforming Uses and Development Standards section of this SMP.
 - 4. Areas of temporary disturbance within the shoreline setback shall be expeditiously restored to their pre-project condition or better.
 - 5. The placement of a new shoreline stabilization structure landward of a failing shoreline stabilization structure shall be considered a new structure, and is not maintenance or repair.

- D. **Replacement.**⁶ The following standards apply to replacement of existing hard and soft structural shoreline stabilization measures [Note: replacement of shoreline stabilization structures may meet the criteria for exemption from a Shoreline Substantial Development Permit, but they are not exempt from the policies and regulations of this Section or the SMP]:
1. For purposes of this section, "replacement" means the construction of a new structure to perform a shoreline stabilization function of an existing structure that can no longer adequately serve its purpose. Additions to or increases in size of existing shoreline stabilization measures shall also be considered new structures.
 2. Replacement shall be treated as a new shoreline stabilization measure subject to the restrictions of Subsection 5.16.2.B. above, as well as the submittal requirements of Subsection 5.16.2.H., except for the requirement to prepare a geotechnical analysis. A geotechnical analysis is not required for replacements of existing hard or soft structural shoreline stabilization with a similar or softer measure if the applicant demonstrates need to protect principal uses or structures from erosion caused by waves or other natural processes operating at or waterward of the OHWM.
 3. Replacement of hard structural shoreline stabilization measures shall not encroach waterward of the OHWM or waterward of the existing shoreline stabilization measure unless the primary residence was constructed prior to January 1, 1992, and there is overriding safety or environmental concerns. In such cases, the replacement structure shall abut (attached to and waterward of) the existing shoreline stabilization structure. All other replacement hard structural shoreline stabilization measures shall be located at or landward of the existing shoreline stabilization structure.
 4. Fill associated with hard and soft shoreline stabilization measures may be allowed waterward of the OHWM to provide enhancement of shoreline ecological functions through creation of nearshore shallow-water habitat.
- E. **General design standards.** When a hard or soft structural shoreline stabilization measure is demonstrated to be necessary, the following design standards shall be incorporated into the stabilization design:
1. Soft structural shoreline stabilization measures shall be used to the maximum extent practicable for new, enlarged, or replacement shoreline stabilization measures, limiting hard structural shoreline stabilization measures to the portion or portions of the site where necessary to protect or support existing shoreline structures or trees, or where necessary to connect to existing shoreline stabilization measures on adjacent properties. Hard structural shoreline stabilization transition areas between the applicant's otherwise soft shoreline measure and the adjacent hardened shoreline, when needed on the subject property to prevent destabilization of adjacent hardened shorelines, should be minimized and extend into the subject property from the property line no more than 10 feet. Structural stabilization measures consistent with the Department of Fish and Wildlife Integrated Streambank Protection Guidelines (WDFW publication # 00046) are recommended.
 2. For enlarged or replacement soft and hard structural shoreline stabilization measures, the following location and design standards are preferred in descending order:
 - a. Conduct excavation and fill activities associated with the soft or hard structural shoreline stabilization landward of the existing OHWM to the maximum extent practicable.

⁶ Nonconforming shoreline stabilization measures are not governed by nonconforming structure provisions located in Chapter 6; instead, they are governed by regulations found in SMP Section 5.16.2.D and other provisions of Section 5.16.2 that relate to modification of existing nonconforming structures.

- b. Where a, above, is not practicable because of overriding safety or environmental concerns, conduct necessary excavation and fill activities waterward of the existing OHWM as needed to implement a soft structural shoreline stabilization technique or to mitigate the impacts of hard structural shoreline stabilization. Fill material waterward of the OHWM may be sand, gravel, cobble or boulders provided the placement of boulders does not effectively present a continuous wall or face to oncoming waves (also known as rip rap).
- 3. All approved new, enlarged, repair, or replacement shoreline stabilization measures must minimize and mitigate any adverse impacts to ecological functions resulting from short-term construction activities, consistent with Section 4.2, Ecological Protection and Critical Areas and Appendix B, Critical Areas Regulations. Impact minimization techniques may include compliance with appropriate timing restrictions, use of best management practices to prevent water quality impacts related to upland or in-water work, and stabilization of exposed soils following construction.
- 4. All new, enlarged, or replacement hard structural shoreline stabilization measures shall minimize any long-term adverse impacts to ecological functions by incorporating the following measures into the design:
 - a. Limiting the size of hard structural shoreline stabilization measures to the minimum necessary, including height, depth, and mass.
 - b. Shifting the hard structural shoreline stabilization landward and/or sloping the hard structural shoreline stabilization landward to provide some dissipation of wave energy and increase the quality or quantity of nearshore shallow-water habitat.
- 5. Approved new and enlarged shoreline stabilization measures shall mitigate any adverse impacts to ecological functions by incorporating the following measures at a minimum into the design if appropriate for local conditions:
 - a. Restoration of appropriate substrate conditions waterward of the OHWM, to include substrate composition and gradient. The material should be sized and placed to remain stable during a two-year flood event on rivers and under typical boat- and wind-driven wave conditions on lakes, including storm events.
 - b. Plant native riparian vegetation, as necessary, along at least 75 percent of the shoreline linear frontage affected by the new or enlarged stabilization, located along the water's edge. The vegetated portion of the shoreline setback shall average 10 feet in depth from the OHWM, but may be a minimum of 5 feet wide to allow for variation in landscape bed shape and plant placement. Restoration of native vegetation shall consist of a mixture of trees, shrubs and groundcover and be designed to improve habitat functions. At least 3 trees per 100 linear feet of shoreline must be included in the plan. The vegetation plan shall be prepared consistent with Appendix E, Guidance for Development of Vegetation Mitigation Plans. An alternative planting plan or mitigation measure in lieu of meeting these requirements may be allowed if approved by other State and Federal agencies.
 - c. Additional mitigation measures may be required by the City, or State or Federal agencies, depending on the level of impact.
- 6. The shoreline stabilization measure shall be designed to not significantly interfere with normal surface and/or subsurface drainage into the adjacent waterbody.
- 7. The shoreline stabilization measure shall be designed so as not to constitute a hazard to navigation.

8. Stairs or other water access measures such as landscape stones or logs may be incorporated into existing or new shoreline stabilization structures (bulkheads) for safe entry into the water, but shall not extend waterward of the existing shoreline stabilization nor protrude waterward of the existing OHWM. Coved or concaved areas with shallow depth entry may be constructed such that the landward advancement of the OHWM may result.



Figure 1. Stairs acceptable



Figure 2. Stairs NOT acceptable


9. The shoreline stabilization measure shall be designed to ensure that it does not restrict appropriate public access to the shoreline. When a structural shoreline stabilization measure is required at a public access site, provisions for safe access to the water shall be incorporated into the shoreline stabilization structure design (e.g., steps integrated into the bulkhead, coved area with shallow entry). Access measures should not extend farther waterward than the face of the shoreline stabilization measure and the OHWM. Publicly financed shoreline erosion control measures shall include public access consistent with Section 4.3.
 10. Shoreline stabilization measures shall not extend waterward more than the minimum amount necessary to achieve effective stabilization, except for those elements that enhance shoreline ecological functions and minimize impacts.
 11. When repair or replacement shoreline stabilization measures intended to improve ecological functions shift the OHWM landward of the pre-modification location, any setbacks from the OHWM or lot area for the purposes of calculating lot coverage shall be measured from the pre-modification location. The pre-modification OHWM shall be recorded in a form approved by the City and recorded at the Chelan County Auditor's Office.
 12. If repair or replacement shoreline stabilization measures intended to improve ecological functions shift the OHWM landward of the pre-modification location and result in expansion of the shoreline jurisdiction on any property other than the subject property, the plan shall not be approved until the applicant submits a copy of a statement signed by the property owners of all affected properties, in a form approved by the City and recorded at the Chelan County Auditor's Office, consenting to the shoreline jurisdiction creation and/or increase on such property.
- F. **Specific hard structural shoreline stabilization design standards.** In those limited instances when hard structural shoreline stabilization measures, such as bulkheads, are demonstrated to be necessary as outlined in Subsection H.1, the following standards shall be incorporated into the design:
1. In those limited cases when hard structural shoreline stabilization is proposed on a site where hard structural shoreline stabilization is not located on adjacent properties, the construction of hard structural shoreline stabilization shall tie in with the existing contours

of the adjoining properties, as feasible, such that the proposed stabilization would not cause erosion of the adjoining properties.

2. When hard structural shoreline stabilization is proposed on a site where hard structural shoreline stabilization is located on adjacent properties, the proposed stabilization may tie in flush with existing stabilization measures on adjoining properties, provided that the new stabilization does not extend waterward of the OHWM, except as necessary to make the connection to the adjoining stabilization, and does not extend onto the adjacent property. In such circumstances, the remaining portion of the stabilization shall be placed landward of the existing OHWM such that no net intrusion into the waterbody occurs nor does net creation of uplands occur. The length of hard structural shoreline stabilization transition area to adjacent properties should be minimized to the maximum extent practicable, and extend into the subject property from adjacent properties no more than 10 feet.
3. Fill behind hard structural shoreline stabilization shall be limited to 1 cubic yard per running foot of stabilization. Any filling in excess of this amount shall be considered a regulated activity subject to the regulations in this chapter pertaining to fill activities and the requirement for obtaining a Shoreline Substantial Development Permit or Shoreline Conditional Use Permit.

G. **Specific soft structural shoreline stabilization design standards.** In addition to applicable general design standards and hard structural shoreline stabilization standards above, the following standards shall be incorporated into the design:

1. The soft shoreline stabilization design shall provide sufficient protection of adjacent properties by tying in with the existing contours of the adjoining properties to prevent erosion at the property line, provided the stabilization measure does not extend onto the adjacent property. Soft shoreline stabilization projects that include necessary use of hard structural shoreline stabilization measures, as indicated by the appropriate study prepared per Subsection H, only near the property lines to tie in with adjacent properties shall be permitted as soft shoreline stabilization measures. The length of hard structural shoreline stabilization transition area to adjacent properties shall be minimized to the maximum extent practicable, and extend into the subject property from adjacent properties no more than 10 feet (see diagram below). The hard structural shoreline stabilization transition area shall not extend waterward of the OHWM, except as necessary to make the connection to the adjoining stabilization, and shall not extend onto the adjacent property.



2. The soft shoreline stabilization design shall size and arrange any gravels, cobbles, logs, and boulders so that the project remains stable during a two-year flood event on rivers and under typical boat- and wind-driven wave conditions on lakes, including storm events, and dissipates wave and current energy, without presenting extended linear faces to oncoming waves or currents.
- H. **Submittal requirements.** In addition to submitting an application for the appropriate shoreline permit, the applicant shall submit the following as part of a request to construct a new, enlarged, or replacement shoreline stabilization measure:
1. For a new or enlarged hard or soft structural shoreline stabilization measure, a geotechnical analysis prepared by a qualified professional with an engineering license. The analysis shall include the following:
 - a. An assessment of the necessity for structural shoreline stabilization by estimating time frames and rates of erosion and reporting on the urgency associated with the specific situation. New hard structural shoreline stabilization measures shall not be authorized, except when an analysis confirms that there is a significant possibility that an existing structure will be damaged within three years as a result of shoreline erosion in the absence of such hard structural shoreline stabilization

measures, or where waiting until the need is immediate results in the loss of opportunity to use measures that would avoid impacts on ecological functions. Where the geotechnical analysis confirms a need to prevent potential damage to a primary structure, but the need is not as immediate as three years, that analysis may still be used to justify more immediate authorization to protect against erosion using soft measures.

- b. An assessment of the cause of erosion, looking at processes occurring both waterward and landward of the OHWM.
 - c. An assessment of alternative measures to shoreline stabilization, including:
 - i. Placing the structure farther from the OHWM or ordinary high water line.
 - ii. Correcting any on-site groundwater or drainage issues that may be causing shoreline erosion.
 - d. Where structural shoreline stabilization is determined to be necessary, the assessment must evaluate the feasibility of using soft shoreline stabilization measures in lieu of hard structural shoreline stabilization measures. Soft shoreline stabilization may include the use of gravels, cobbles, boulders, and logs, as well as vegetation.
 - e. Design recommendations for minimum sizing of hard structural or soft structural shoreline stabilization materials, including gravel and cobble beach substrates necessary to dissipate wave energy, eliminate scour, and provide long-term shoreline stability.
2. For replacements of existing hard structural shoreline stabilization measures with a similar measure, the applicant shall submit a written narrative providing a demonstration of need. The narrative must be prepared by a qualified professional. The demonstration of need shall consist of the following:
- a. An assessment of the necessity for continued structural shoreline stabilization, considering site-specific conditions such as water depth, orientation of the shoreline, wave fetch or flow velocities, and location of the nearest primary structure.
 - b. An assessment of erosion potential resulting from the action of waves or other natural processes operating at or waterward of the OHWM in the absence of the hard structural shoreline stabilization.
 - c. An assessment of alternative measures to shoreline stabilization, including:
 - i. Relocating the development farther from the OHWM or ordinary high water line.
 - ii. Correcting any on-site groundwater or drainage issues that may be causing shoreline erosion.
 - d. An assessment of the feasibility of using soft shoreline stabilization measures in lieu of hard structural shoreline stabilization measures. Soft structural shoreline stabilization may include the use of gravels, cobbles, boulders, and logs, as well as vegetation.
 - e. Design recommendations for minimizing impacts of any necessary hard structural shoreline stabilization.
3. A demonstration of need may be waived when an existing hard structural shoreline stabilization measure is proposed to be repaired or replaced using bio-engineered soft

structural shoreline stabilization measures, resulting in significant restoration of shoreline ecological functions or processes.

4. For all structural shoreline stabilization measures, including bio-engineered soft structural shoreline stabilization, detailed construction plans, including, but not limited to, the following:
 - a. Plan and cross-section views of the existing and proposed shoreline configuration, showing accurate existing and proposed topography and OHWMs.
 - b. Detailed construction sequence and specifications for all materials, including gravels, cobbles, boulders, logs, and vegetation. The sizing and placement of all materials shall be selected to accomplish the following objectives:
 - i. Protect the primary structures from erosion and other damage over the long term, and accommodate the normal amount of alteration from currents and wind- or boat-driven waves; and
 - ii. Allow safe passage and migration of priority or native fish and wildlife.
 - c. For projects that include native vegetation, a detailed three-year vegetation maintenance and monitoring program to include the following:
 - i. Goals and objectives of the shoreline stabilization plan;
 - ii. Success criteria by which the implemented plan will be assessed;
 - iii. A three-year maintenance and monitoring plan, consisting of at least one site visit per year by a qualified professional (or the applicant or property owner as outlined in Subsection 4.4.2.D.8), with annual progress reports submitted to the Shoreline Administrator and all other agencies with authority;
 - iv. A performance standard of 100 percent survival for the first year of growth post installation, with no less than 80 percent survival at the end of the third year; and
 - v. A contingency plan and a bond in an amount and form acceptable to the City in case of failure.

5.17 Transportation and Parking

5.17.1 Overview

This program recognizes the continuation of existing transportation facilities and provides direction on how future transportation facilities associated with development within the shoreline jurisdiction should be sited and constructed.

5.17.2 Regulations

- A. **Roads limited in shoreline jurisdiction.** Where other options are available and feasible, new roads or road expansions shall not be built within shoreline jurisdiction. If subdivisions are being proposed, new road placement shall be evaluated at the time of the plat application, or site development planning.
- B. **Criteria if roads or railroads are unavoidable.** When railroads, roads or road expansions are unavoidable in the shoreline jurisdiction, proposed transportation facilities shall be planned, located, and designed to achieve the following:
 1. Minimize possible adverse effects on unique or fragile shoreline features;

2. Maintain no net loss of shoreline ecological functions and implement mitigation standards of Section 4.2, Ecological Protection and Critical Areas and Section 4.5, Vegetation Conservation and Shoreline Setbacks;
 3. Avoid adverse impacts on existing or planned water-dependent uses; and
 4. Set back from the OHWM or ordinary high water line to the maximum feasible to allow for a usable shoreline area for vegetation conservation and planned shoreline uses unless infeasible, standards for ADA accessibility and functionality cannot be met, or the cost is disproportionate to the cost of the proposal. For the purposes of this Section, disproportionate means the shoreline setback requirement would add more than 20% to the total project cost.⁷
- C. **Visual access.** Public roads, within shoreline jurisdiction, shall, where possible, provide and maintain visual access to scenic vistas. Visual access may include, but is not limited to, turn-outs, rest areas, and picnic areas and waysides.
- D. **Shoreline crossings.** Shoreline crossings and culverts shall be designed to minimize impact to riparian and aquatic habitat and shall allow for priority or native fish passage. Crossings shall occur as near to perpendicular with the waterbody as possible, unless an alternate path would minimize disturbance of native vegetation or result in avoidance of other critical areas such as wetlands.
- E. **Shoreline crossings for private property.** Crossings that are to be used solely for access to private property shall be designed, located, and constructed to provide access to more than one lot or parcel of property, where feasible, to minimize the number of crossings.
- F. **Construction standards.** Construction standards of the appropriate governmental agency, together with SMP standards, shall be conditions for granting shoreline permits. Seasonal work windows may be required based on federal or state requirements, or if the proposal involves crossing shorelines or altering the waterbody.
- G. **Trails.** See public access standards in Section 4.3.
- H. **Parking facilities.** Parking facilities in shorelines are not a preferred use and shall be allowed only as necessary to support an authorized use and when minimizing environmental and visual impacts. For the purposes of this section, authorized means a use or activity included in the use matrix and associated definitions in Section 3.2.1.F and Chapter 9. Alternative site facilities that promote pedestrian, bicycle, multi-modal, and public transportation to shoreline recreational areas shall be preferred to development of new or expanded parking.

New or expanded parking areas shall be shown to be necessary by a demand study:

1. Be sited outside of shoreline jurisdiction unless no feasible alternative location exists; for example where a property does not extend outside jurisdiction;
2. Be planted or landscaped to provide a visual and noise buffer for adjoining dissimilar uses or scenic areas. The Shoreline Administrator may condition proposals to incorporate the following performance standards:
 - a. Select species that are suitable to the local climate, having minimal demands for water, minimal vulnerability to pests, and minimal demands for fertilizers; and
 - b. Incorporate native species.
3. Observe critical area and shoreline setbacks. Parking shall be located outside critical area and shoreline setbacks unless one of the following is met:

⁷ The 20% figure is based on WSDOT's practices in determining whether sidewalks will be provided with state roads. (pers. com. Paula Reeves, WSDOT, email to WAAPA list serve, April 24, 2009).

- a. ADA parking requirements are not met and placing the limited number of needed ADA parking spaces within the shoreline setback facilitates better and safer public access to the shoreline.
- b. Parking is located on parcel a landward of allowed uses and the applicant's lot/site has topographical constraints where no other location outside the setback yet within the proposed development is feasible (e.g., the use or activity is located on a parcel entirely or substantially encumbered by the required setback).

In the above cases, parking shall be located as far upland from the OHWM or ordinary high water line as feasible, recognizing the limited supply of shoreline areas and parking allowed in setback shall follow mitigation sequencing; and

- 4. Be designed to incorporate low-impact development practices, such as pervious surfaces and bioswales, to the extent feasible.
 - 5. Parking demand studies should demonstrate the necessary number of parking spaces to accommodate the use has been incorporated and reasonably exhausted all alternatives that utilize alternative facilities to promote non-automobile access.
- I. **Modifications of Existing Roads and Parking Areas:** Existing roads and parking areas that are of a non-paved surface (e.g. gravel) may be paved provided such facilities comply with all applicable water quality, stormwater, landscaping, and other applicable requirements of this SMP. Roadways or paved parking areas shall be designed to incorporate low-impact development practices, such as pervious surfaces and bioswales, to the extent feasible.
 - J. **Private Driveways:** A driveway for an individual single family home is considered a residential appurtenance and is considered part of the primary use, and subject to Residential standards of this SMP. Private driveways or private roads serving more than one home are subject to the standards of Section 5.17, Transportation and Parking.
 - K. **Maintenance Standards for New or Expanded Road or Parking Facility:** When a new or expanded roadway or new or expanded parking facility is proposed, the City may condition the proposal to provide a maintenance plan that promotes best management practices to achieve no-net-loss of shoreline ecological function. For example, maintenance standards may include restrictions on the use of herbicides, hazardous substances, sealants or other liquid oily substances, or de-icing practices adjacent to shoreline setbacks or critical areas and their buffers. See also Section 5.19.

5.18 Utilities

5.18.1 Overview

These provisions apply to utilities which include services and facilities that produce, convey, store, or process power, gas, sewage, stormwater, communications, oil, waste, and the like. On-site utility features serving a primary use, such as a water, sewer or gas line to a residence, are "accessory utilities" and shall be considered a part of the primary use. Consult standards of the primary use of the property, e.g. Residential, Commercial, Industrial, or Recreational, for any additional standards relevant to the placement of accessory activities such as utilities. Water intake and water and/or fish conveyances between a waterbody and an aquaculture facility are not considered a "utility" under this section of the SMP; consult standards for Aquaculture.

5.18.2 Regulations

- A. **Design considerations.** Utility systems are permitted provided such systems:
 - 1. Are designed and constructed to meet all adopted engineering standards of the City;

2. Avoid paralleling the shoreline or following a down-valley course near the channel, except where located in an existing road or easement footprint; and
 3. Do not alter processes affecting the rate of shoreline erosion; the Shoreline Administrator may require a monitoring plan and adaptive management measures prepared by a qualified professional as appropriate.
 4. Are designed, located, and maintained to assure no net loss of ecological functions.
- B. **Preference – existing footprints.** Preference shall be given to utility systems contained within the footprint of an existing right-of-way or utility easement over new locations for utility systems. Presence of existing utilities does not justify more intense development; provided that where utility development is added it shall meet the provisions of this SMP.
- C. **Undergrounding.** All new permanent utility systems shall be underground except where environmental or geological conditions makes undergrounding prohibitive; provided that facilities which are temporary or infeasible to underground are exempt from undergrounding, including but not limited to electric transmission lines in excess of 15kV, utilities attached to undersides of bridges, and public stormwater facilities, outfalls, and associated structures.
- D. **Minimum clearing.** Where utility systems must be located in shoreline jurisdiction areas, clearing necessary for installation or maintenance shall be kept to the minimum width necessary to prevent interference by trees and other vegetation with proposed transmission facilities. Impacts associated with removal of vegetation or clearing shall be mitigated on the property.
- E. **Restoration of disturbed areas.** Upon completion of utility system installation, or any maintenance project, the disturbed area shall be regraded to compatibility with the natural terrain and replanted to prevent erosion and provide appropriate vegetative cover, including meeting standards of Section 4.5, Vegetation Conservation and Shoreline Setbacks and Appendix B, Critical Areas Regulations.
- F. **Underwater utilities.** If an underwater location is necessary, the following performance standards apply:
1. The design, installation and operation shall minimize impacts to the waterway or the resident aquatic ecosystems.
 2. Seasonal work windows may be made a condition of approval.
 3. Standards of Section 5.8, Dredging and Dredge Material Disposal; Section 4.2, Ecological Protection and Critical Areas; Section 4.5, Vegetation Conservation and Shoreline Setbacks (for any aquatic vegetation impacts); and Section 5.2, General Aquatic Shoreline Modification and Use Regulations must be met.
 4. All federal or state permits must be obtained.
 5. A maintenance schedule and emergency repair protocol shall be prepared and recorded.
- G. **Nonwater-oriented processing and production facilities.** Nonwater-oriented utility production and processing facilities, such as power plants and sewage treatment plants, or parts of those facilities that are nonwater-oriented, shall not be allowed in shoreline jurisdiction unless it can be demonstrated that no other feasible option is available. Where no other practical alternative exists to the excavation for and placement of wells, tunnels, utilities, or on-site septic systems in a shoreline setback and critical area buffer, while permitted a mitigation plan must be prepared by a qualified professional, and must be consistent with the provisions of Section 4.2, Ecological Protection and Critical Areas, and appropriate requirements of Appendix B.
- H. **Outfall design principles.** New and reconfigured outfalls shall be located to avoid impacts to existing native aquatic vegetation attached to or rooted in substrate. The diffuser or discharge point(s) for new or expanded outfalls must be located offshore and at a setback distance beyond the near shore/littoral area, to avoid impacts to those areas. The Shoreline Administrator may require a mixing zone analysis for the outfall from a qualified party to determine the diffuser or discharge point. The outfall pipe shall be subsurface within the near shore.

5.19 Redevelopment, Repair, and Maintenance

5.19.1 Overview

This section addresses how regulations apply to redevelopment, repair, or maintenance; clarifies how SMP standards proportionally apply to redevelopment activities; and provides a process for multi-year management plans for maintenance and repair.

5.19.2 Regulations

- A. SMP provisions shall not apply retroactively to existing uses and developments.
- B. Legally established uses and developments may be maintained, repaired, and operated within shoreline jurisdiction and within shoreline setbacks and critical area buffers established in this SMP. Normal maintenance and repair, as specified in Section 7.6.3, Exemptions, do not require shoreline permits.
- C. Consistent with the Applicability provisions of Section 1.3, SMP standards shall apply to expansions or alterations of uses or developments and to new development or redevelopment of a property as follows:
 - 1. The Shoreline Administrator shall determine the extent of compliance with SMP provisions.
 - 2. The required provisions shall be related to and in proportion to the proposal. For example, if an upper story is added to a structure, requirements related to building heights and views may apply. If vegetation is removed beyond normal maintenance pursuant to 7.6.3.B, vegetation conservation and shoreline setback standards may apply.
- D. Maintenance or repair activities which exceed the specifications of 7.6.3.B in Exemptions or which are required for new development or re-development may be authorized with the appropriate permit in the Use and Modification Matrix and through the establishment of multi-year maintenance or repair plans, as follows:
 - 1. Five-year recreation management plans consistent with Section 5.13.2.
 - 2. Five-year dredging maintenance plans consistent with Section 5.8.2.
 - 3. Other multi-year plan for other maintenance or repair activities that are used to establish best management practices or protocols to ensure no-net-loss of shoreline ecological function such as roadway, utility, or other facility maintenance. Other maintenance or repair management plans shall be prepared to address the following:
 - a. Description of proposed maintenance activities and best management practices;
 - b. Type, methods, and frequency of maintenance or repair activities;
 - c. Description of in-stream habitat protection measures and any applicable permits received for that work;
 - d. Description of riparian and wetland protection measures and any applicable permits received for that work;
 - e. Description of stormwater management practices to reduce both water quantity and water quality impacts and any applicable permits received for that work;
 - f. Description of erosion and sediment control practices that prevent off-site movement;
 - g. Description of re-vegetation or restoration activities following maintenance or repair; and

- h. Description of chemical and nutrient use and containment practices such as Integrated Pest Management (IPM).

6. CHELAN RIVER STANDARDS

6.1 Flood Hazard Reduction

6.1.1 Overview

The following provisions apply only in shoreline jurisdiction to actions taken to reduce flood damage or hazard and to uses, development, and shoreline modifications that may increase flood hazards. Flood hazard reduction measures may consist of nonstructural measures, such as shoreline setbacks, land use controls, wetland restoration, dike removal, use relocation, biotechnical measures, and storm water management programs, and of structural measures, such as dikes, levees, revetments, floodwalls, channel realignment, and elevation of structures consistent with the National Flood Insurance Program.

Although some flood hazard reduction measures may serve a dual function as shoreline stabilization, their primary purpose is to control the location of flood waters directly. Alternatively, the primary purpose of shoreline stabilization measures is to prevent erosion of land from currents and waves originating in the shoreline waterbody (rather than upland sources of erosion), which is a more indirect control of the location of flood and non-flood water. Shoreline stabilization is addressed in Section 5.16.

As documented in the Final Inventory and Shoreline Analysis Report (2012), the City and its UGA do not contain mapped channel migration zones or floodways in shoreline jurisdiction.

The City implements flood hazard reduction in partnership with other agencies through the following means:

- **Plans and Policies:** Growth Management Act comprehensive plans, Multi-Jurisdiction Natural Hazard Mitigation Plan, and watershed plans have been developed by Chelan County, the Cities, and other agencies and address flood hazard reduction policies, programs, restoration actions, and other capital improvements.
- **Regulations:** critical area, floodplain and stormwater regulations.

6.1.2 Regulations

- A. **Avoid increase in flood hazards.** Development in floodplains within shoreline jurisdiction shall, consistent with applicable flood hazard plans and regulations, avoid significantly or cumulatively increasing flood hazards. Development shall be consistent with all City regulations including critical areas regulations (SMP Appendix B), stormwater regulations (Section 4.5 of this SMP), in-water structure regulations (Section 6.2 of this SMP), as well as guidelines of the Natural Resource Conservation Service, the U.S. Army Corps of Engineers, and the City's comprehensive flood hazard management plan and/or Multi-Jurisdiction Natural Hazard Mitigation Plan.
- B. **Structural flood hazard reduction measures.** New structural flood hazard reduction measures in shoreline jurisdiction shall be allowed only when it can be demonstrated by a scientific and engineering analysis that they are necessary to protect existing development, that nonstructural measures are not feasible, that impacts on ecological functions and priority species and habitats can be successfully mitigated so as to assure no net loss, and that appropriate vegetation conservation actions are undertaken consistent with SMP Section 4.5, Vegetation Conservation and Shoreline Setbacks. Structural flood hazard reduction measures shall be consistent with the City's comprehensive flood hazard management plan and/or Multi-Jurisdiction Natural Hazard Mitigation Plan.
- C. **Placement of structural flood hazard reduction measures.** New structural flood hazard reduction measures in shoreline jurisdiction shall be placed landward of associated wetlands and designated

shoreline setbacks, except for actions that increase ecological functions, such as wetland restoration; provided no other alternative to reduce flood hazard to existing development is feasible. The need for, and analysis of feasible alternatives to, structural improvements shall be documented through a geotechnical analysis.

- D. **Public access.** See Section 4.3.2.
- E. **Gravel removal.** The removal of gravel for flood management purposes shall be consistent with Section 5.8, Dredging and Dredge Material Disposal, and be allowed only after a biological and geomorphological study shows that extraction has a long-term benefit to flood hazard reduction, does not result in a net loss of ecological functions, and is part of a comprehensive flood management solution.

6.2 In-Water Structures

6.2.1 Overview

In-water structures include those placed by humans within streams, rivers and lakes for hydroelectric generation, irrigation, water supply, flood control, transportation, utilities, fish habitat enhancement, recreation, or other purpose. Structures placed waterward of the OHWM have the potential to cause water impoundment or the diversion, obstruction, or modification of water, and are therefore regulated by this section.

6.2.2 Regulations

- A. **Prohibited projects.** Projects that damage priority or native fish and wildlife resources, degrade recreation and aesthetic resources, result in a net loss of ecological functions or result in high flood stages and velocities are prohibited.
- B. **Soil stabilization.** Upland cut-and-fill slopes and back-filled areas resulting from installation of in-water structures shall be stabilized with bioengineering approaches, including, but not limited to brush matting and vegetated strips and revegetated with native grasses, shrubs, or trees to prevent loss of shoreline ecological functions and processes. In order to ensure soil stabilization, revegetation must include native shrubs or trees and may not be limited to native grasses.
- C. **Water quality.** In-water structures shall be constructed and maintained in a manner that does not degrade the quality of affected waters. The City shall require reasonable conditions to achieve this objective.
- D. **Prohibited structures.** No motor vehicles, appliances, other similar structures or parts thereof; nor structure demolition debris; nor any other solid waste shall be used as in-water structures.
- E. **Natural features.** Natural in water features such as snags, uprooted trees, or stumps shall be left in place unless it can be demonstrated that they are actually causing bank erosion or higher flood stages or pose a hazard to navigation or human safety.
- F. **Protect functions, processes and cultural resources.** In-stream structures shall provide for the protection and preservation of ecosystem-wide processes, ecological functions, and cultural resources, including, but not limited to, priority or native fish and fish passage, wildlife and water resources, shoreline critical areas, hydrogeological processes, and natural scenic vistas. The location and planning of in-stream structures shall give due consideration to the full range of public interests, watershed functions and processes, and environmental concerns, with special emphasis on protecting and restoring priority habitats and species.
- G. **Design.** In-water structures shall be designed by a qualified professional. In-water structures shall allow for natural groundwater movement and surface runoff, and shall preserve valuable recreation resources and aesthetic values such as point and channel bars, islands, and braided channels. In-

water structures shall not be a safety hazard or obstruct water navigation as determined by the Shoreline Administrator.

- H. **Permits.** Construction of in-water structures may not commence without having obtained all applicable Federal, State, and local permits and approvals.
- I. **Public access.** Design of in-water structures by public entities, including the City, other local governments, state agencies, and public utility districts, shall include access to public shorelines whenever possible, unless it is demonstrated that public access would cause unavoidable public health and safety hazards, security problems, unmitigable ecological impacts, unavoidable conflicts with proposed uses, or unreasonable cost. At a minimum, in-water structures should not decrease public access or use potential of shorelines.

7 SHORELINE PERMITS, PROCEDURES AND ADMINISTRATION

7.1 Roles and Responsibilities

The City shall administer this Shoreline Master Program according to the following roles and responsibilities.

7.1.1 Shoreline Master Program Administrator

The Shoreline Master Program Administrator in the City of Chelan is the Planning Director and shall have overall administrative responsibility of the SMP. The Shoreline Master Program Administrator or his/her designee is hereby vested with the authority to:

- A. Administrate this SMP.
- B. Conduct preapplication conferences pursuant to CMC 19.18.020 Preapplication conference.
- C. Grant or deny exemptions from Shoreline Substantial Development Permit requirements of this SMP per Section 7.6.3.
- D. Authorize, approve or deny Shoreline Substantial Development Permits except for those for which the Hearing Examiner is the designated decision maker. The Shoreline Administrator shall have the authority to authorize, approve or deny Shoreline Substantial Development Permits for the following permits:
 - 1. Docks, boatlifts, stairs, paths, and buoys associated with single-family residences
 - 2. Public agency development, uses or modifications including but not limited to parks and recreation, roads, and utilities
 - 3. Micro parks consistent with Public Access Plan
 - 4. Fee-in-lieu determinations
 - 5. Parking proposals in existing rights-of-way
 - 6. Five-year recreation management plans consistent with Section 5.13.2.
 - 7. Five-year dredging maintenance plans consistent with Section 5.8.2.
 - 8. Other multi-year plans for other maintenance or repair activities that are used to establish best management practices or protocols to ensure no-net-loss of shoreline ecological function such as roadway, utility, or other facility maintenance consistent with Section 5.19.2.
 - 9. Uses, development, or modifications considered exempt from the SEPA process.

The Shoreline Administrator has the authority to assign a Shoreline Substantial Development Permit normally assigned per D.1 to D.9 to the Shoreline Administrator to the Hearing Examiner instead as deemed appropriate to the nature of the application.

- E. Make field inspections as needed; prepare or require reports on shoreline permit applications.
- F. Make written recommendations to the Hearing Examiner, Planning Commission, or City Council as appropriate.
- G. Advise interested persons and prospective applicants as to the administrative procedures and related components of this SMP.

- H. Collect fees for all necessary permits as provided in City ordinances or resolutions. The determination of which fees are required shall be made by the City.
- I. Make administrative decisions and interpretations of the policies and regulations of this SMP and the Act in accordance with Chelan Municipal Code Section 19.01.080.

7.1.2 SEPA Official

The responsible SEPA official or his/her designee is authorized to conduct environmental review of all use and development activities subject to this SMP, pursuant to WAC 197-11 and RCW 43.21C. The responsible SEPA official is designated in accordance with the City's SEPA implementation ordinance.

7.1.3 Hearing Examiner

Where a hearing examiner system has been adopted by the City, the Hearing Examiner shall have the authority to:

- A. Decide on Shoreline Substantial Development Permits not otherwise assigned to the Shoreline Administrator in Subsection 7.1.1, time extensions to shoreline permits, revisions, as well as decide on appeals from administrative decisions issued by the Administrator of this SMP.
- B. Grant or deny conditional uses under this SMP not issued administratively.
- C. Grant or deny variances from this SMP.

7.1.4 Planning Commission

The Planning Commission is vested with the responsibility to review the Master Program as part of regular SMP updates required by RCW 90.58.080 as a major element of the City's planning and regulatory program, and make recommendations for amendments thereof to the City Council.

7.1.5 City Councils

The City Council is vested with authority to:

- A. Initiate an amendment to this SMP according to the procedures prescribed in WAC 173-26-100.
- B. Adopt all amendments to this SMP, after consideration of the recommendation of the planning commission, where established. Amendments shall become effective immediately upon approval by Ecology.

7.2 Interpretation

The City shall make administrative decisions and interpretations of the policies and regulations of this SMP and the Act in accordance with Chelan Municipal Code Section 19.01.080. The City shall consult with Ecology to ensure that any formal written interpretations are consistent with the purpose and intent of Chapter 90.58 RCW and 173-26 WAC.

7.3 Statutory Noticing Requirements

Noticing requirements for permits issued under the SMP in the City of Chelan shall be in accordance with Chelan Municipal Code Chapters 19.02 and 19.03. At a minimum, the City shall provide notice in accordance with WAC 173-27-110, and may provide for additional noticing requirements. Per WAC 173-27-120 the City shall comply with special procedures (public notice timelines, appeal periods, etc.) for limited utility extensions and bulkheads.

The following subsections provide a summary of noticing days. The City shall consult the most current version of WAC 173-27-110 and 120 to confirm the days. In case of conflict state statutes or rules shall control:

- A. Issuance of notice of application. Notice of application shall be provided within fourteen days after the determination of completeness of the application.
- B. Statement of public comment period. The notice of application shall state the public comment period which shall be not less than thirty days following the date of notice of application, unless otherwise specified for limited utility extensions or single-family bulkheads in Subsection D.
- C. Notice of application prior to hearing. If an open record pre-decision hearing, as defined in RCW 36.70B.020, is required for the requested project permits, the notice of application shall be provided at least fifteen days prior to the open record hearing.
- D. Limited utility extension or single-family bulkhead. An application for a Substantial Development Permit for a limited utility extension or for the construction of a bulkhead or other measures to protect a single-family residence and its appurtenant structures from shoreline erosion shall be subject to all of the requirements of this chapter except that the following time periods and procedures shall be used:
 - 1. The public comment period shall be twenty days. The notice provided shall state the manner in which the public may obtain a copy of the City's decision on the application no later than two days following its issuance;
 - 2. The City shall issue its decision to grant or deny the permit within twenty-one days of the last day of the comment period specified in subsection B of this section; and
 - 3. If there is an appeal of the decision to grant or deny the permit to the City Council, the appeal shall be finally determined by the City Council within thirty days.

7.4 Application Requirements and Vesting

- A. Chapter 19.02 of the Chelan Municipal Code provides the minimum application requirements and codifies the form upon which the application must be submitted. A complete application for a Shoreline Substantial Development, Shoreline Conditional Use, or Shoreline Variance Permit shall contain, at a minimum, the information listed in WAC 173-27-180. In addition, the applicant, including those applying for exemption status, shall provide the following materials:
 - 1. An assessment of the existing ecological functions and/or processes provided by topographic, physical and vegetation characteristics of the site and any impacts to those functions and/or processes, to accompany development proposals, provided that proposals for single-family residences, as long as they meet the exemption criteria, shall be exempt from this requirement if proposal is located outside required setbacks. If the project could adversely alter ecological functions and/or processes, a mitigation plan must be provided that describes how proposed mitigation compensates for the lost function or process.
 - 2. Site plan or division of land depicting to scale the location of buildable areas, existing and proposed impervious surfaces (building(s), accessory structures, driveways), and allowed landscaping and yards (including proposed water access trails, view corridors, wildfire defensible space, if applicable), general location of utilities, well and septic system, if applicable and location of storage and staging of materials and equipment during construction. Plans shall show area calculations of each feature.
 - 3. Where a view analysis is required per WAC 173-27-180, or this SMP, due to location of nearby residential or public properties or designated scenic highways, it shall address the following:
 - a. The analysis shall include vacant existing parcels of record as well as existing structures. Vacant parcels of record shall be assumed to be developed with structures complying with the applicable regulations of the City and the maximum height limitation allowed under the SMP.

- b. The view corridor analysis shall include residential buildings or public properties located outside of the shoreline jurisdiction if it can be clearly demonstrated that the subject property has significant water views.
- B. The Shoreline Master Program Administrator may vary or waive these additional application requirements of Section 7.4 according to administrative application requirements on a case by case basis, but all applications for a substantial development, conditional use, or variance permit shall contain the information found in WAC 173-26-180. The Shoreline Master Program Administrator may require additional specific information depending on the nature of the proposal and the presence of sensitive ecological features or issues related to compliance with other City requirements, and the provisions of this SMP.
- C. A proposed project or plan shall become vested on the date a determination of completeness is made on a shoreline permit or exemption application. Thereafter, the application shall be reviewed under the shoreline regulations in effect on the date of vesting; provided, in the event an applicant substantially changes the proposal after a determination of completeness, as determined by the SMP Administrator, the application shall not be considered vested until a new determination of completeness on the changes is made.

7.5 Shoreline Substantial Development Permits

7.5.1 Permit Required

A Shoreline Substantial Development Permit shall be required for all development of shorelines, unless the proposal is specifically exempt per Section 7.6. or meets the exception in this SMP [Section 1.3.B].

7.5.2 Permit Review Criteria

In order for the permit to be approved, the decision maker must find that the proposal is affirmatively consistent with the following criteria:

- A. How is the proposal consistent with the policies and procedures of the Act (RCW 90.58)?
- B. How is the proposal consistent with the provisions of Chapter 173-27 WAC, Shoreline Management Permit and Enforcement Procedures?
- C. How is the proposal consistent with this SMP?

7.5.3 Conditions of Approval

The City may attach conditions to the approval of permits as necessary to assure consistency of the project with the Act and this SMP. Additionally, nothing shall interfere with the City's ability to require compliance with all other applicable laws and plans.

7.6 Exemptions from Shoreline Substantial Development Permits

7.6.1 Compliance with Applicable Regulations Required

An exemption from the Shoreline Substantial Development Permit process is not an exemption from compliance with the Act or this SMP, or from any other regulatory requirements. To be authorized, all uses and development must be consistent with the policies, requirements and procedures of this SMP and the Act.

7.6.2 Interpretation of Exemptions

- A. Exemptions shall be construed narrowly. Only those developments that meet the precise terms of one or more of the listed exemptions may be granted exemption from the Shoreline Substantial Development Permit process.

- B. A development or use that is listed as a conditional use pursuant to this SMP or is an unlisted use, must obtain a Shoreline Conditional Use Permit even though the development or use does not require a Shoreline Substantial Development Permit. When a development or use is proposed that does not comply with the bulk, dimensional and performance standards of this SMP, such development or use can only be authorized by approval of a Shoreline Variance.
- C. The burden of proof that a development or use is exempt from the permit process is on the applicant. The City may require the applicant to provide additional documentation to support their exemption request.
- D. If any part of a proposed development is not eligible for exemption, then a Shoreline Permit is required for the entire proposed development project. Proposals or parts of proposals that are related to each other closely enough to be, in effect, a single course of action shall be evaluated in the same shoreline permit. Applicants shall not piecemeal proposals to avoid shoreline permits.
- E. The City may attach conditions to the approval of exempted developments and/or uses as necessary to assure consistency of the project with the Act and this SMP. Additionally, nothing shall interfere with the City's ability to require compliance with all other applicable laws and plans.
- F. Except for the exemption based on fair market value in 7.6.3.A, activities consistent with the exemptions listed in 7.6.3 are exempt regardless of the value of the project.

7.6.3 Exemptions

The City shall exempt from the Shoreline Substantial Development Permit requirement the shoreline developments listed below, or as thereafter amended in WAC 173-27-040; RCW 90.58.030 (3)(e), 90.58.140(9), 90.58.147, 90.58.355 and 90.58.515. Written Letters of Exemption or other written documentation are required for exempt activities and shall be issued consistent with Section 7.6.4.

- A. Any development of which the total cost or fair market value, whichever is higher, does not exceed seven-thousand forty-seven dollars (\$7,047) or dollar value as amended by the State of Washington Office of Financial Management provided such development does not materially interfere with the normal public use of the water or shorelines of the state. For purposes of determining whether or not a permit is required, the total cost or fair market value shall be based on the value of development that is occurring on shorelines of the state as defined in RCW 90.58.030 (2)(c). The total cost or fair market value of the development shall include the fair market value of any donated, contributed or found labor, equipment or materials.
- B. Normal maintenance or repair of existing structures or developments, including damage by accident, fire or elements. "Normal maintenance" includes those usual acts to prevent a decline, lapse, or cessation from a lawfully established condition. "Normal repair" means to restore a development to a state comparable to its original condition, including but not limited to its size, shape, configuration, location and external appearance, within a reasonable period after decay or partial destruction, except where repair causes substantial adverse effects to shoreline resource or environment. Replacement of a structure or development may be authorized as repair where such replacement is the common method of repair for the type of structure or development and the replacement structure or development is comparable to the original structure or development including but not limited to its size, shape, configuration, location and external appearance and the replacement does not cause substantial adverse effects to shoreline resources or environment.
- C. Construction of the normal protective bulkhead common to single-family residences. A "normal protective" bulkhead includes those structural and nonstructural developments installed at or near, and parallel to, the OHWM for the sole purpose of protecting an existing single-family residence and appurtenant structures from loss or damage by erosion. A normal protective bulkhead is not exempt if constructed for the purpose of creating dry land. When a vertical or near vertical wall is being constructed or reconstructed, not more than one cubic yard of fill per one foot of wall may be used as backfill. When an existing bulkhead is being repaired by construction of a vertical wall fronting the existing wall, it shall be constructed no further waterward of the existing bulkhead than is necessary

for construction of new footings. When a bulkhead has deteriorated such that an OHWM has been established by the presence and action of water landward of the bulkhead then the replacement bulkhead must be located at or near the actual OHWM. Beach nourishment and bioengineered erosion control projects may be considered a normal protective bulkhead when any structural elements are consistent with the above requirements and when the project has been approved by the Washington Department of Fish and Wildlife.

- D. Emergency construction necessary to protect property from damage by the elements. An "emergency" is an unanticipated and imminent threat to public health, safety, or the environment which requires immediate action within a time too short to allow full compliance with this chapter. Emergency construction does not include development of new permanent protective structures where none previously existed. Where new protective structures are deemed by the administrator to be the appropriate means to address the emergency situation, upon abatement of the emergency situation the new structure shall be removed or any permit which would have been required, absent an emergency, pursuant to Chapter 90.58 RCW, WAC 173-27-040, or this Shoreline Master Program, obtained. All emergency construction shall be consistent with the policies of Chapter 90.58 RCW and this Shoreline Master Program. As a general matter, flooding or other seasonal events that can be anticipated and may occur but that are not imminent are not an emergency;
- E. Construction and practices normal or necessary for farming, irrigation, and ranching activities, including agricultural service roads and utilities on shorelands, construction of a barn or similar agricultural structure, and the construction and maintenance of irrigation structures including but not limited to head gates, pumping facilities, and irrigation channels: Provided, that a feedlot of any size, all processing plants, other activities of a commercial nature, alteration of the contour of the shorelands by leveling or filling other than that which results from normal cultivation, shall not be considered normal or necessary farming or ranching activities. A feedlot shall be an enclosure or facility used or capable of being used for feeding livestock hay, grain, silage, or other livestock feed, but shall not include land for growing crops or vegetation for livestock feeding and/or grazing, nor shall it include normal livestock wintering operations;
- F. Construction or modification of navigational aids such as channel markers and anchor buoys;
- G. Construction of a single-family residence on shorelands by an owner, lessee or contract purchaser for their own use or for the use of their family, which residence does not exceed a height of thirty-five feet above average grade level and which meets all requirements of the City, including applicable requirements imposed pursuant to Chapter 90.58 RCW, WAC 173-27 and this SMP. See Chapter 9 for definitions of single-family residence and residential appurtenances. Construction authorized under this exemption shall be located landward of the OHWM.
- H. Construction of a dock, including a community dock, designed for pleasure craft only, for the private noncommercial use of the owner, lessee, or contract purchaser of single-family and multiple-family residences. A dock is a landing and moorage facility for watercraft and does not include recreational decks, storage facilities or other appurtenances. This exception applies if in fresh waters the fair market value of the dock does not exceed: (I) Twenty thousand dollars (\$20,000) for docks that are constructed to replace existing docks, are of equal or lesser square footage than the existing dock being replaced; or (II) ten thousand dollars for all other docks constructed in fresh waters. However, if subsequent construction occurs within five years of completion of the prior construction, and the combined fair market value of the subsequent and prior construction exceeds the amount specified in either (A) or (B) of this subsection, the subsequent construction shall be considered a substantial development for the purpose of this Shoreline Master Program.
- I. Operation, maintenance, or construction of canals, waterways, drains, reservoirs, or other facilities that now exist or are hereafter created or developed as a part of an irrigation system for the primary purpose of making use of system waters, including return flow and artificially stored ground water from the irrigation of lands;

- J. The marking of property lines or corners on state-owned lands, when such marking does not significantly interfere with normal public use of the surface of the water;
- K. Operation and maintenance of any system of dikes, ditches, drains, or other facilities existing on September 8, 1975, which were created, developed or utilized primarily as a part of an agricultural drainage or diking system;
- L. Any project with a certification from the governor pursuant to Chapter 80.50 RCW, Energy Facilities - Site Locations;
- M. Site exploration and investigation activities that are prerequisite to preparation of an application for development authorization under this chapter, if:
 - 1. The activity does not interfere with the normal public use of the surface waters;
 - 2. The activity will have no significant adverse impact on the environment including but not limited to priority or native fish, wildlife, fish or wildlife habitat, water quality, and aesthetic values;
 - 3. The activity does not involve the installation of any structure, and upon completion of the activity the vegetation and land configuration of the site are restored to conditions existing before the activity;
 - 4. A private entity seeking development authorization under this section first posts a performance bond or provides other evidence of financial responsibility to the City to ensure that the site is restored to preexisting conditions; and
 - 5. The activity is not subject to the permit requirements of RCW 90.58.550, Oil or natural gas exploration in marine waters;
- N. The process of removing or controlling aquatic noxious weeds, as defined in RCW 17.26.020, through the use of an herbicide or other treatment methods applicable to weed control that are recommended by a final environmental impact statement published by the department of agriculture or the department of ecology jointly with other state agencies under Chapter 43.21C RCW;
- O. Watershed restoration projects as defined below. The City shall review the projects for consistency with the Shoreline Master Program in an expeditious manner and shall issue its decision along with any conditions within forty-five days of receiving all materials necessary to review the request for exemption from the applicant. No fee may be charged for accepting and processing requests for exemption for watershed restoration projects as used in this section.
 - 1. "Watershed restoration project" means a public or private project authorized by the sponsor of a watershed restoration plan that implements the plan or a part of the plan and consists of one or more of the following activities:
 - a. A project that involves less than ten (10) miles of stream reach, in which less than twenty-five (25) cubic yards of sand, gravel, or soil is removed, imported, disturbed or discharged, and in which no existing vegetation is removed except as minimally necessary to facilitate additional plantings; or
 - b. A project for the restoration of an eroded or unstable stream bank that employs the principles of bioengineering, including limited use of rock as a stabilization only at the toe of the bank, and with primary emphasis on using native vegetation to control the erosive forces of flowing water; or
 - c. A project primarily designed to improve fish and wildlife habitat, remove or reduce impediments to migration of fish, or enhance the fishery resource available for use by all of the citizens of the state, provided that any structure, other than a bridge or culvert or instream habitat enhancement structure associated with the project, is

less than two hundred square feet in floor area and is located above the OHWM of the stream.

2. "Watershed restoration plan" means a plan developed or sponsored by the Washington Departments of Fish and Wildlife, Ecology, Natural Resources, or Transportation; a federally recognized Indian tribe acting within and pursuant to its authority; a city; a county; or a conservation district that provides a general program and implementation measures or actions for the preservation, restoration, re-creation, or enhancement of the natural resources, character, and ecology of a stream, stream segment, drainage area, or watershed for which agency and public review has been conducted pursuant to Chapter 43.21C RCW, the State Environmental Policy Act;
- P. A public or private project that is designed to improve fish or wildlife habitat or fish passage, when all of the following apply:
1. The project has been approved in writing by the State of Washington department of Fish and wildlife;
 2. The project has received Hydraulic Project Approval by the State of Washington Department of Fish and Wildlife pursuant to Chapter 77.55 RCW; and
 3. The City has determined that the project is substantially consistent with its Shoreline Master Program. The City shall make such determination in a timely manner and provide it by letter to the project proponent. Fish habitat enhancement projects that conform to the provisions of RCW 77.55.181 are determined to be consistent with this Shoreline Master Program, as follows.
 - a. In order to receive the permit review and approval process created in this section, a fish habitat enhancement project must meet the criteria under P.3.a.i and ii of this subsection:
 - i. A fish habitat enhancement project must be a project to accomplish one or more of the following tasks:
 - Elimination of human-made fish passage barriers, including culvert repair and replacement; or
 - Restoration of an eroded or unstable streambank employing the principle of bioengineering, including limited use of rock as a stabilization only at the toe of the bank, and with primary emphasis on using native vegetation to control the erosive forces of flowing water; or
 - Placement of woody debris or other instream structures that benefit naturally reproducing fish stocks.

The Washington Department of Fish and Wildlife shall develop size or scale threshold tests to determine if projects accomplishing any of these tasks should be evaluated under the process created in this section or under other project review and approval processes. A project proposal shall not be reviewed under the process created in this section if the Washington Department of Fish and Wildlife determines that the scale of the project raises concerns regarding public health and safety; and
 - ii. A fish habitat enhancement project must be approved in one of the following ways:
 - By the Washington Department of Fish and Wildlife pursuant to Chapters 77.95 or 77.100 RCW; or

- By the sponsor of a watershed restoration plan as provided in Chapter 89.08 RCW; or
 - By the department as a Washington Department of Fish and Wildlife-sponsored fish habitat enhancement or restoration project; or
 - Through the review and approval process for the jobs for the environment program; or
 - Through the review and approval process for conservation district-sponsored projects, where the project complies with design standards established by the conservation commission through interagency agreement with the United States Fish and Wildlife Service and the Natural Resource Conservation Service; or
 - Through a formal grant program established by the legislature or the Washington Department of Fish and Wildlife for fish habitat enhancement or restoration; and
 - Through other formal review and approval processes established by the legislature.
- b. Fish habitat enhancement projects meeting the criteria of P.3.a of this subsection are expected to result in beneficial impacts to the environment. Decisions pertaining to fish habitat enhancement projects meeting the criteria of P.3.a of this subsection and being reviewed and approved according to the provisions of this section are not subject to the requirements of RCW 43.21C.030 (2)(c).
- c. A Hydraulic Project Approval permit is required for projects that meet the criteria of P.3.a of this subsection and are being reviewed and approved under this section. An applicant shall use a Joint Aquatic Resource Permit Application form developed by the Governor's Office for Regulatory Innovation and Assistance to apply for approval under this chapter. On the same day, the applicant shall provide copies of the completed application form to the Washington Department of Fish and Wildlife, the City and other appropriate local governments. The City shall accept the application as notice of the proposed project. The Washington Department of Fish and Wildlife shall provide a fifteen-day comment period during which it will receive comments regarding environmental impacts. Within forty-five days, the Washington Department of Fish and Wildlife shall either issue a permit, with or without conditions, deny approval, or make a determination that the review and approval process created by this section is not appropriate for the proposed project. The Washington Department of Fish and Wildlife shall base this determination on identification during the comment period of adverse impacts that cannot be mitigated by the conditioning of a permit. If the department determines that the review and approval process created by this section is not appropriate for the proposed project, the Washington Department of Fish and Wildlife shall notify the applicant and the City of its determination. The applicant may reapply for approval of the project under other review and approval processes.
- d. Any person aggrieved by the approval, denial, conditioning, or modification of a permit under this section may formally appeal the decision to the Hydraulic Appeals Board pursuant to the provisions of this chapter.

- e. The City may not require permits or charge fees for fish habitat enhancement projects that meet the criteria of P.3.a of this subsection and that are reviewed and approved according to the provisions of this section.
- Q. The external or internal retrofitting of an existing structure with the exclusive purpose of compliance with the Americans with Disabilities Act of 1990 (42 U.S.C. Sec. 12101 et seq.) or to otherwise provide physical access to the structure by individuals with disabilities.

7.6.4 Letters of Exemption

- A. Letters of exemption shall be issued by the City when required by the provisions of WAC 173-27-050.
- B. When projects are exempt consistent with this SMP, the Act, and WAC 173-27-040, but do not require a letter of exemption per WAC 173-27-050, the City will document its exemption process for record keeping.
- C. The City may provide letters of exemptions or written documentation for programmatic exempt activities such as those that occur in plans detailing operations and maintenance. Only those operations and maintenance manuals that do not contain expansion or new development activities that would require permitting may be allowed under this type of exemption letter.

7.6.5 Letters of Exemption – Application

Applicants for proposals that meet shoreline exemptions criteria shall contain, at a minimum, the information listed in WAC 173-27-180, unless waived by the Shoreline Administrator as unnecessary to determine applicability of SMP provisions to the permit exempt activity.

7.7 Shoreline Conditional Use Permits

7.7.1 Purpose and Review Process

This section provides procedures and criteria guiding the review of shoreline conditional use permits, which require careful review to ensure the use can be properly installed and operated in a manner that meets the goals of the Act and this Program in accordance with any needed performance standards. After a Shoreline Conditional Use application has been approved by the City, the City shall submit the permit to Ecology for Ecology's approval, approval with conditions or denial. Ecology shall review the file, in accordance with WAC 173-27-200.

7.7.2 Determinations of Conditional Use Permits

- A. Uses specifically classified or set forth in this Shoreline Master Program as conditional uses shall be subject to review and condition by the City Hearing Examiner and by the Department of Ecology.
- B. Other uses which are not classified or listed or set forth in this SMP may be authorized as conditional uses provided the applicant can demonstrate consistency with the requirements of this Section and the requirements for conditional uses contained in this SMP.
- C. Uses which are specifically prohibited by this SMP may not be authorized as a conditional use.

7.7.3 Review Criteria

- A. **Conditional use criteria.** An applicant proposing a conditional use shall affirmatively demonstrate compliance with the following review criteria or as thereafter amended in WAC 173-27-160.
 - 1. How is the proposed use consistent with the policies of RCW 90.58.020 and this SMP?
 - 2. How will the proposed use avoid interference with the normal public use of public shorelines?

3. How will the proposed use of the site and design of the project be compatible with other authorized uses within the area and with uses planned for the area under the comprehensive plan and this SMP?
 4. How will the proposed use cause no significant adverse effects to the shoreline environment in which it is to be located?
 5. How will the public interest suffer no substantial detrimental effect?
- B. Additional criteria for exceeding maximum height.** Applicants proposing to exceed maximum height limits, not otherwise specifically allowed by a Substantial Development Permit, shall also affirmatively comply with the following criteria:
1. Does the building or structure impact a substantial number of residences? Are the residences involved on or in an area adjoining the project area? Does the building or structure exceed 35 feet in height? Is there an obstruction of view?
 2. Has the applicant demonstrated through photographs, videos, photo-based simulations, or computer-generated simulations that the proposed development will obstruct less than 30% of the view of the shoreline enjoyed by a substantial number of residences or from public properties on areas adjoining such shorelines?
 3. Has the applicant located and oriented structures on the subject property in a manner that diminishes the potential view impact? For example, side yard setbacks may need to be increased. No side yard setbacks shall be reduced to accommodate the proposed structure.
 4. Has the applicant demonstrated extraordinary circumstances?
 5. To address “overriding considerations of the public”, has the applicant prepared a cumulative impacts analysis that documents the public benefits served by issuance of a Conditional Use Permit?
- C. Consideration of cumulative impact.** In the granting of all Conditional Use Permits, consideration shall be given to the cumulative impact of additional requests for like actions in the area. For example, if Conditional Use Permits were granted for other developments in the area where similar circumstances exist, the total of the conditional uses shall also remain consistent with the policies of RCW 90.58.020 and shall not produce substantial adverse effects to the shoreline environment.
1. The applicant shall submit a cumulative impact analysis prepared by a qualified professional for the type of application proposed: a) documenting other properties or uses on the same waterbody that are similarly situated and could request a similar Shoreline Conditional Use Permit; b) demonstrating consistency with the policies of RCW 90.58.020 (Legislative findings); and 3) demonstrating no substantial adverse effects to the shoreline environment and achievement of no-net-loss of ecological function. The City shall determine whether the additional potential for conditional use permits will produce substantial adverse effects to the shoreline environment considering the characteristics of the proposed use, the ability to achieve no-net-loss of ecological function principles, and capability of accommodating preferred shoreline uses in the future if the conditional use and cumulative potential requests occur.
 2. For requests to exceed maximum heights, the analysis shall address such considerations as cumulative view obstruction results of height adjustments (within a 1,000-foot radius) of the proposed development combined with those of other developments that exceed the 35-foot height limitation, environmental benefits (enhancement or restoration), public access/open space benefits, and economic benefits. The cumulative impact analysis shall address overall

views that are lost, compromised, and/or retained; available view corridors; and surface water views lost, compromised, and/or retained.⁸

7.7.4 Conditions of Approval

In authorizing a conditional use, special conditions may be attached to the permit by the City and/or Ecology to prevent undesirable effects of the proposed use and/or to assure consistency of the project with the Act and this SMP. Additionally, nothing shall interfere with the City's ability to require compliance with all other applicable laws, plans, and regulations.

7.8 Shoreline Variance Permits

7.8.1 Purpose and Review Process

The purpose of a variance is to grant relief to specific bulk or dimensional requirements set forth in this Shoreline Master Program where there are extraordinary or unique circumstances relating to the property such that the strict implementation of this Shoreline Master Program would impose unnecessary hardships on the applicant or thwart the policies set forth in RCW 90.58.020. Variances from the use regulations of the SMP are prohibited.

After a Shoreline Variance application has been approved by the Hearing Examiner, the City shall submit the permit to Ecology for Ecology's approval, approval with conditions, or denial. Ecology shall review the file in accordance with WAC 173-27-200.

7.8.2 Review Criteria

Shoreline Variances may be authorized, provided the applicant can demonstrate compliance with the following criteria or as thereafter amended in WAC 173-27-170.

- A. General provisions.** Shoreline Variance permits should be granted in circumstances where denial of the permit would result in a thwarting of the policy enumerated in RCW 90.58.020. In all instances the applicant must demonstrate that extraordinary circumstances exist and the public interest shall suffer no substantial detrimental effect.
- B. Shoreline variances landward of the OHWM or ordinary high water line.** Shoreline Variance permits for development and/or uses that will be located landward of the OHWM, as defined in RCW 90.58.030(2)(c), landward of the ordinary high water line of Lake Chelan, and/or landward of any wetland as defined in RCW 90.58.030(2)(h), may be authorized provided the applicant demonstrates affirmatively all of the following:
 1. How would the strict application of the bulk, dimensional or performance standards set forth in this SMP preclude or significantly interfere with reasonable use of the property?
 2. How is the hardship described in B.1 above specifically related to the property, and is the hardship the result of unique conditions such as irregular lot shape, size, or natural features and the application of this SMP, and not, for example, from deed restrictions or the applicant's own actions?
 3. How is the design of the project compatible with other authorized uses within the area and with uses planned for the area under the comprehensive plan and shoreline master program and will the project design not cause adverse impacts to the shoreline environment?
 4. How will the variance not constitute a grant of special privilege not enjoyed by the other properties in the area?

⁸ Based on Kennewick SMP.

5. How is the variance requested the minimum necessary to afford relief?
 6. How will the public interest suffer no substantial detrimental effect?
- C. **Shoreline variances waterward of OHWM.** Shoreline Variance permits for development and/or uses that will be located waterward of the OHWM, as defined in RCW 90.58.030(2)(b), or within any wetland as defined in RCW 90.58.030(2)(h), may be authorized provided the applicant demonstrates affirmatively all of the following:
1. How would the strict application of the bulk, dimensional or performance standards set forth in this SMP preclude all reasonable use of the property?
 2. How is the proposal consistent with the criteria established under subsection 7.8.2.B.2 through B.6 of this section?
 3. How will the public rights of navigation and use of the shorelines not be adversely affected?
- D. **Cumulative impacts analysis required.** In the granting of all Shoreline Variance Permits, the cumulative impact of similar requests for like actions in the area of proposal shall be considered. The applicant shall submit a cumulative impact analysis prepared by a qualified professional for the subject of the variance containing the following components:
- a) identifying and documenting other properties or uses on the same waterbody that are similarly situated and could request a similar variance;
 - b) demonstrating consistency with the policies of RCW 90.58.020; and
 - c) demonstrating no substantial adverse effects to the shoreline environment and achievement of no-net-loss of shoreline ecological function.

For example, if variances were granted to other developments and/or uses in the area where similar circumstances exist, the total of the variances shall also remain consistent with the policies of the Act and shall not cause substantial adverse effects to the shoreline environment. The City shall determine whether the additional potential for variances will produce substantial adverse effects to the shoreline environment considering the characteristics of the proposed variance request, the ability to achieve no-net-loss of ecological function principles, and capability of accommodating preferred shoreline uses in the future if the variance and cumulative potential requests occur.

7.8.3 Conditions of Approval

In authorizing a variance, special conditions may be attached to the Variance permit by the City and/or Ecology to prevent undesirable effects of the proposed development or activity and/or to assure consistency of the project with the Act and this SMP. Additionally, nothing shall interfere with the City's ability to require compliance with all other applicable laws, plans, and regulations.

7.9 Permit Conditions

In granting, revising, or extending a shoreline permit, the City may attach such conditions, modifications, or restrictions thereto regarding the location, character, and other elements of the proposed development deemed necessary to assure that the development will be consistent with the policy and provisions of the Act and this SMP, as well as the supplemental authority provided in RCW 43.21C, as applicable. In cases involving unusual circumstances or uncertain effects, a condition may be imposed to require monitoring with future review or re-evaluation to assure conformance with the Act and this SMP. If the monitoring plan is not implemented, the permittee may be found to be noncompliant and the permit may be rescinded.

7.10 Duration of Permits

Time duration requirements for Shoreline Substantial Development, Shoreline Variance, and Shoreline Conditional Use Permits shall be consistent with the following provisions.

- A. General provisions.** The time requirements of this section shall apply to all Shoreline Substantial Development Permits and to any development authorized pursuant to a Shoreline Conditional Use Permit or Shoreline Variance authorized by this chapter. Upon a finding of good cause, based on the requirements and circumstances of the project proposed and consistent with the policy and provisions of this SMP and this chapter, the City may adopt different time limits from those set forth in Subsections 7.10.B and C of this section as a part of an action on a Shoreline Substantial Development Permit.
- B. Commencement.** Construction activities shall be commenced or, where no construction activities are involved, the use or activity shall be commenced within two years of the effective date of a Shoreline Substantial Development Permit, Shoreline Conditional Use Permit, or Shoreline Variance. Commencement means taking the action on the shoreline project for which the permit was granted shall begin. For example, beginning actual construction or entering into binding agreements or contractual obligations to undertake a program of actual construction. However, the City may authorize a single extension for a period not to exceed one year based on reasonable factors, if a request for extension has been filed with a complete extension application submittal before the expiration date and notice of the proposed extension is given to parties of record on the Shoreline Substantial Development Permit, Shoreline Conditional Use Permit, or Shoreline Variance and to Ecology.
- C. Termination.** Authorization to conduct development activities shall terminate five years after the effective date of a Shoreline Substantial Development Permit, Shoreline Conditional Use Permit, or Shoreline Variance. However, the City may authorize a single extension for a period not to exceed one year based on reasonable factors, if a request for extension has been filed before the expiration date and notice of the proposed extension is given to parties of record on the Shoreline Substantial Development Permit, Shoreline Conditional Use Permit, or Shoreline Variance, and to Ecology.
- D. Effective date.** The effective date of a Shoreline Substantial Development Permit, Shoreline Conditional Use Permit, or Shoreline Variance shall be the date of receipt as provided in RCW 90.58.140(6). The permit time periods in subsections B and C of this section do not include the time during which a use or activity was not actually pursued due to pending administrative appeals or legal actions or due to the need to obtain any other government permits and approvals for the development that authorize the development to proceed, including all reasonably related administrative or legal actions on any such permits or approvals. The applicant shall be responsible for informing the City of the pendency of other permit applications filed with agencies other than the City and of any related administrative and legal actions on any permit or approval. If no notice of the pendency of other permits or approvals is given by the applicant to the City prior to the date of the last action by the City to grant permits and approvals necessary to authorize the development to proceed, including administrative and legal actions of the City, and actions under other City development regulations, the date of the last action by the City shall be the effective date.
- E. Revisions.** Revisions to permits under Section 7.14 may be authorized after original permit authorization has expired, provided that this procedure shall not be used to extend the original permit time requirements or to authorize substantial development after the time limits of the original permit.
- F. Notification to Ecology.** The City shall notify Ecology in writing of any change to the effective date of a permit, as authorized by this section, with an explanation of the basis for approval of the change. Any change to the time limits of a permit other than those authorized by RCW 90.58.143 as amended shall require a new permit application.

7.11 Initiation of Development

- A. Amortization to begin construction.** Each permit for a Substantial Development, Shoreline Conditional Use or Shoreline Variance, issued by the City shall contain a provision that construction pursuant to the permit shall not begin and is not authorized until twenty-one (21) days from the date

of receipt with Ecology as defined in RCW 90.58.140(6) and WAC 173-27-130, or until all review proceedings initiated within twenty-one (21) from the date of receipt of the decision, except as provided in RCW 90.58.140 (5)(a) and (b). The date of receipt for a Substantial Development Permit means that date the applicant receives written notice from Ecology that it has received the decision. With regard to a permit for a Shoreline Variance or a Shoreline Conditional Use, date of receipt means the date a City or applicant receives the written decision of Ecology.

- B. Forms.** Permits for Substantial Development, Shoreline Conditional use, or Shoreline Variance may be in any form prescribed and used by the City including a combined permit application form. Such forms will be supplied by the City.
- C. Data sheet.** A permit data sheet shall be submitted to Ecology with each shoreline permit. The permit data sheet form shall be consistent with WAC 173-27-990.
- D. Construction Prior to Expiration of Appeal Deadline.** Construction undertaken pursuant to a permit is at the applicant's own risk until the expiration of the appeals deadline

7.12 Review Process

The application shall be reviewed by the City in accordance with Chelan Municipal Code Chapter 19 and in accordance with the SMA, its guidelines, and this SMP.

7.13 Appeals

7.13.1 Appeals of Shoreline Administrator Determinations and Decisions

- A.** For administrative appeals, see Chelan Municipal Code Chapter 19.06. Administrative review decisions by the Administrator, based on a provision of this SMP, may be the subject of an appeal to the Hearing Examiner by any aggrieved person. Such appeals shall be an open record hearing before the Hearing Examiner.
- B.** Appeals of exemptions are allowed only for exemptions where a letter is required pursuant to Section 7.6.4, Letters of Exemption, of this SMP
- C.** Appeals must be submitted within fourteen (14) calendar days after the date of decision or written interpretation together with the applicable appeal fee. Appeals submitted by the applicant or aggrieved person shall contain:
 - 1. The decision or interpretation being appealed, including the file number reference and the specific objections in the decision document;
 - 2. The name and address of the appellant and his/her interest(s) in the application or proposed development;
 - 3. The specific reasons why the appellant believes the decision or interpretation to be erroneous, including identification of each finding of fact, each conclusion, and each condition or action ordered which the appellant alleges is erroneous. The appellant shall have the burden of proving the decision or interpretation is erroneous;
 - 4. The specific relief sought by the appellant; and
 - 5. The appeal fee established by the City.
- D.** Per WAC 173-27-120 the City shall comply with special procedures for limited utility extensions and bulkheads. If there is an appeal of the decision to grant or deny the permit to the City Council, the appeal shall be finally determined by the City Council within thirty days.

7.13.2 Appeals to Shorelines Hearings Board

Appeals to the Shoreline Hearings Board of a final decision on a Shoreline Substantial Development Permit, Shoreline Conditional Use Permit, Shoreline Variance, or a decision on an appeal of an administrative action, may be filed by the applicant or any aggrieved party pursuant to RCW 90.58.180 within thirty (30) days of receipt of the final decision by the City or by Ecology as provided for in RCW 90.58.140(6).

7.14 Amendments to Permits

7.14.1 Revision – When Required

A permit revision is required whenever the applicant proposes substantive changes to the design, terms or conditions of a project from that which is approved in the permit. Changes are substantive if they materially alter the project in a manner that relates to its conformance to the terms and conditions of the permit, this SMP, and/or the policies and provisions of Chapter 90.58 RCW. Changes which are not substantive in effect do not require approval of a revision.

When an applicant seeks to revise a permit, the City shall request from the applicant detailed plans and text describing the proposed changes. Proposed changes must be within the scope and intent of the original permit, otherwise a new permit may be required, pursuant to Section 7.14.2.

7.14.2 Determination of Scope and Intent

If the City determines that the proposed changes are within the scope and intent of the original permit, and are consistent with this SMP and the Act, the City may approve a revision.

"Within the scope and intent of the original permit" means all of the following:

- A. No additional over water construction is involved except that pier, dock, or float construction may be increased by five hundred (500) square feet or ten percent (10%) from the provisions of the original permit, whichever is less;
- B. Ground area coverage and height may be increased a maximum of ten percent (10%) from the provisions of the original permit;
- C. The revised permit does not authorize development to exceed height, lot coverage, setback, or any other requirements of this SMP except as authorized under a Shoreline Variance granted as the original permit or a part thereof;
- D. Additional or revised landscaping is consistent with any conditions attached to the original permit and with this SMP;
- E. The use authorized pursuant to the original permit is not changed; and
- F. No adverse environmental impact will be caused by the project revision.

7.14.3 Filing of Revision

- A. The revision approval, including the revised site plans and text consistent with the provisions of Section 7.4 and 7.14 as necessary to clearly indicate the authorized changes, and the final ruling on consistency with this section shall be filed with Ecology. In addition, the City shall notify parties of record of their action.
- B. If the revision to the original permit involves a Shoreline Conditional Use Permit or Shoreline Variance, the City shall submit the revision to Ecology for approval, approval with conditions, or denial, and shall indicate that the revision is being submitted under the requirements of this subsection. Ecology shall render and transmit to the City and the applicant its final decision within fifteen (15) days of the date of Ecology's receipt of the submittal from the City. The City shall notify parties of record of Ecology's final decision.

7.14.4 Effective Date of Revised Permit

The revised permit is effective immediately upon final decision by the City or, when appropriate under Subsection 7.14.3, upon final action by Ecology. Construction undertaken pursuant to a permit is at the applicant's own risk until the expiration of the appeals deadline.

7.14.5 Appeal of Revised Permit

- A. **Filing.** Appeals of a revised permit shall be in accordance with RCW 90.58.180 and shall be filed within twenty-one (21) days from the date of receipt of the City's action by Ecology or, when appropriate under Subsections 7.7 and 7.8, the date Ecology's final decision is transmitted to the City and the applicant.
- B. **Basis of appeals.** Appeals shall be based only upon contentions of noncompliance with the provisions of Subsection 7.14.1. Appeals shall be based on the revised portion of the permit.
- C. **Risk.** Construction undertaken pursuant to that portion of a revised permit not authorized under the original permit is at the applicant's own risk until the expiration of the appeals deadline.
- D. **Scope of decision.** If an appeal is successful in proving that a revision is not within the scope and intent of the original permit, the decision shall have no bearing on the original permit.

7.15 Enforcement

- A. The City shall apply 173-27 WAC Part II, Shoreline Management Act Enforcement, to enforce the provisions of this SMP whenever a person has violated any provision of the act or any master program or other regulation promulgated under the Act.
- B. Specific violation requirements in this SMP, include, but are not limited to, Section 4.5.2.G, Unauthorized vegetation removal.

7.16 Amendments to Shoreline Master Program

7.16.1 General

- A. This Shoreline Master Program carries out the policies of the Shoreline Management Act for the City. It shall be reviewed and amended as appropriate in accordance with the review periods required in the Act and in order to:
 - 1. To assure that the master program complies with applicable law and guidelines in effect at the time of the review; and
 - 2. To assure consistency of the master program with the City's comprehensive plan and development regulations adopted under Chapter 36.70A RCW, if applicable, and other local requirements.
- B. This SMP and all amendments thereto shall become effective immediately upon final approval and adoption by Ecology.
- C. The SMP may be amended annually or more frequently as needed pursuant to the Growth Management Act, RCW 36.70A.130(2)(a)(iii).

7.16.2 Amendment Process and Criteria

- A. **Initiation.** Future amendments to this Shoreline Management Plan may be initiated either by any person, resident, property owner, business owner, governmental or non-governmental agency, Shoreline Administrator, Planning Commission, or City Council or Board of County Commissioners as appropriate.

- B. Application. Applications for shoreline master program amendments shall specify the changes requested and any and all reasons therefore. Applications shall be made on forms specified by the City. Such applications shall contain information specified in the City's procedures for Comprehensive Plan and development regulation amendments pursuant to RCW 36.70A, the Growth Management Act, and information necessary to meet minimum public review procedures in Subsection C.
- C. Public Review Process – Minimum Requirements. The City shall accomplish the amendments in accordance with the procedures of the Shoreline Management Act, Growth Management Act, and implementing rules including, but not limited to, RCW 90.58.080, WAC 173-26-100, RCW 36.70A.106 and 130, and Part Six, Chapter 365-196 WAC.
- D. Roles and Responsibilities. Proposals for amendment of the Shoreline Management Plan shall be heard by the Planning Commission, per the provisions of Section 7.1.4. After conducting a hearing and evaluating testimony regarding the application, including a recommendation from the Shoreline Administrator per Section 7.1.1, the Planning Commission shall submit its recommendation to the City Council or Board of County Commissioners, who shall approve or deny the proposed amendment consistent with Section 7.1.5.
- E. Finding. Prior to approval, the City shall make a finding that the amendment would accomplish #1 or #2, and must accomplish #3:
 - 1. The proposed amendment would make this Program more consistent with the Act and/or any applicable Department of Ecology Guidelines;
 - 2. The proposed amendment would make this Program more equitable in its application to persons or property due to changed conditions in an area;
 - 3. This Program and any future amendment hereto shall ensure no net loss of shoreline ecological functions and processes on a programmatic basis in accordance with the baseline functions present as of the effective date of this SMP, December 19, 2016.
- F. After approval or disapproval of a Program amendment by the Department of Ecology as provided in RCW 90.58.090, Ecology shall publish a notice that the Program amendment has been approved or disapproved by Ecology pursuant to the notice publication requirements of RCW 36.70A.290.

7.17 Monitoring

The City will track all shoreline permits and exemption activities to evaluate whether the SMP is achieving no net loss. Project monitoring is required for individual restoration and mitigation projects consistent with Section 4.2 (Ecological Protection and Critical Areas) and Appendix B (Critical Areas Regulations) of this SMP. In addition, the City shall conduct system-wide monitoring of shoreline conditions and development activity that occur in shoreline jurisdiction outside of critical areas and their buffers, to the degree practical. Activities to be tracked using the City's permit system include development, conservation, restoration and mitigation, such as:

- A. New shoreline development
- B. Shoreline Variances and the nature of the variance
- C. Compliance issues
- D. Net changes in impervious surface areas, including associated stormwater management
- E. Net changes in fill or armoring
- F. Net change in linear feet of shoreline stabilization and/or distance between OHWM and any shoreline stabilization
- G. Net changes in vegetation (area, character)

Using this information and information about the outcomes of other actions and programs of the other City departments as well, a no net loss report shall be prepared every eight years as part of the City's SMP evaluation or Comprehensive Plan Amendment process. Should the no net loss report show degradation of the baseline condition documented in the Final Inventory and Shoreline Analysis Report (2012), changes to the SMP and/or Shoreline Restoration Plan shall be proposed at the time of the eight-year update to prevent further degradation and address the loss in ecological functions.

8. NONCONFORMING STRUCTURES AND USES

8.1 Overview

The nonconforming standards in Chapter 8 shall apply to nonconforming uses, structures, and lots, with the exception of Boating Facilities, which shall be governed by SMP Section 5.5; Boating Facilities; Private Moorage Facilities, which shall be governed by SMP Section 5.5; and Shoreline Stabilization, which shall be governed by SMP Section 5.16.

8.2 Regulations


8.2.1 Nonconforming Use

- A. **Conformity Required.** The lawful use of any land, premises or building existing at the time of SMP adoption, although the use does not conform to the provisions thereof, may be continued; but if said nonconforming use ceases for a period of six months, or in the case of churches existing prior to June 2008 ceases for a period of eighteen months, any further use of such premises shall be in conformity with the provisions of this title.
- B. **Changing to conforming use.** A nonconforming use shall not be changed to any other use unless changed to a conforming use.
- C. **Changing to nonconforming use prohibited.** A nonconforming use if changed to a conforming use may not thereafter be changed back to a nonconforming use.
- D. **Destruction – Rebuild or repair.** If a nonconforming use is destroyed by fire or other causes, to the extent that 50 percent of the total floor area exclusive of basement is unusable, it shall not be rebuilt, except in conformity to this title. If rebuilt on a nonconforming lot, the structure shall meet Section 8.2.3. The following uses are not subject to Paragraph D: Pre-existing legal residential uses are addressed in Section 8.2.4.
- E. **Extension – Maintenance.** A nonconforming use of a structure shall not be extended. The extension of a nonconforming use to any other portion of the building which was arranged or designed for such nonconforming use shall not be deemed the extension of a nonconforming use. A structure containing a nonconforming use may be maintained in conformance with the standards of the city building code.
- F. **Cabanas.** Provided that the total square-footage, footprint, and height does not increase, cabanas may be repaired, maintained, and altered where consistent with the comprehensive plan or development or character of the area. Repair, maintenance, or alteration above 10 percent of the value of the structure shall require that the owner hook up to the public sewer system.

8.2.2 Nonconforming buildings.

- A. Existing legal nonconforming structures may continue.
- B. In cases of nonconforming buildings which contain conforming uses, the Shoreline Administrator shall have the authority to allow an addition or extension to a nonconforming building when said addition or extension would be no less conforming as to setback distances than the existing structure, and provided that the nonconforming addition shall be no longer in lineal feet along the nonconforming setback than fifty percent of the lineal length of the existing nonconformity (see example below). The authority to grant permission for the addition or extension of a nonconforming building shall be authorized provided the addition or extension of this nonconforming building is not in conflict with the comprehensive plan or development or character of the area in which the

nonconforming building is located. If rebuilt on a nonconforming lot, the structure shall meet Section 8.2.3.



8.2.3 Nonconforming Lots

A structure and its accessory buildings may be erected on any legal lot created before the effective date of this SMP. This provision shall apply even though such lot fails to meet the minimum dimensional requirements of this SMP provided, that such structure is allowed within the shoreline use environment and all uses of the nonconforming lot shall comply with all other provisions of the SMP and underlying zoning requirements including setbacks, dimensional standards and lot coverage requirements. Structures and accessory building on non-conforming lots shall be set back from the OHWM on the Chelan River and ordinary high water line on Lake Chelan to the greatest extent feasible, maximizing riparian cover (Table 4.2-1) compliance. Development proposed inside required setbacks shall go through mitigation sequencing and shall require a mitigation plan.

8.2.4 Pre-existing Legal Uses – Conforming Residential Structures

Notwithstanding Sections 8.2.1 to 8.2.3, the following shall apply to preexisting legal residential structures constructed prior to the effective date of this SMP, December 19, 2016:

- A. Residential structures and appurtenant structures that were legally established and are used for a conforming use, but that do not meet standards for the following shall be considered a conforming structure: Shoreline setbacks, critical area buffers, or yards; area; bulk; height; or density; and
 - 1. For purposes of this section, "appurtenant structures" means garages, sheds, and other legally established structures. "Appurtenant structures" does not include bulkheads and other shoreline modifications or over-water structures.
- B. The City shall allow redevelopment, expansion, change with the class of occupancy, or replacement of the residential structure if it is consistent with the SMP, including requirements for no net loss of shoreline ecological functions. Redevelopment, expansion, and replacement shall not extend the non-conformity of the structure except provided for in Section 8.2.2 above.
- C. Existing, legal cabanas are considered permitted uses. Cabanas may be rebuilt if destroyed by fire or other causes up to a maximum of the original footprint or square footage and shall not exceed original height of the structure. Replacement structures shall be connected to the public sewer system.

- D. Nothing in this section 8.2.4: (a) Restricts the ability of this SMP to limit redevelopment, expansion, or replacement of over-water structures located in hazardous areas, such as floodplains and geologically hazardous areas; or (b) affects the application of other federal, state, or local government requirements to residential structures.

9 DEFINITIONS

The terms used throughout this Shoreline Master Program shall be defined and interpreted as indicated below. When consistent with the context, words used in the present tense shall include the future; the singular shall include the plural, and the plural the singular. Definitions established by WAC 173 have been incorporated herein and should these definitions in the WAC be amended, the most current WAC definition shall apply. Except where specifically defined in this chapter, the RCW or the WAC, all words used in this Shoreline Master Program shall carry their customary meanings.

A

ACCESSORY. Any use or development incidental to and subordinate to a primary use of a shoreline use or development. See also APPURTENANCE, RESIDENTIAL.

ACT. The Washington State Shoreline Management Act, Chapter 90.58 RCW.

ADEQUATE. Sufficient to satisfy an adopted requirement. If the City does not have an adopted requirement, adequate means to meet a need or demand generated by the proposed shoreline development or use as determined by the authority responsible to determine compliance with the Shoreline Master Program per Chapter 7.

ADMINISTRATOR OR SHORELINE ADMINISTRATOR. Administrator or Shoreline Administrator means the director of the City's community development department or his/her designated representative, who is vested with the duty of administering Shoreline Master Program regulations within the City's area of authority.

ADVERSE IMPACT. An impact that can be measured or is tangible and has a reasonable likelihood of causing moderate or greater harm to ecological functions or processes or other elements of the shoreline environment. See also SIGNIFICANT ECOLOGICAL IMPACT

AGRICULTURAL ACTIVITIES. See RCW 90.58.065.

AGRICULTURAL-COMMERCIAL. The following activities are considered agricultural-commercial activities:

- A. "Agricultural tourism" refers to the act of visiting a working farm or any agricultural, horticultural or agribusiness operation for the purpose of enjoyment, education or active involvement in the activities of the farm or operation.
- B. "Nursery" means land or structures, such as greenhouses, used to raise plants, flowers and shrubs for sale.
- C. "Roadside stand" means a temporary use which is primarily engaged in the sale of fresh agricultural products, locally grown on- or off-site, but may include, incidental to fresh produce sale, the sale of limited prepackaged food products and non-food items. This use is to be seasonal in duration, open for the duration of the harvest season. For existing roadside stands see AGRICULTURAL ACTIVITIES and AGRICULTURAL EQUIPMENT and AGRICULTURAL FACILITIES.
- D. "Value added operation" means any activity or process that allows farmers to retain ownership and that alters the original agricultural product or commodity for the purpose of gaining a marketing advantage. Value added operations may include bagging, packaging, bundling, pre-cutting, food and beverage service, etc.
- E. "Winery" means a facility where fruit or other products are processed (i.e., crushed, blended, aged, and/or bottled) and may include as incidental and/or accessory to the principal use a tasting room, food and beverage service, places of public/private assembly, and/or retail sales area.

AGRICULTURAL EQUIPMENT AND AGRICULTURAL FACILITIES. Include, but are not limited to:

- A. The following used in agricultural operations: Equipment; machinery; constructed shelters, buildings, and ponds; fences; water diversion, withdrawal, conveyance, and use equipment and facilities including, but not limited to, pumps, pipes, tapes, canals, ditches, and drains;

- B. Corridors and facilities for transporting personnel, livestock, and equipment to, from, and within agricultural lands;
- C. Farm residences and associated equipment, lands, and facilities; and
- D. Roadside stands and on-farm markets for marketing fruit or vegetables.

AGRICULTURAL LAND. See RCW 90.58.065.

AGRICULTURAL PRODUCTS. See RCW 90.58.065.

ALTERATION. Any human induced change in an existing condition of a shoreline, critical area and/or its setback or buffer. Alterations include, but are not limited to grading, filling, channelizing, dredging, clearing (vegetation), draining, construction, compaction, excavation, or any other activity that changes the character of the area.

AMENDMENT. A revision, update, addition, deletion, and/or reenactment to an existing shoreline master program or to a permit as appropriate.

APPLICABLE. The shoreline goal, objective, policy, or standard is relevant or appropriate, or the shoreline development meets the threshold upon which a requirement is based as determined by the authority responsible to determine compliance with the Shoreline Master Program per Chapter 7.

APPROVAL, SHORELINE MASTER PROGRAM. An official action by the City Council agreeing to submit a proposed shoreline master program or amendments to the department for review and official action pursuant to this chapter; or an official action by the department to make a local government shoreline master program effective, thereby incorporating the approved shoreline master program or amendment into the state master program.

APPROVAL, PERMIT. Approval of a Shoreline Substantial Development Permit, Shoreline Conditional Use Permit, revision, or Shoreline Variance Permit or any combination thereof.

APPURTENANCE, RESIDENTIAL. Improvement necessarily connected to the use and enjoyment of a single-family residence when located landward of the OHWM on the Chelan River or ordinary high water line on Lake Chelan, the perimeter of a wetland and outside their corresponding required buffers. Appurtenances may include, but are not limited to, a garage and/or shop; driveway; utilities; water craft storage (upland); swimming pools; hot tubs; sport courts; shoreline stabilization; retaining walls when necessary to protect the residence and associated structures from erosion; fences; yards; saunas; cabanas; antennas; decks; walkways; and installation of a septic tank and drain field and grading which does not exceed two hundred fifty cubic yards and which does not involve placement of fill in any wetland or waterward of the OHWM.

AQUATIC. Pertaining to those areas waterward of the OHWM.

AQUACULTURE. The culture or farming of fish, shellfish, or other aquatic plants and animals.

ARCHAEOLOGICAL OBJECT. An object that comprises the physical evidence of an indigenous and subsequent culture including material remains of past human life including monuments, symbols, tools, facilities, graves, skeletal remains and technological by-products.

ARCHAEOLOGICAL RESOURCES/SITE. A geographic locality in Washington, including, but not limited to, submerged and submersible lands and the bed of the sea within the state's authority, that contains archaeological objects.

ARCHAEOLOGICAL. Having to do with the scientific study of material remains of past human life and activities.

ARCHAEOLOGIST, PROFESSIONAL. A person who meets qualification standards promulgated by DAHP and the National Park Service and published in 36 CFR Part 61 and which define minimum education and experience required to perform identification, evaluation, registration and treatment activities for archaeological sites. In some cases, additional areas or levels of expertise may be needed, depending on the complexity of the task and the nature of the properties involved.

ASSOCIATED WETLANDS. Wetlands that are in proximity to tidal waters, lakes, rivers or streams that are subject to the Act and either influence or are influenced by such waters. Factors used to determine proximity and influence include, but are not limited to: location contiguous to a shoreline waterbody, formation by

tidally influenced geo-hydraulic processes, presence of a surface connection including through a culvert or tide gate, location in part or whole within the floodplain of a shoreline, periodic inundation, and/or hydraulic continuity.

AUTHORIZED USE. Any use allowed in shoreline jurisdiction either by appropriate shoreline permit or exemption.

AVERAGE GRADE LEVEL. The average of the natural or existing topography of the portion of the lot, parcel, or tract of real property which will be directly under the proposed building or structure. In the case of structures to be built over water, average grade level shall be the elevation of the ordinary high water mark. Calculation of the average grade level shall be made by averaging the ground elevations at the midpoint of all exterior walls of the proposed building or structure.”

B

BARB. Used primarily in streams, barbs are low relief projections from a bank, angled upstream, to redirect flow away from the bank towards the center of the channel. As opposed to groins or jetties, barbs are not barrier types of structures; they function by re-directing flows that pass over the top of the structure.

BEACH. The zone of unconsolidated material that is moved by waves and wind currents, including areas both above and below the OHWM or ordinary high water line.

BEACH ENHANCEMENT/RESTORATION. Process of restoring a beach to a state more closely resembling a natural beach, using beach feeding, vegetation, drift sills and other nonintrusive means as applicable. See also **ENHANCEMENT**.

BEST MANAGEMENT PRACTICES. Conservation practices or systems of practices and management measures, often promulgated by state and federal agencies or the City, that:

- A. Control soil loss and reduce water quality degradation caused by nutrients, animal waste, toxins, and sediment;
- B. Minimize adverse impacts to surface water and ground water flow, circulation patterns, and to the chemical, physical, and biological characteristics of waters, wetlands, and other fish and wildlife habitats;
- C. Control site runoff, spillage or leaks, sludge or water disposal, or drainage from raw material.

BIOENGINEERING. The use of biological elements, such as the planting of vegetation, often in conjunction with engineered systems, to provide a structural shoreline stabilization measure with minimal negative impact to the shoreline ecology.

BIOFILTRATION. A stormwater or other drainage treatment system that utilizes as a primary feature the ability of plant life to screen out and metabolize sediment and pollutants. Typically, biofiltration systems are designed to include grassy swales, retention ponds and other vegetative features.

BOATHOUSE. Any roofed and enclosed structure built over water for storage of watercraft or float planes. See also **Covered Moorage**.

BOATING FACILITIES. Developments and uses that support access to shoreline waters for purposes of boating, including marinas, community docks serving more than four single-family residences or multi-family units, public piers, and community or public boat launch facilities.

BOAT LAUNCH FACILITY. Any structure or apparatus used for transferring watercraft between uplands and the water. Boat launches are typically launch ramps, but may also include other mechanisms such as a hoist or crane often used at dry storage locations. See also **LAUNCH RAMP**.

BOG. A wet, spongy, poorly drained area which is usually rich in very specialized plants, contains a high percentage of organic remnants and residues, and frequently is associated with a spring, seepage area, or other subsurface water source. A bog sometimes represents the final stage of the natural process of eutrophication by which lakes and other bodies of water are very slowly transformed into land areas.

BREAKWATER. An aquatic structure that is generally built parallel to shore, but may be built perpendicular to the shoreline, that may or may not be connected to land, and may be floating or stationary. The primary

purpose is to protect harbors, moorages and navigation activity from wave and wind action by creating stillwater areas along shore. A secondary purpose is to protect shorelines from wave caused erosion. See also JETTIES.

BUILDING. Any combination of materials constructed, placed or erected permanently on the ground or attached to something having a permanent location on the ground, for the purpose of shelter, support or enclosure of persons, animals or property, or when supporting any use, occupancy or function. Excluded from this definition are structures waterward of the OHWM, all forms of vehicles even though immobilized, residential fences, retaining walls less than three feet in height, rockeries and similar improvements of a minor nature. Docks and bulkheads are not buildings under this definition. For structures waterward of the OHWM, see Over-water Structures.

BULKHEAD. A solid wall erected generally parallel to and at or near the OHWM for the purpose of protecting adjacent uplands from waves or current action. A bulkhead is an example of hard structural shoreline stabilization.

BUOY, MOORING. An anchored float for the purpose of mooring vessels.

BUOY, NAVIGATION. An anchored float for the purpose of identifying navigational hazards or directing watercraft traffic.

C

CABANA. An over-water cabin, hut, or shelter used for residential purposes.

CHANNELIZATION. The straightening, relocation, deepening or lining of stream channels, including construction of continuous revetments or levees for the purpose of preventing gradual, natural meander progression.

CITY. The City of Chelan.

CLEARING. The destruction or removal of vegetation ground cover, shrubs and trees including, but not limited to, root material removal and/or topsoil removal.

COMMERCIAL DEVELOPMENT. Those developments whose primary use is for retail, service or other commercial business activities. Included in this definition are developments including but not limited to hotels, motels, bed and breakfast establishments, or other commercial accommodations, shops, restaurants, banks, professional offices, grocery stores, laundromats, recreational vehicle parks, and indoor or outdoor commercial recreation facilities.

COMMERCIAL USES. Commercial uses are those activities engaged in commerce and trade and involving the exchange of money, including but not limited to, retail, services, wholesale, or business trade activities. Examples include, but are not limited to, hotels, motels, or other commercial accommodations, grocery stores, restaurants, shops, commercial recreation facilities, and offices.

COMMUNITY ACCESS. The ability of all property owners or members of a residential development to reach and use the waters of the State, the water/land interface, and associated shoreline area. It includes physical access that is either lateral (areas paralleling the shore) or perpendicular (an easement or community corridor to the shore), and/or visual access facilitated by scenic roads and overlooks, viewing platforms, and other community sites or facilities. Community access is not intended for the general public.

COMMUNITY DOCK. A private water-dependent facility designed for moorage of pleasure craft as its primary use that serves a specified residential development of more than four single-family residences or multi-family units. Other water-enjoyment uses, such as fishing or viewing, may occur on community docks. Community docks are different from marinas.

CONDITIONAL USE, SHORELINE. A use, development, or substantial development which is classified as a Conditional Use or is not classified within this SMP. Those activities identified as conditional uses or not classified in this SMP must be treated according to the review criteria established in WAC 173-27-160.

CONSERVATION. The prudent management of rivers, streams, wetlands, wildlife and other environmental resources in order to preserve and protect them. This includes the careful use of natural resources to prevent depletion or harm to the environment.

CONSERVATION EASEMENT. A legal agreement that the property owner enters into to restrict uses of the land for purposes of natural resources conservation. The easement is recorded on a property deed, runs with the land, and is legally binding on all present and future owners of the property.

CONTAMINANT. Any chemical, physical, biological, or radiological substance that does not occur naturally in ground water, air, or soil or that occurs at concentrations greater than those in the natural levels.

COUNTY. Chelan County, Washington.

COVERED MOORAGE. Boat moorage, with or without walls, that has a roof to protect the vessel. See also **BOATHOUSE**.

CRITICAL AQUIFER RECHARGE AREA. Areas designated by WAC 365-190-080(2) that are determined to have a critical recharging effect on aquifers (i.e., maintain the quality and quantity of water) used for potable water as defined by WAC 365-190-030(2).

CRITICAL AREAS. The following areas as designated in critical area standards as established in Appendix B:

- A. Critical aquifer recharge areas
- B. Wetlands
- C. Geologically hazardous areas
- D. Frequently flooded areas
- E. Fish and wildlife habitat conservation areas (includes aquatic and riparian areas)

CRITICAL HABITAT. Habitat areas with which endangered, threatened, sensitive or monitored plant, fish, or wildlife species have a primary association (e.g., feeding, breeding, rearing of young, migrating). Such areas are identified in reference to lists, categories, and definitions promulgated by the Washington Department of Fish and Wildlife as identified in WAC 232-12-011 or 232-12-014; in the Priority Habitat and Species (PHS) program of the Department of Fish and Wildlife; or by rules and regulations adopted by the U.S. Fish and Wildlife Service, National Marine Fisheries Service, or other agency with authority for such designations.

CULTURAL RESOURCE: Sites, buildings, structures, districts, objects, and landscapes that are listed in, or eligible for listing in a national, state, or local register of historic places.

CULTURAL RESOURCE PROFESSIONAL: Individuals who meet standards promulgated by the DAHP as well as the National Park Service and published in 36 CFR Part 61. These standards address minimum education and experience required to perform identification, evaluation, registration, and treatment activities for historic properties. In some cases, additional areas or levels of expertise may be needed, depending on the complexity of the task and the nature of the properties involved.

D

DAHP. The State of Washington Department of Archaeology and Historic Preservation.

DEPARTMENT OF ECOLOGY or ECOLOGY. The Washington State Department of Ecology.

DEVELOPMENT. A use consisting of the construction or exterior alteration of structures; dredging; drilling; dumping; filling; removal of any sand, gravel, minerals or vegetation; bulkheading; driving of piling; placing of obstructions; or any project of a permanent or temporary nature which interferes with the normal public use of the surface of the waters of the state subject to Chapter 90.58 RCW at any stage of water level.

Development does not include the following activities:

- A. Interior building improvements that do not change the use or occupancy;
- B. Exterior structure maintenance activities, including painting and roofing as long as it does not expand the existing footprint of the structure;
- C. Routine landscape maintenance of established, ornamental landscaping, such as lawn mowing, pruning and weeding; and
- D. Maintenance of the following existing facilities that does not expand the affected area: septic tanks (routine cleaning); wells; and individual utility service connections.

E. Dismantling or removing structures if there is no other associated development or redevelopment.

DEVELOPMENT REGULATIONS. The controls placed on development or land uses by the City, including, but not limited to, zoning ordinances, critical areas ordinances, all portions of a shoreline master program other than goals and policies approved or adopted under Chapter 90.58 RCW, planned unit development ordinances, subdivision ordinances, and binding site plan ordinances together with any amendments thereto.

DIKE. An artificial embankment or revetment normally set back from the bank or channel in the floodplain for the purpose of keeping floodwaters from inundating adjacent land.

DOCK. All platform structures or anchored devices in, suspended over, or floating on waterbodies to provide moorage for pleasure craft (including watercraft and float planes) or landing for water-dependent recreation including, but not limited to, piers, floats, swim floats, float plane moorages, and water ski jumps. Excluded are launch ramps. Docks often consist of a nearshore pier with a ramp to an offshore float. See also **PIER**.

DREDGING. Excavation or displacement of the bottom or shoreline of a waterbody (waterward of the OHWM) for purposes of flood control, navigation, utility installation (excluding on-site utility features serving a primary use, which are “accessory utilities” and shall be considered a part of the primary use), the construction or modification of essential public facilities and regional transportation facilities, and/or restoration (of which the primary restoration element is sediment/soil removal rather than being incidental to the primary restoration purpose). Dredging, as regulated in this SMP under Section 5.8, is not intended to cover other excavations waterward of the ordinary high water mark that are incidental to construction of an otherwise authorized use or modification (e.g., , bulkhead replacements, large woody debris installations, boat launch ramp installation, pile placement).

E

ECOLOGICAL FUNCTIONS (or SHORELINE FUNCTIONS). The work performed or role played by the physical, chemical, and biological processes that contribute to the maintenance of the aquatic and terrestrial environments that constitute the shoreline’s natural ecosystem.

ECOLOGY. See **DEPARTMENT OF ECOLOGY**.

ECOSYSTEM-WIDE PROCESSES. The suite of naturally occurring physical and geologic processes of erosion, transport, and deposition and specific chemical processes that shape landforms within a specific shoreline ecosystem and determine both the types of habitat and the associated ecological functions.

ELL. Extensions of piers or docks perpendicular to the pier or float, and located at the terminal end of the pier or float, that provide additional watercraft moorage and/or allow watercraft to be oriented to wind and waves in a manner that increases safety and/or improves navigability. [contrast with **FINGER**]

EMBANKMENT. A wall or bank of earth or stone built to prevent a river flooding an area.

EMERGENCY/EMERGENCY CONSTRUCTION. An unanticipated and imminent threat to public health, safety, or the environment which requires immediate action within a time too short to allow full compliance with the master program. Emergency construction is construed narrowly as that which is necessary to protect property and facilities from the elements. Emergency construction does not include development of new permanent protective structures where none previously existed. Where new protective structures are deemed by the administrator to be the appropriate means to address the emergency situation, upon abatement of the emergency situation the new structure shall be removed or any permit which would have been required, absent an emergency, pursuant to Chapter 90.58 RCW, these regulations, or this SMP, shall be obtained. All emergency construction shall be consistent with the policies of Chapter 90.58 RCW and this SMP. As a general matter, flooding or seasonal events that can be anticipated and may occur but that are not imminent are not an emergency.

ENHANCEMENT. Alteration of an existing resource to improve or increase its characteristics, functions, or processes without degrading other existing ecological functions. Enhancements are to be distinguished from resource creation or restoration projects. See also **BEACH ENHANCEMENT/RESTORATION**.

ENVIRONMENTAL IMPACT STATEMENT (EIS). An environmental impact statement is a document that must be prepared in accordance with the State Environmental Policy Act or National Environmental Policy Act when the lead agency determines a proposal is likely to have significant adverse environmental impacts. The EIS

provides an impartial discussion of significant environmental impacts, reasonable alternatives, and mitigation measures that would avoid or minimize adverse impacts. A draft EIS is issued with a comment period to allow other agencies, tribes, and the public to comment on the environmental analysis and conclusions. The lead agency uses these comments to finalize the environmental analysis and issue a final EIS.

EROSION. The wearing away of land by the action of natural forces.

ESSENTIAL PUBLIC FACILITIES: Essential public facilities include those facilities that are typically difficult to site, such as airports, state education facilities, and state or regional transportation facilities as defined in RCW 47.06.140, regional transit authority facilities, as defined in RCW 81.112.020, state and local correctional facilities, solid waste handling facilities, and in-patient facilities including substance abuse facilities, mental health facilities, group homes, and secure community transition facilities as defined in RCW 30 71.09.020.

EXCAVATION. The disturbance or displacement of unconsolidated earth material such as silt, sand, gravel, soil, rock or other material. In addition to upland excavation, this definition covers excavations waterward of the ordinary high water mark that are incidental to construction of an otherwise authorized use or modification (e.g., bulkhead replacements, large woody debris installations, boat launch ramp installation, pile placement). See also DREDGING.

EXEMPTION. Certain specific developments as listed in WAC 173-27-040 are exempt from the definition of substantial developments are therefore exempt from the Shoreline Substantial Development Permit process of the SMA. An activity that is exempt from the substantial development provisions of the SMA must still be carried out in compliance with policies and standards of the Act and this SMP. Conditional use and/or variance permits may also still be required even though the activity does not need a Shoreline Substantial Development Permit.

F

FAIR MARKET VALUE. The open market bid price for conducting the work, using the equipment and facilities, and purchase of the goods, services, and materials necessary to accomplish the development. This would normally equate to the cost of hiring a contractor to undertake the development from start to finish, including the cost of labor, materials, equipment and facility usage, transportation, and contractor overhead and profit. The fair market value of the development shall include the fair market value of any donated, contributed, or found labor, equipment, or materials.

FEASIBLE. For the purpose of this master program, that an action, such as a development project, mitigation, or preservation requirement, meets all of the following conditions:

- A. The action can be accomplished with technologies and methods that have been used in the past, or studies or tests have demonstrated that such approaches are currently available and likely to achieve the intended results.
- B. The action provides a reasonable likelihood of achieving its intended purpose. Reasonable means acceptable and according to common sense or normal practice.
- C. The action does not physically preclude achieving the project's primary intended use.

In cases where these guidelines require certain actions unless they are infeasible, the burden of proving infeasibility is on the applicant.

In determining an action's infeasibility, the City may weigh the action's relative public costs and public benefits, considered in the short- and long-term time frames. See INFEASIBLE

FILL. The addition of soil, sand, rock, gravel, sediment, earth retaining structure, or other material to an area waterward of the OHWM, in wetlands, or on shorelands in a manner that raises the elevation or creates dry land.

FINGER(S). Narrow extensions of piers or docks perpendicular to the pier or float, and landward of the terminal end of the pier or float, that provide additional watercraft moorage and/or allow watercraft to be oriented to wind and waves in a manner that increases safety and/or improves navigability. These structures typically provide supplementary locations for tying down a watercraft and are not high-traffic areas.

[contrast with ELL]

FISH AND WILDLIFE HABITAT CONSERVATION AREAS. Areas necessary for maintaining species in suitable habitats within their natural geographic distribution so that isolated subpopulations are not created as designated by WAC 365-190-080(5). These areas include:

- A. Areas with which state or federally designated endangered, threatened, and sensitive species have a primary association;
- B. Habitats of local importance, including, but not limited to, areas designated as priority habitat by the State Department of Fish and Wildlife;
- C. Naturally occurring ponds under twenty acres and their submerged aquatic beds that provide fish and wildlife habitat;
- D. Waters of the state, including lakes, rivers, ponds, streams, inland waters, underground waters, and all other surface water and watercourses within the authority of the state of Washington;
- E. Lakes, ponds, streams, and rivers planted with game fish by a governmental or tribal entity; state natural area preserves and natural resources conservation areas; and
- F. Land essential for preserving connections between habitat blocks and open spaces.

FLOATING HOMES. Any floating structure that is designed, or has been substantially and structurally remodeled or redesigned, to serve primarily as a residence. "Floating homes" include house boats, house barges, or any floating structures that serve primarily as a residence and do not qualify as a vessel. A floating structure that is used as a residence and is capable of navigation, but is not designed primarily for navigation, nor normally is capable of self-propulsion and use as a means of transportation is a floating home, not a vessel. This definition excludes cabanas.

FLOATS. A detached, anchored platform that is free to rise and fall with water levels, used for boat mooring, swimming (including a SWIM FLOAT) or similar recreational activities that is not anchored to the shoreline or accessed directly from the shoreline.

FLOAT, SWIM. A floating platform designed and intended expressly for facilitating safe swimming. Swim floats are anchored in deeper waters, are not connected to uplands, and are not motorized. Water ski/wake board jumps are also considered swim floats.

FLOOD CONTROL WORKS. Methods or facilities designed to reduce flooding of adjacent lands, to control or divert stream flow, to retard bank erosion, or to create a reservoir.

- A. Nonstructural measures include, but are not limited to, shoreline setbacks, land use controls, wetland restoration, dike removal, use relocation, biotechnical measures, storm water management programs, land or easement acquisition, voluntary protection and enhancement projects, or incentive programs.
- B. Structural measures include, but are not limited to, dikes, levees, revetments, floodwalls, channel realignment, or embankments.

FLOODPLAIN. Synonymous with one hundred-year floodplain and means that land area susceptible to inundation with a one percent chance of being equaled or exceeded in any given year. The limit of this area shall be based upon flood ordinance regulation maps or a reasonable method which meets the objectives of the Act.

FLOODWAY. The area, as identified in a master program, that has been established in federal emergency management agency flood insurance rate maps or floodway maps. The floodway shall not include those lands that can reasonably be expected to be protected from flood waters by flood control devices maintained by or maintained under license from the federal government, the state, or a political subdivision of the state.

FOREST PRACTICES. Any activity conducted on or directly pertaining to forest land and relating to growing, harvesting, or processing timber, including but not limited to: road and trail construction; harvesting, final and intermediate; precommercial thinning and fire protection; reforestation; fertilization; prevention and suppression of diseases and insects; salvage of trees; and brush control. Forest practices do not include preparatory work such as tree marking, surveying and road flagging, and removal or harvesting of incidental vegetation from forest lands such as berries, ferns, greenery, mistletoe, herbs, mushrooms, and other products which cannot normally be expected to result in damage to forest soils, timber, or public resources.

FREQUENTLY FLOODED AREA. Means an area subject to flooding, as defined by the Flood Insurance Rate Maps (FIRM), once every one hundred years, also known as the floodplain.

G

GEOLOGICALLY HAZARDOUS AREA. Areas that may not be suited to development consistent with public health, safety or environmental standards, because of their susceptibility to erosion, sliding, earthquake, or other geological events as designated by WAC 365-190-080(4). Types of geologically hazardous areas include erosion, landslide, seismic, volcanic hazards, and mine.

GEOTECHNICAL ANALYSIS. A scientific study or evaluation conducted by a qualified expert that includes a description of the ground and surface hydrology and geology, the affected land form and its susceptibility to mass wasting, erosion, and other geologic hazards or processes, conclusions and recommendations regarding the effect of the proposed development on geologic conditions, the adequacy of the site to be developed, the impacts of the proposed development, alternative approaches to the proposed development, and measures to mitigate potential site-specific and cumulative impacts of the proposed development, including the potential adverse impacts to adjacent and down-current properties. Geotechnical reports shall conform to accepted technical standards and must be prepared by qualified engineers or geologists who are knowledgeable about the regional and local shoreline geology and processes.

GEOTECHNICAL REPORT. See GEOTECHNICAL ANALYSIS.

GRADE. See average grade level.

GRADING. The movement or redistribution of the soil, sand, rock, gravel, sediment, or other material on a site in a manner that alters the natural contour of the land.

GRASSY SWALE. A vegetated drainage channel that is designed to remove various pollutants from storm water runoff through biofiltration.

GRAY WATER. Sewage from bathtubs, showers, bathroom sinks, washing machines, dishwashers, and kitchen sinks. It includes sewage from any source in a residence or structure that has not come into contact with toilet wastes.

GROINS. A barrier type of structure extending from the backshore or stream bank into a waterbody for the purpose of the protection of a shoreline and adjacent uplands by influencing the movement of water or deposition of materials. In lake environments, groins are typically used to trap sediment for the purpose of preserving a depositional feature, such as a beach. In a stream environment, groins may serve a variety of functions, including bank protection, pool formation, and increased roughness, and may include rock structures, debris jams, or pilings that collect wood debris. See also BARB and WEIR.

GROUNDWATER. All water that exists beneath the land surface or beneath the bed of any stream, lake or reservoir, or other body of surface water within the boundaries of the state, whatever may be the geological formation or structure in which such water stands or flows, percolates or otherwise moves.

GROWTH MANAGEMENT ACT. RCW 36.70A and 36.70B, as amended.

GUIDELINES. Those standards adopted by the Department of Ecology into the Washington Administrative Code (WAC) to implement the policy of Chapter 90.58 RCW for regulation of use of the shorelines of the state prior to adoption of master programs. Such standards also provide criteria for local governments and the Department of Ecology in developing and amending master programs.

H

HABITAT. The place, including physical and biotic conditions, where a plant or animal usually occurs or could occur and is fundamentally linked to the actual or potential distribution and abundance of species. A species may use a habitat or a structural component of the habitat for all or part of its lifecycle, and may adapt to use various habitats. Habitat is scale-dependent and refers to a large geographic area, a species' home range, a local setting, or a site-specific feature. Habitat may perform a specific function for a species or multiple species, and may include those elements necessary for one or more species to feed, migrate, breed, or travel.

HARD STRUCTURAL SHORELINE STABILIZATION. Shoreline erosion control practices using hardened structures that armor and stabilize the shoreline from further erosion. Hard structural shoreline stabilization typically uses concrete, boulders, dimensional lumber or other materials to construct linear, vertical or near-vertical faces. These include bulkheads, rip-rap, groins, and similar structures.

HEIGHT. The vertical dimension measured from average grade to the highest point of a structure; provided that, antennas, chimneys, and similar appurtenances shall not be used in calculating height, unless such appurtenance obstructs the view of a substantial number of adjacent residences. Temporary construction equipment is excluded in this calculation. Average grade shall be defined consistent with the definition of average grade level, and shall be the grade existing as of effective date of this SMP or pursuant to any legal alterations consistent with the SMP and applicable federal, state, or local laws.

HISTORIC PRESERVATION PROFESSIONAL. Individuals who meet standards promulgated by the DAHP as well as the National Park Service and published in 36 CFR Part 61. These standards address minimum education and experience required to perform identification, evaluation, registration and treatment activities for historic properties. In some cases, additional areas or levels of expertise may be needed, depending on the complexity of the task and the nature of the properties involved.

HISTORIC SITE. Sites that are eligible or listed on the Washington Heritage Register, National Register of Historic Places or any locally developed historic registry formally adopted by the City.

HYDROLOGICAL. Referring to the science related to the waters of the earth including surface and ground water movement, evaporation and precipitation. Hydrological functions in shoreline include, water movement, storage, flow variability, channel movement and reconfiguration, recruitment and transport of sediment and large wood, and nutrient and pollutant transport, removal and deposition.

I

IMPACT. See SIGNIFICANT ECOLOGICAL IMPACT.

IMPERVIOUS SURFACE. A hard surface area which either prevents or retards the entry of water into the soil mantle as under natural conditions prior to development. A hard surface area which causes water to run off the surface in greater quantities or at an increased rate of flow from the flow present under natural conditions prior to development. Common impervious surfaces include, but are not limited to, roof tops, walkways, patios, driveways, parking lots or storage areas, concrete or asphalt paving, gravel roads, packed earthen materials, and oiled, macadam or other surfaces which similarly impede the natural infiltration of stormwater. For purposes of determining whether thresholds for application of core elements are exceeded, open, uncovered retention or detention facilities shall not be considered as impervious surfaces. Open, uncovered retention or detention facilities shall be considered impervious surfaces for purposes of runoff modeling.

IMPLEMENTED: For the purposes of the Chelan Public Access Plan Section 4.3.2.F, implemented means that public access improvements or strategies identified in Section 4.3 and Appendix C are in place at the time of development, or that a financial commitment is in place to complete the improvements or strategies within six years. Such financial commitment is based on inclusion in a City-approved six-year capital improvement program with secured funding, development agreement, voluntary agreement, application of fees in lieu (Section 4.3.2.I.2) or other similar executed instrument designed to fulfill the improvement.

INDUSTRIAL DEVELOPMENT. Facilities for processing, manufacturing, and storage of finished or semi-finished goods, including but not limited to oil, metal or mineral product refining, power generating facilities, including hydropower, ship building and major repair, storage and repair of large trucks and other large vehicles or heavy equipment, related storage of fuels, commercial storage and repair of fishing gear, warehousing construction, contractors' offices and material/equipment storage yards, wholesale trade or storage, and log storage on land or water, together with necessary accessory uses such as parking, loading, and waste storage and treatment. Excluded from this definition are mining including onsite processing of raw materials, and off site utility, solid waste, road or railway development, and methane digesters that are accessory to an agricultural use.

INDUSTRIAL USES. The production, processing, manufacturing, or fabrication of goods or materials, including warehousing and storage of materials or production.

INFEASIBLE. To determine that an action, such as a development project, mitigation, or preservation requirement, is infeasible, the following conditions are found:

- A. The action cannot be accomplished with technologies and methods that have been used in the past, or studies or tests have demonstrated that such approaches are currently not available or unlikely to achieve the intended results.
- B. The action does not have a reasonable likelihood of achieving its intended purpose. Reasonable means acceptable and according to common sense or normal practice.
- C. The action precludes achieving the project's primary intended use.
- D. The action's relative public costs and public benefits, considered in the short- and long-term time frames, show the costs far outweigh the benefits.

In cases where these guidelines require certain actions unless they are infeasible, the burden of proving infeasibility is on the applicant. In determining an action's infeasibility, the City may weigh the action's relative public costs and public benefits, considered in the short- and long-term time frames. See **FEASIBLE**.

INFILTRATION. The passage or movement of water into the soil surface.

INSTITUTIONAL. Those public and/or private facilities including, but not limited to, police and fire stations, libraries, activity centers, schools, educational centers, water-oriented research facilities, and similar uses.

IN-WATER STRUCTURE OR IN-STREAM STRUCTURAL USES. Structure placed by humans within a stream, river or lake waterward of the OHWM that either causes or has the potential to cause water impoundment or the diversion, obstruction, or modification of water flow. In-water structures may include those for hydroelectric generation, irrigation, water supply, flood control, transportation, utility service transmission, fish habitat enhancement, recreation (e.g., docks, boatlifts), or other purpose. Note that the listed recreation-related in-water structures have a very limited capacity to affect water flows and are exclusively regulated under SMP Sections 5.5 (Boating Facilities) and 5.14 (Private Moorage Structures).

INVASIVE SPECIES. A species that is 1) non-native (or alien) to Chelan County and 2) whose introduction causes or is likely to cause economic or environmental harm or harm to human health. Invasive species can be plants, animals, and other organisms (e.g., microbes).

J

JETTIES. A barrier type of structure generally built singly or in pairs perpendicular to the shoreline at harbor entrances or river mouths to prevent sediment from depositing in the harbor or channel. They also protect channels and inlets from crosscurrents and storm waves. See also **BREAKWATERS**.

JOINT-USE DOCKS. Those constructed and utilized by two, three or four property owners, whether on adjacent lots as single-family residences or as multi-family units, or by a homeowner's association. Marinas, public docks and community docks that serve more than four single-family residences or multi-family units are regulated as Boating Facilities under Section 5.5 of this SMP. Residential joint-use docks are regulated as Private Moorage Structures under Section 5.14 of this SMP.

L

LAKE. A body of standing water in a depression of land or expanded part of a river, including reservoirs, of twenty acres or greater in total area. A lake is bounded by the OHWM or, where a stream enters a lake, the extension of the elevation of the lake's OHWM within the stream. Where the OHWM cannot be found, it shall be the line of mean high water. On Lake Chelan, the ordinary high water line is the point of reference and measurement for upland uses and activities.

LANDSLIDE. A general term covering a wide variety of mass movement landforms and processes involving the down slope transport, under gravitational influence of soil and rock material en masse; included are debris flows, debris avalanches, earthflows, mudflows, slumps, mudslides, rock slides, and rock falls.

LARGE WOODY DEBRIS. Logs, limbs, or root wads 4 inches or larger in diameter, delivered to waterbodies from adjacent riparian or upslope areas or from upstream areas. Large woody debris also includes logs,

limbs, or root wads 4 inches or larger that are placed in a waterbody for the purpose of providing habitat and/or mitigation.

LAUNCH RAMP. An inclined slab, set of pads, rails, planks, or graded slope which extends waterward of the OHWM, and is used for transferring watercraft between uplands and the water with trailers or occasionally by hand. See also **BOAT LAUNCH FACILITY**.

LEGALLY ESTABLISHED. A use or structure in compliance with the laws and rules in effect at the time of creation of the use or structure.

LEVEE. A natural or artificial embankment on the bank of a stream or river for the purpose of keeping floodwaters from inundating adjacent land. Some levees have revetments on their sides.

LIMITED UTILITY EXTENSION. For the purposes of Section 7.3.D, the extension of a utility service that:

- A. Is categorically exempt under Chapter 43.21C RCW for one or more of the following: Natural gas, electricity, telephone, water, or sewer;
- B. Will serve an existing use in compliance with WAC 173-27; and
- C. Will not extend more than two thousand five hundred linear feet within the shorelines of the state.

LIVEABOARD. A floating vessel that serves as a residence, and is self-powered by sail or motor.

M

MAINTENANCE, NORMAL. Those usual acts to prevent a decline, lapse, or cessation from a legally established condition. See **REPAIR, NORMAL**.

MARINA. A public or private water-dependent wet moorage facility for pleasure craft and/or commercial craft where goods, moorage or services related to boating may be sold commercially or provided for a fee, e.g. yacht club, etc. Dry storage and launching facilities, either launch ramp, crane or hoist, may also be provided. Marinas may be open to the general public or restricted on the basis of property ownership or membership. Community docks that do not provide nonwater-oriented uses or water-oriented commercial services, other than to the specific residential community served by the community dock, are not considered marinas.

MARSH. A low flat wetland area on which the vegetation consists mainly of herbaceous plants such as cattails, bulrushes, tules, sedges, skunk cabbage or other hydrophytic plants. Shallow water usually stands on a marsh at least during part of the year.

MAY. Refers to actions that are acceptable, provided they conform to the provisions of this master program and the Act.

MIGRATION. A cyclic movement in response to a resource or physiological need, spawned out of some biological necessity. Can be a reproduction, feeding, or wintering/summer need. May also vary depending on life stage, as at times a species' environs may not have the capacity to support adult and juveniles of the same species.

MITIGATION (or MITIGATION SEQUENCING). The process of avoiding, reducing, or compensating for the environmental impact(s) of a proposal. The following sequence of steps is listed in prioritized order:

- A. Avoiding the impact altogether by not taking a certain action or parts of an action;
- B. Minimizing impacts by limiting the degree or magnitude of the action and its implementation, by using appropriate technology, or by taking affirmative steps, such as project redesign, relocation, or timing, to avoid or reduce impacts;
- C. Rectifying the impact by repairing, rehabilitating, or restoring the affected environment to the conditions existing at the time of the initiation of the project;
- D. Reducing or eliminating the impact over time by preservation and maintenance operations during the life of the action;
- E. Compensating for the impact by replacing, enhancing, or providing substitute resources or environments; and

F. Monitoring the impact and the compensation projects and taking appropriate corrective measures.

Lower priority measures shall be applied only where higher priority measures are determined to be infeasible or inapplicable.

MIXED USE. A combination of uses within the same building or site as a part of an integrated development project with functional interrelationships and coherent physical design.

MIXED USE COMMERCIAL. Developments that include water-dependent commercial uses combined with water-related, water-enjoyment uses and/or nonwater-oriented commercial uses. Mixed-use developments can be a tool for water-dependent activities, civic revitalization, and public access to the shoreline.

MIXED USE RESIDENTIAL. Mixed use developments that include water-dependent and water-oriented commercial uses together with single-family or multi-family uses while promoting public access for significant numbers of the public and/or providing an ecological restoration resulting in a public benefit. This mix of uses is intended to reduce transportation trips, use land efficiently, and provide for waterfront commerce and housing options.

MODIFICATION. A change or alteration in existing materials, including structures, plans and uses.

MODIFICATION, SHORELINE. Those actions that modify the physical configuration or qualities of the shoreline area, usually through the construction of a physical element such as a dike, breakwater, dock, weir, dredged basin, fill, bulkhead, or other shoreline structures. They can include other actions, such as clearing, grading, or application of chemicals.

MOORAGE FACILITY. Any device or structure used to secure a boat or a vessel, including docks, piers, floats, piles, watercraft lifts or buoys.

MOORAGE PILE. A permanent vertical column generally located in open waters, often in close proximity to a dock or pier, to which the vessel is tied to prevent it from excessive movement generated by wind, or wind- or boat-driven waves.

MULTI-FAMILY DWELLING (OR RESIDENCE). A building containing two or more dwelling units, including, but not limited to, duplexes, apartments and condominiums.

MUST. A mandate; the action is required. See SHALL.

N

NATIVE. Vegetation indigenous to, or originating naturally in, Chelan County or north central Washington.

NAVIGABLE WATERS. Those waters capable of being used by watercraft for transportation, either recreational or commercial.

NECESSARY: A word describing an element that is essential, indispensable or needed to achieve a certain result or effect.

NO NET LOSS. A public policy goal and requirement to maintain the aggregate total of the County's shoreline ecological functions at its current level of environmental resource productivity. For purposes of reviewing and approving this SMP, "current" is equivalent to the date of the Final Shoreline Inventory and Analysis Report (2012). As a development and/or mitigation standard, no net loss requires that the impacts of a particular shoreline development and/or use, whether permitted or exempt, be identified and prevented or mitigated, such that it has no resulting adverse impacts on shoreline ecological functions or processes relative to the legal condition just prior to the proposed development and/or use.

NONCONFORMING USE OR DEVELOPMENT. A shoreline use or development which was lawfully constructed or established prior to the effective date of the Act (June 1, 1971; RCW 90.58.920) or this SMP, December 19, 2016, or amendments thereto, but which does not conform to present regulations or standards of the SMP.

NONPOINT POLLUTION. Pollution that enters any waters of the state from any dispersed land-based or water-based activities, including, but not limited to, atmospheric deposition, surface water runoff from agricultural lands, urban areas, or forest lands, subsurface or underground sources, or discharges from boats or marine vessels not otherwise regulated under the National Pollutant Discharge Elimination System program.

NONWATER-ORIENTED USES. Those uses that are not water-dependent, water-related, or water-enjoyment.

NORMAL MAINTENANCE. See MAINTENANCE, NORMAL and REPAIR, NORMAL”

NORMAL PROTECTIVE BULKHEAD. Those structural and nonstructural developments installed at or near, and parallel to, the OHWM for the sole purpose of protecting an existing single-family residence and appurtenant structures from loss or damage by erosion.

NORMAL REPAIR. See REPAIR, NORMAL and MAINTENANCE, NORMAL

NOXIOUS WEEDS. A special sub-class of invasive plant species listed as Class A or B by the Chelan County Noxious Weed Control Board.

O

OFF-SITE REPLACEMENT/MITIGATION. To replace wetlands or other shoreline environmental resources away from the site on which a resource has been impacted by a regulated activity.

ORDINARY HIGH WATER LINE is obtained from Chelan County PUD and means an elevation of 1,100 feet above sea level based on the National Geodetic Vertical Datum (NGVD) of 1929.

ORDINARY HIGH WATER MARK (OHWM). That mark that will be found by examining the bed and banks and ascertaining where the presence and action of waters are so common and usual, and so long continued in all ordinary years, as to mark upon the soil a character distinct from that of the abutting upland, in respect to vegetation as that condition exists on June 1, 1971, as it may naturally change thereafter, or as it may change thereafter in accordance with permits issued by the City or the Department of Ecology: provided, that in any area where the ordinary high water mark cannot be found, the ordinary high water mark adjoining fresh water shall be the line of mean high water.

OVERWATER STRUCTURES. Any structure located above the water surface waterward of the OHWM. Common examples include, but are not limited to, residential docks, marinas, and pedestrian or vehicular bridges over waterways.

P

PARKING. A place where vehicles are temporarily stored while an activity is being conducted. Local parking is located onsite intended to serve and support a primary use(s) of a property. Regional parking is a parking area intended to support a district with multiple uses.

PARTY OF RECORD. All persons, agencies, or organizations who have submitted written or verbal comments in response to a notice of application, made oral comments in a formal public hearing conducted on the application, or notified the City of their desire to receive a copy of the final decision on a permit and who have provided an address for delivery of such notice by mail or email.

PERIODIC. Occurring at regular intervals.

PERSON. An individual, partnership, corporation, association, organization, cooperative, public or municipal corporation, or agency of the state or local governmental unit however designated.

PIER. Fixed platform above the water and supported by piles, usually perpendicular to the shoreline. See also DOCK.

PRIMARY USE. Uses or activities on a shoreline site that is identified as serving the main purpose of the site in terms of its land occupancy or use intensity, and any other uses within the site are supportive or accessory to it.

PRIORITY HABITAT. A habitat type with unique or significant value to one or more species. An area classified and mapped as priority habitat must have one or more of the following attributes: Comparatively high fish or wildlife density; comparatively high fish or wildlife species diversity; fish spawning habitat; important wildlife habitat; important fish or wildlife seasonal range; important fish or wildlife movement corridor; rearing and foraging habitat; refuge; limited availability; high vulnerability to habitat alteration; unique or dependent species; or shellfish bed. A priority habitat may be described by a unique vegetation type or by a dominant plant species that is of primary importance to fish and wildlife. A priority habitat may also be described by a

successional stage. Alternatively, a priority habitat may consist of a specific habitat element (such as talus slopes, caves, snags) of key value to fish and wildlife. A priority habitat may contain priority and/or non-priority fish and wildlife.

PRIORITY SPECIES. Species requiring protective measures and/or management guidelines to ensure their persistence at genetically viable population levels. Priority species are those that meet any of the criteria listed below:

- A. State-listed or state proposed species. State-listed species are those native fish and wildlife species legally designated as endangered (WAC 232-12-014), threatened (WAC 232-12-011), or sensitive (WAC 232-12-011). State proposed species are those fish and wildlife species that will be reviewed by the Department of Fish and Wildlife (POL-M- 6001) for possible listing as endangered, threatened, or sensitive according to the process and criteria defined in WAC 232-12-297.
- B. Vulnerable aggregations. Vulnerable aggregations include those species or groups of animals susceptible to significant population declines, within a specific area or statewide, by virtue of their inclination to congregate. Examples include heron colonies, seabird concentrations, and marine mammal congregations.
- C. Species of recreational, commercial, and/or tribal importance. Native and nonnative fish, shellfish, and wildlife species of recreational or commercial importance and recognized species used for tribal ceremonial and subsistence purposes that are vulnerable to habitat loss or degradation.
- D. Species listed under the federal Endangered Species Act as either proposed, threatened, or endangered.

PROVISIONS. Policies, regulations, standards, guideline criteria or designations.

PUBLIC ACCESS. The public's ability to reach and use the State's public waters, the water/land interface, and associated shoreline area. It includes physical access that is either lateral (areas paralleling the shore) or perpendicular (an easement or public corridor to the shore), and visual access facilitated by means such as scenic roads and overlooks, viewing platform, and other public sites or facilities. See also Community Access.

PUBLIC FACILITIES. Facilities that include streets, roads, highways, sidewalks, street and road lighting systems, traffic signals, domestic water systems, storm and sanitary sewer systems, parks and recreational facilities, and schools.

PUBLIC INTEREST. The interest shared by the citizens of the state or community at large in the affairs of government, or some interest by which their rights or liabilities are affected such as an effect on public property or on health, safety, or general welfare resulting from a use or development.

Q

QUALIFIED PROFESSIONAL. A person with expertise and training appropriate for the relevant subject. A qualified professional must have obtained a B.S. or B.A. or equivalent degree in biology, soil science, engineering, environmental studies, fisheries, geology, hydrology, geomorphology or related field, and at least five years of related work experience. Specific qualified professionals must also meet the following criteria, or any other criteria included in Appendix B, Critical Areas Regulations:

- A. A qualified professional providing a geotechnical analysis as required under Section 5.16 of this Master Program must be a licensed engineer in the State of Washington, with specific training in geology, hydrology and/or geomorphology.
- B. A qualified professional providing a demonstration of need as required under Section 5.16 of this Master Program must have a M.S. or equivalent degree in geology, hydrology, or geomorphology.
- C. A qualified professional for wetlands means a biologist who has a degree in biology, ecology, botany, or a closely related field, or has been certified as a Professional Wetland Scientist, and a minimum of five (5) years of professional experience in wetland identification and assessment in Eastern Washington.

- D. A qualified professional for habitat conservation areas means a biologist who has a degree in wildlife biology, ecology, fisheries, or closely related field and a minimum of five (5) years professional experience related to the subject species/habitat type.
- E. A qualified professional for geologically hazardous areas must be an engineer or engineering geologist licensed in the state of Washington. An engineer must be licensed as a civil engineer pursuant to Chapter 18.43 RCW, to qualify. An engineering geologist must be a practicing geologist licensed as a professional geologist pursuant to Chapter 18.22, RCW.
- F. A qualified professional for critical aquifer recharge areas means a Washington State licensed hydro-geologist, geologist, or engineer.
- G. A qualified professional for vegetation management must be a registered landscape architect, certified arborist, biologist, or professional forester with a corresponding degree or certification.

R

RAMP. Walkway that connects a pier or land to a float, often used in areas where water levels change due to seasonal variations. LAUNCH RAMP is defined above.

RCW. Revised Code of Washington.

REASONABLE. Reasonable means acceptable and according to common sense or normal practice.

RECREATION. An experience or activity in which an individual engages for personal enjoyment and satisfaction. Most shore-based outdoor recreation such as: fishing, hunting, beach combing, and rock climbing; various forms of boating, swimming, hiking, bicycling, horseback riding, camping, picnicking, watching or recording activities such as photography, painting, bird watching or viewing of water or shorelines, nature study and related activities.

RECREATIONAL DEVELOPMENT. Commercial and public facilities designed and used to provide recreational opportunities to the public.

RECREATIONAL USES. Uses which offer activities, pastimes, and experiences that allow for the refreshment of mind and body. Examples include, but are not limited to, parks, camps, camping clubs, launch ramps, golf courses, viewpoints, viewpoint platforms, trails, public access facilities, public parks and athletic fields, hunting blinds, and other low-intensity use outdoor recreation areas. Recreational Uses that do not require a shoreline location, nor are related to the water, nor provide significant public access, are considered nonwater-oriented. For example, a recreation use solely offering indoor activities would be considered nonwater-oriented.

REPAIR, NORMAL. To restore a development or structure to a state comparable to its original, legally established condition, including but not limited to its size, shape, configuration, location and external appearance, within a reasonable period after decay or partial destruction, except where repair causes substantial adverse effects to shoreline resource or environment. Replacement of a structure or development may be authorized as repair where such replacement is the common method of repair for the type of structure or development and the replacement structure or development is comparable to the original structure or development including but not limited to its size, shape, configuration, location and external appearance and the replacement does not cause substantial adverse effects to shoreline resources or environment. See also MAINTENANCE, NORMAL.

RESIDENTIAL DEVELOPMENT. Single-family residences, multifamily development, and the creation of new residential lots through land division.

RESIDENTIAL USES. Buildings, structures or portions thereof that are designed and used as a place for human habitation. Included are single, duplex or multi-family dwellings, apartment/condominium buildings, manufactured homes, modular homes, and other structures that serve to house people. This definition includes accessory uses common to normal residential use, including but not limited to, residential appurtenances, accessory dwelling units, home occupations, family day care homes, and adult care homes.

RESTORE (RESTORATION or ECOLOGICAL RESTORATION). Reestablishment or upgrading of impaired ecological shoreline processes or functions. This may be accomplished through measures including but not limited to re-vegetation, removal of intrusive shoreline structures, and removal or treatment of toxic

materials. Restoration does not imply a requirement for returning the shoreline area to aboriginal or pre-European settlement conditions.

REVTMENT. Facing of rock, concrete, etc., built to protect a steep slope, cliff, embankment, or shore structure against erosion by waves or currents.

RIPARIAN VEGETATION. Vegetation that tolerates and/or requires moist conditions and periodic free flowing water thus creating a transitional zone between aquatic and terrestrial habitats which provides cover, shade and food sources for aquatic and terrestrial insects for fish species. Riparian vegetation and their root systems stabilizes stream banks, attenuates high water flows, provides wildlife habitat and travel corridors, and provides a source of limbs and other woody debris to terrestrial and aquatic ecosystems, which, in turn, stabilize stream beds.

RIPRAP. A layer, facing, or protective mound of dense, hard, angular rock used to prevent erosion, scour, or sloughing of a structure or embankment for revetments, armoring or hardening of shorelines, or other flood/erosion control works.

ROAD. Road shall mean and include contiguous streets, alleys, sidewalks, curbs and gutters, planting strips, roads, highways, thoroughfares, parkways, bridges, viaducts, public grounds and public improvements within the City's territory. Lands for public right of ways are reserved for use and maintenance of the road system. Bridges are roads which cross over water. Sidewalks or paths independent of the rest of typical roadway cross-sections shall be considered trails.

RUNOFF. Water that is not absorbed into the soil but rather flows along the ground surface following the topography.

S

SANITARY SEWER. A system designed to accept sewage to be deposited into and carried off by a system of lateral sewers, drains, and pipes to a common point, or points, for transfer to treatment or disposal.

SEDIMENT. The fine grained material deposited by water or wind.

SEPA (State Environmental Policy Act). SEPA requires state agencies, local governments and other lead agencies to consider environmental factors when making most types of permit decisions, especially for development proposals of a significant scale. As part of the SEPA process, environmental impact statements (EISs) may be required to be prepared and public comments solicited. (RCW 43.21c and WAC 197-11 guide this process)

SETBACK. The distance between property line and the foundation wall or load-bearing member of the primary structure.

SETBACK, SIDE. The distance between side lot line and the foundation wall of the primary structure.

SEWAGE: Any urine, feces, and the water carrying human wastes, including kitchen, bath, and laundry wastes from residences, buildings, industrial establishments or other places.

SHALL. A mandate; the action must be done. See also must.

SHORELANDS OR SHORELAND AREAS. Those lands extending landward for two hundred feet in all directions as measured on a horizontal plane from the ordinary high water mark; floodways and contiguous floodplain areas landward two hundred feet from such floodways; and all wetlands and river deltas associated with the streams, lakes, and tidal waters which are subject to the provisions of this chapter; the same to be designated as to location by the Department of Ecology.

SHORELINE AREAS. All "shorelines of the state" and "shorelands" as defined in RCW 90.58.030.

SHORELINE ENVIRONMENT DESIGNATIONS. The classifications of shorelines established by local shoreline master programs in order to provide a uniform basis for applying policies and use regulations within distinctively different shoreline areas.

SHORELINE FUNCTIONS. See ecological functions.

SHORELINE JURISDICTION. The term describing all of the geographic areas covered by the SMA, related rules and this SMP. Also, such areas within a specified City's authority under the SMA. See SHORELINES,

SHORELINES OF THE STATE, shorelines of state-wide significance and wetlands. See also Section 3.1 of this SMP.

SHORELINE MANAGEMENT ACT. Washington's [Shoreline Management Act](#) was passed by the State Legislature in 1971 and adopted by voters in 1972. The overarching goal of the Act is "to prevent the inherent harm in an uncoordinated and piecemeal development of the state's shorelines." There are three basic policy areas to the Act: shoreline use, environmental protection and public access. The Act emphasizes accommodation of appropriate uses that require a shoreline location, protection of shoreline environmental resources and protection of the public's right to access and use the shorelines ([RCW 90.58.020](#)). Under the Shoreline Management Act (SMA), each city and county with "shorelines of the state" must prepare and adopt a Shoreline Master Program (SMP) that is based on state laws and rules but is tailored to the specific geographic, economic and environmental needs of the community.

SHORELINE MASTER PROGRAM, MASTER PROGRAM, OR SMP. A comprehensive use plan for a described area, and the use regulations together with maps, diagrams, charts, or other descriptive material and text, a statement of desired goals, and standards developed in accordance with the policies articulated in RCW 90.58.020. As provided in RCW 36.70A.480, the goals and policies of a shoreline master program for a county or city approved under Chapter 90.58 RCW shall be considered an element of the county or city's comprehensive plan. All other portions of the shoreline master program for a county or city adopted under Chapter 90.58 RCW, including use regulations, shall be considered a part of the county or city's development regulations.

SHORELINE PERMIT. A Shoreline Substantial Development Permit, Shoreline Conditional Use Permit, revision, or Shoreline Variance Permit or any combination thereof.

SHORELINE PROPERTY. An individual property wholly or partially within shoreline jurisdiction.

SHORELINE SETBACK. The distance measured in feet that a structure or improvement must be located from the ordinary high water line of Lake Chelan or the ordinary high water mark of the Chelan River.

SHORELINE STABILIZATION. Structural and non-structural methods to address erosion impacts to property and dwellings, businesses, or structures caused by natural processes, such as flood, wind, or wave action.

SHORELINES HEARINGS BOARD (SHB). A six member quasi-judicial body, created by the SMA, which hears appeals by any aggrieved party on the issuance of a shoreline permit, enforcement penalty and appeals by the City on Department of Ecology approval of master programs, rules, regulations, guidelines or designations under the SMA.

SHORELINES OF STATEWIDE SIGNIFICANCE. A select category of shorelines of the state, defined in RCW 90.58.030(2)(e), where special policies apply. This includes lakes over 1,000 acres in area and all associated shorelands and rivers that have either a mean annual flow of 200 cubic feet per second or more, or; the portion downstream from the first 300 square miles of drainage areas.

SHORELINES OF THE STATE. The total of all "shorelines" and "shorelines of state-wide significance" within the state.

SHORELINES. All of the water areas of the state, including reservoirs, and their associated shorelands, together with the lands underlying them; except (i) shorelines of state-wide significance; (ii) shorelines on areas of streams upstream of a point where the mean annual flow is twenty cubic feet per second or less and the wetlands associated with such upstream areas; and (iii) shorelines on lakes less than twenty acres in size and wetlands associated with such small lakes.

SHOULD. The particular action is required unless there is a demonstrated, compelling reason, based on policy of the Act and this SMP, against taking the action.

SIGN. A board or other display containing words and/or symbols used to identify or advertise a place of business or to convey information. Excluded from this definition are signs required by law and the flags of national and state governments.

SIGNIFICANT ECOLOGICAL IMPACT. An effect or consequence of an action if any of the following apply:

- A. The action measurably or noticeably reduces or harms an ecological function or ecosystem-wide process.

- B. Scientific evidence or objective analysis indicates the action could cause reduction or harm to those ecological functions or ecosystem-wide processes under foreseeable conditions.
- C. Scientific evidence indicates the action could contribute to a measurable or noticeable reduction or harm to ecological functions or ecosystem-wide processes as part of cumulative impacts, due to similar actions that are occurring or are likely to occur.

SIGNIFICANT TREE. An existing deciduous or coniferous tree six inches or more in diameter measured four feet six inches above the adjacent grade. This also includes unusual, historic, heritage or rare trees.

SIGNIFICANT VEGETATION REMOVAL. The removal or alteration of trees, shrubs, and/or groundcover by clearing, grading, cutting, burning, chemical means, or other activity that causes significant ecological impacts to functions provided by such vegetation. The removal of invasive or noxious weeds does not constitute significant vegetation removal. Tree pruning, not including tree topping, where it does not affect ecological functions, does not constitute significant vegetation removal.

SINGLE-FAMILY RESIDENCE (SFR). A single dwelling designed for and occupied by one family including those structures and developments within a contiguous ownership which are a normal appurtenance.

SMA. The Shoreline Management Act of 1971, Chapter 90.58 RCW, as amended.

SMP. See SHORELINE MASTER PROGRAM.

SOFT STRUCTURAL SHORELINE STABILIZATION: Shoreline erosion control and restoration practices that contribute to restoration, protection or enhancement of shoreline ecological functions. Soft structural shoreline stabilization typically includes a mix of gravels, cobbles, boulders, logs and native vegetation placed to provide shore stability in a non-linear, generally sloping arrangement. Linear, vertical faces are an indicator of **HARD STRUCTURAL SHORELINE STABILIZATION** (see above definition).

STATE MASTER PROGRAM. The cumulative total of all shoreline master programs and amendments thereto approved or adopted by rule by Ecology.

STORM WATER. That portion of precipitation that does not normally percolate into the ground or evaporate but flows via overland flow, interflow, channels, or pipes into a defined surface water channel or constructed infiltration facility.

STORMWATER FACILITY: A constructed component of a stormwater drainage system designed or constructed to perform a particular function or multiple functions. Stormwater facilities include, but are not limited to: pipes, swales, ditches, culverts, street gutters, detention ponds, retention ponds, constructed wetlands, infiltration devices, catch basins, oil/water separators, and biofiltration swales.

STREAM. Any portion of a channel, bed, bank, or bottom waterward of the ordinary high water line of waters of the state, including areas in which fish may spawn, reside, or pass, and tributary waters with defined bed or banks, which influence the quality of fish habitat downstream. This includes watercourses which flow on an intermittent basis or which fluctuate in level during the year and applies to the entire bed of such watercourse whether or not the water is at peak level. This definition does not include irrigation ditches, canals, storm water run-off devices, or other entirely artificial watercourses, except where they exist in a natural watercourse that has been altered by humans. A shoreline stream is a naturally occurring body of periodic or continuously flowing water where: a) the mean annual flow is greater than twenty cubic feet per second and b) the water is contained within a channel. A channel is an open conduit either naturally or artificially created. This definition does not include artificially created irrigation, return flow, or stock watering channels.

STRUCTURE. A permanent or temporary edifice or building, or any piece of work artificially built or composed of parts joined together in some definite manner, whether installed on, above or below the surface of the ground or water, except for vessels.

SUBDIVISION. The division or redivision of land, including short subdivision, for the purpose of sale, lease or conveyance.

SUBSTANTIAL DEVELOPMENT, Shoreline. Any development which meets the criteria of RCW 90.58.030(3)(e). See also development and exemption.

SUBSTANTIALLY DEGRADE. See **SIGNIFICANT ECOLOGICAL IMPACT**

SURFACE WATER. All water that exists on the land surface, including streams, lakes or reservoirs, or other bodies of water within the boundaries of the state.

SWAMP. A depressed area flooded most of the year to a depth greater than that of a marsh and characterized by areas of open water amid soft, wetland masses vegetated with trees and shrubs. Extensive grass vegetation is not characteristic.

T

TERRESTRIAL. Of or relating to land as distinct from air or water.

TOPPING. The severe cutting back of limbs to stubs larger than three inches in diameter within the tree's crown to such a degree so as to remove the normal canopy and disfigure the tree.

TRAIL. Trails are clearly identified paved, semi-paved or unpaved but defined (e.g. gravel) pathways for pedestrians in a natural or urban setting used for recreational or circulation purposes. A trail by itself is not considered a road.

TRANSIENT BUSINESS. Any person, firm, corporation or association or any agent of any person, firm, corporation or association that sells goods, wares and services or merchandise from a fixed location on public or private property not within a permanent structure or building. A permanent structure or building is one which rests on a foundation and which substantially complies with the provisions of the Uniform Building Code addressing permanent structures, as opposed to temporary buildings. For the purposes of this definition, the following activities are not considered to be transient businesses: The sale of agricultural products or other produce sales or farmers' market; any sales activity sponsored by a nonprofit group or organization for the purpose of raising funds for said group or organization; any carnival, street fair or similar festival; any promotional activities of a specific retail business located within a permanent structure.

TRANSPORTATION FACILITIES. Roads and railways, including their related bridges and culverts, transportation structures, public transit and bus facilities, pedestrian transportation including foot bridges over rivers/streams and trails, fills, embankments, causeways, truck terminals and rail switchyards, sidings, spurs, air fields, water transportation facilities including boat and sea-plane facilities, and other associated minor facilities. Not included are, highway rest areas, ship terminals, nor logging roads. Local transportation refers to facilities provide direct access to abutting land and to higher order roads. Regional transportation refers to facilities serving more than one city or community or major destinations.

U

UNAVOIDABLE. Adverse impacts that remain after all appropriate mitigation sequencing measures have been implemented.

UPLAND. Generally described as the dry land area above and landward of the OHWM on the Chelan River and the ordinary high water line on Lake Chelan.

UTILITIES. Lines and facilities related to the provision, distribution, collection, transmission or disposal of water, stormwater, sanitary sewage, oil, gas, power, and telephone cable, and includes facilities for the generation of electricity.

- A. "Large facilities" serve more than one community (e.g. more than one neighborhood, town, city or other defined place) or major attractions. Examples include, but are not limited to, 230 kv power transmission lines, natural gas transmission lines, and regional water storage tanks and reservoirs, regional water transmission lines or regional sewer collectors and interceptors. Large facilities may also include facilities serving an entire community, such as subregional switching stations (one hundred fifteen (115) kv and smaller), and municipal sewer, water, and storm water facilities.
- B. "Small facilities" serve adjacent properties and include, but are not limited to, power lines not specified under "large facilities," water, sanitary sewer, and storm water facilities, fiber optic cable, pump stations and hydrants, switching boxes, and other structures normally found in a street right-of-way. On-site utility features serving primary use such as a water, sewer, or gas line to a residence are accessory utilities and shall be considered part of the primary use.

V

VARIANCE, SHORELINE. A means to grant relief from the specific bulk, dimensional, or performance standards set forth in this master program where there are extraordinary circumstances relating to the physical character or configuration of property such that the strict implementation of the master program will impose unnecessary hardships on the applicant or thwart the policies set forth in this SMP and RCW 90.58.020; variance is not a means to vary a use of a shoreline. Variance permits must be specifically approved, approved with conditions, or denied by the Administrator and the Department of Ecology.

VEGETATION CONSERVATION AREA. The area adjacent to a shoreline that separates and protects the waterbody from adverse impacts associated with adjacent land uses. It is designed and designated to remain vegetated in an undisturbed and natural condition to protect an adjacent aquatic or wetland site from upland impacts, to provide habitat for wildlife, to afford limited public or private access, and to accommodate certain other specified uses that benefit from a shoreline location. See Vegetation Conservation and Shoreline Setback section of this SMP.

VESSEL. A floating structure that is designed primarily for navigation, is normally capable of self-propulsion and use as a means of transportation, and meets all applicable laws and regulations pertaining to navigation and safety equipment on vessels, including, but not limited to, registration as a vessel by an appropriate government agency.

VICINITY: For the purposes of the Chelan Public Access Plan Section 4.3.2.F, vicinity means that physical or visual public access improvements in the Public Access Plan are within a half mile of the subject property and accessible to the population of residents, employees, or visitors the proposed development is designed to accommodate.

VIEW ANALYSIS. An analysis to evaluate the ability of the general public to view the water and the shoreline from adjacent locations such as public places or from substantial numbers of residences.

VISUAL ACCESS. The ability of the general public to view the water and the shoreline from adjacent locations.

VIEW CORRIDOR. The line of sight (identified as to height, width, and distance) of an observer looking toward shoreline from upland locations, public spaces, such as parks, trails, or streets that have particular significance in preserving the unique character of the shoreline.

W

WAC. Washington Administrative Code.

WASTE STORAGE AND TREATMENT. Facilities for collecting and treating, as an accessory use only, garbage, solid waste or sewage generated by the development and its users. This definition does not include municipal sewage treatment facilities.

WATERBODY. A body of still or flowing water, fresh or marine, bounded by the OHWM.

WATERCRAFT LIFT. An in-water structure used for the dry berthing of vessels above the water level and lowering of vessels into the water. A watercraft lift is generally a manufactured unit without a canopy cover and may be placed in the water adjacent to a pier or float, and may be floating or ground-based. Watercraft lifts include, but are not limited to, lifts for motorized boats, kayaks, canoes, jet skis, and float planes. A watercraft lift is different from a hoist or crane used for the launching of vessels.

WATER-DEPENDENT USE. A use or portion of a use which cannot exist in a location that is not adjacent to the water and which is dependent on the water by reason of the intrinsic nature of its operations. Examples of water-dependent uses may include but are not limited to ship cargo terminal loading areas, ferry and passenger terminals, barge loading facilities, ship building and dry docking, marinas, boating facilities, private moorage facilities, aquaculture, float plane facilities, sewer outfalls, hydroelectric generating plants and water diversion facilities, such as agricultural pumphouses.

WATER-ENJOYMENT USE. A recreational use or other use that facilitates public access to the shoreline as a primary characteristic of the use; or a use that provides for recreational use or aesthetic enjoyment of the shoreline for a substantial number of people as a general characteristic of the use and which through location, design, and operation ensures the public's ability to enjoy the physical and aesthetic qualities of the

shoreline. In order to qualify as a water-enjoyment use, the use must be open to the general public and the shoreline-oriented space within the project must be devoted to the specific aspects of the use that fosters shoreline enjoyment. Primary water-enjoyment uses may include, but are not limited to, parks, viewing and walking piers and other improvements facilitating public access to the shorelines of the State, including public view or fishing platforms; and general water-enjoyment uses may include, but are not limited to restaurants, museums, aquariums, scientific/ecological reserves, resorts/hotels (as part of mixed use development or with significant public access or restoration components), and mixed-use commercial/office.

WATERFRONT. A parcel of property with upland characteristics which includes within its boundary a physical interface with the existing shoreline of a body of water.

WATER-ORIENTED USE. A use that is water-dependent, water-related, or water-enjoyment, or a combination of such uses.

WATER QUALITY. The physical characteristics of water within shoreline jurisdiction, including water quantity, hydrological, physical, chemical, aesthetic, recreation-related, and biological characteristics. Where used in this SMP, the term "water quantity" refers only to development and uses regulated under this chapter and affecting water quantity, such as impervious surfaces and storm water handling practices. Water quantity, for purposes of this master program, does not mean the withdrawal of ground water or diversion of surface water pursuant to RCW 90.03.250 through 90.03.340.

WATER-RELATED USE. A use or portion of a use which is not intrinsically dependent on a waterfront location but whose economic viability is dependent upon a waterfront location because:

- A. The use has a functional requirement for a waterfront location such as the arrival or shipment of materials by water or the need for large quantities of water; or
- B. The use provides a necessary service supportive of the water-dependent uses and the proximity of the use to its customers makes its services less expensive and/or more convenient.

Examples of water-related uses may include warehousing of goods transported by water, seafood processing plants, , gravel storage when transported by barge, oil refineries where transport is by tanker, log storage, and agriculturally related water transportation systems.

WATERSHED. A geographic region within which water drains into a particular river, stream or body of water.

WATERSHED RESTORATION PLAN. A plan, developed or sponsored by the Department of Fish and Wildlife, the Department of Ecology, the Department of Natural Resources, the Department of Transportation, a federally recognized Indian tribe acting within and pursuant to its authority, a city, a county, or a conservation district that provides a general program and implementation measures or actions for the preservation, restoration, re-creation, or enhancement of the natural resources, character, and ecology of a stream, stream segment, drainage area, or watershed for which agency and public review has been conducted pursuant to Chapter 43.21C RCW, the State Environmental Policy Act.

WATERSHED RESTORATION PROJECT. A public or private project authorized by the sponsor of a watershed restoration plan that implements the plan or a part of the plan and consists of one or more of the following activities:

- A. A project that involves less than 10 miles of stream or lake reach, in which less than 25 cubic yards of sand, gravel, or soil is removed, imported, disturbed or discharged, and in which no existing vegetation is removed except as minimally necessary to facilitate additional plantings; or
- B. A project for the restoration of an eroded or unstable stream bank or lake shore that employs the principles of bioengineering, including limited use of rock as a stabilization only at the toe of the bank, and with primary emphasis on using native vegetation to control the erosive forces of wave energy; or
- C. A project primarily designed to improve fish and wildlife habitat, remove or reduce impediments to migration of fish, or enhance the fishery resource available for use by all of the citizens of the state, provided that any structure (e.g., project equipment shed), other than a bridge or culvert or in-water habitat enhancement structure associated with the project, is less than 200 square feet in floor area and is located above the ordinary high water mark of the stream or lake.

WEIR. A structure generally built across a stream channel for the purpose of diverting water or trapping sediment or other moving objects transported by water.

WETLAND OR WETLANDS. Areas that are inundated or saturated by surface water or ground water at a frequency and duration sufficient to support—and that under normal circumstances do support—a prevalence of vegetation typically adapted for life in marshes, bogs, and similar areas. Wetlands do not include those artificial wetlands intentionally created from non-wetland sites, including, but not limited to, irrigation and drainage ditches, grass-lined swales, canals, detention facilities, wastewater treatment facilities, farm ponds, and landscape amenities, or those wetlands created after July 1, 1990, that were unintentionally created as a result of the construction of a road, street, or highway. Wetlands may include those artificial wetlands intentionally created from non wetland areas to mitigate the conversion of wetlands.


WILDLIFE CORRIDOR. Undeveloped canyons, other vegetated topographic valleys, or vegetated strips of any width or length that extend from uplands to the water's edge, generally perpendicular to the shoreline. These features provide safer migration pathways for wildlife to access water.

Z

ZONING. The system of land use and development regulations and related provisions of the City of Chelan.


Universal Note

In addition, the definitions and concepts set forth in RCW 90.58.030, as amended, and implementing rules in the Washington Administrative Code shall also apply as used herein.



Environment Designations

Chelan 01



November 29, 2012
Data: WA DNR, WA OFM,
Chelan County
Aerial: 2011 USDA NAIP

CCH--Environment Designations


- Shoreline Park/Public
- Shoreline Residential - SF
- Shoreline Residential - MF
- High Intensity

Chelan UGA

- Shoreline Park/Public
- Shoreline Residential - SF
- Shoreline Residential - MF
- High Intensity


Highways

- ~ Railroads
- Parcels
- City Boundaries
- UGA Boundaries
- WRIA Boundaries



Environment Designations

Chelan 02



November 29, 2012
Data: WA DNR, WA OFM,
Chelan County,
Aerial: 2011 USDA NAIP

CCH--Environment Designations

- Shoreline Park/Public
- Shoreline Residential – SF
- Shoreline Residential – MF
- High Intensity

Chelan UGA

- Shoreline Park/Public
- Shoreline Residential – SF
- Shoreline Residential – MF
- High Intensity


- ~ Highways
- ~ Railroads
- Parcels
- City Boundaries
- UGA Boundaries
- WRIA Boundaries



Notes:
 1. Road rights of way where roadways are or will be developed at grade are considered High Intensity whether specifically mapped or not.
 2. All areas waterward of the Ordinary High Water Mark have an Aquatic designation.

All features depicted on this map are approximate. They have not been formally delineated or surveyed and are intended for planning purposes only. Additional site-specific evaluation may be needed to confirm/verify information shown on this map.

Environment Designations Chelan 03



November 29, 2012
 Data: WA DNR, WA OFM,
 Chelan County,
 Aerial: 2011 USDA NAIP

CCH--Environment Designations


- Shoreline Park/Public
- Shoreline Residential – SF
- Shoreline Residential – MF
- High Intensity

Chelan UGA


- Shoreline Park/Public
- Shoreline Residential – SF
- Shoreline Residential – MF
- High Intensity

~ Highways

- ~ Railroads
- Parcels
- City Boundaries
- UGA Boundaries
- WRIA Boundaries



Environment Designations Chelan 04



November 29, 2012
Data: WA DNR, WA OFM,
Chelan County
Aerial: 2011 USDA NAIP


CCH--Environment Designations

- Shoreline Park/Public
- Shoreline Residential – SF
- Shoreline Residential – MF
- High Intensity

Chelan UGA


- Shoreline Park/Public
- Shoreline Residential – SF
- Shoreline Residential – MF
- High Intensity

- ~ Highways
- ~ Railroads
- Parcels
- City Boundaries
- UGA Boundaries
- WRIA Boundaries



Environment Designations

Chelan 05



November 29, 2012
Data: WA DNR, WA OFM,
Chelan County
Aerial: 2011 USDA NAIP

CCH--Environment Designations

- Shoreline Park/Public
- Shoreline Residential – SF
- Shoreline Residential – MF
- High Intensity

Chelan UGA

- Shoreline Park/Public
- Shoreline Residential – SF
- Shoreline Residential – MF
- High Intensity

~ Highways

- ~ Railroads
- Parcels
- City Boundaries
- UGA Boundaries
- WRIA Boundaries

This page left intentionally blank

**CRITICAL AREAS REGULATIONS IN SHORELINE JURISDICTION
CITY OF CHELAN**

Sections:

- 1.010 Legislative purpose.
- 1.020 Definitions.
- 1.030 General provisions.
- 1.040 Appeal from decisions.
- 1.050 Designation, classification, and protection.
- 1.060 Warning and disclaimer of liability.
- 1.070 Administration.
- 1.080 Civil penalties and enforcement.
- 1.090 Criminal penalties.
- 1.100 Critical areas review checklist.

1.010 Purpose.

The purpose of this chapter is to satisfy the requirements of the Shoreline Management Act for critical areas protection in shoreline jurisdiction as provided in WAC 173-26-221 to comply with the provisions of the Washington State Growth Management Act of 1990, Chapter 17, Chapter 36.70A RCW, as amended; to supplement the development requirements contained in the Chelan Municipal Code; and to establish special standards for the use and development of lands within the city's shoreline jurisdiction based on the existence of critical areas including critical aquifer recharge areas, fish and wildlife habitat conservation areas, frequently flooded areas, geologically hazardous areas, and wetlands. Those critical areas are of special concern to the city. The standards and procedures established in this chapter are intended to protect critical areas and the public health, safety, and welfare by preventing the adverse impacts of development listed in this section while accommodating the rights of property owners to reasonable use of their property. By regulating development and alterations to critical areas this chapter seeks to:

- A. Protect members of the public and public and private resources and facilities from injury, loss of life, property damage or financial losses due to flooding, erosion, landslide, seismic events or steep slope failure;
- B. Protect unique fragile and valuable elements of the environment, including ravines and wetlands;
- C. Mitigate unavoidable impacts to critical areas by regulating alterations in and adjacent to those areas;
- D. Provide city officials with the information and authority to protect critical areas and implement the policies of the State Environmental Policy Act, Chapter 43.21C RCW, the city of Chelan comprehensive plan, and the Growth Management Act of 1990.

City of Chelan Critical Areas Regulations

1.020 Definitions.

Words, terms and phrases used in these regulations are defined in Chapter 8, Definitions of this Shoreline Master Program and supplemented herein. Except where specifically defined in Chapter 8 of the SMP or the following section, all words used shall carry their customary meanings unless the context indicates otherwise:

“Administrator” means the planning director or his or her designee.

“Alteration” means any human-induced action that changes the existing condition of a critical area. Alterations include, but are not limited to: grading; filling; dredging; draining; channelizing; discharging pollutants except storm water; paving, construction, application of gravel; modifying for surface water management purposes; vegetation removal or any other human activity that changes the existing landforms, vegetation, hydrology, wildlife or wildlife habitat of a critical area.

“Best management practice” is a method, technique or product, or some combination thereof, that has been demonstrated to be the most effective and reliable in minimizing impacts.

“Buffer” means an area of land immediately adjacent to a critical area that is protected from development or alteration, and may be restored or enhanced, to help protect critical area functions and values. A buffer may afford limited public access and accommodate certain other specified uses.

“Building setback” means the required separation between the top of a ravine sidewall and the foundation of a building or structure, measured on a horizontal plane and perpendicular to the top of the ravine sidewall.

“Critical area study” means an evaluation of a specific development site performed by a qualified professional as a part of a permitting process in the city or its UGA.

“Critical areas” include: areas with a critical recharging effect on aquifers used for drinking water; fish and wildlife habitat conservation areas; frequently flooded areas; geologically hazardous areas; and wetlands.

“Critical areas review checklist” is a form provided by the city and completed by the applicant that provides an indication of the presence of critical areas and the critical area study information that will be required by the city.

“Development proposal” means any activity relating to the use and/or development of land requiring a permit or approval from the city, including but not limited to: commercial or residential building permit; grading or clearing permit; conditional use permit; planned development; shoreline substantial development permit; variance or conditional use permit; subdivision; short subdivision; variance; rezone; or any subsequently required permit or approval not expressly exempted by this chapter.

“Emergency” means an unanticipated event or occurrence that poses an imminent threat to public health, safety, welfare or the environment, and that requires immediate action within a time too short to allow full compliance with these regulations.

“Erosion hazard areas” are those areas that can result in hazards to public health and safety when the ground is disturbed.

- “Excavation and grading” is the mechanical removal of earth material, clearing of trees, brush, shrubs or grass, including any filling or leveling of surface contours.
- “Fish and wildlife habitat conservation areas” are areas reserved for management and maintenance of fish and wildlife habitats, as designated in this chapter.
- “Frequently flooded area” means any area of special flood hazard, as designated in these regulations.
- “Geologically hazardous area” means any area in the city or its UGA that, because of its susceptibility to erosion, sliding, earthquake, or other geological events, is not suited to the siting of commercial, residential, or industrial development consistent with public health or safety concerns.
- “Geotechnical assessment” means an assessment prepared by a qualified professional for geological hazards detailing the surface and subsurface conditions of a site and delineating the areas of a property subject to geologic hazards.
- “Geotechnical engineer” is a person with a Washington State license in civil engineering who has at least four years of professional employment as a geotechnical engineer with experience in landslide, erosion and seismic hazards identification and mitigation.
- “Geotechnical report” means a report prepared by a qualified professional for geological hazards that evaluates the site conditions and mitigating measures necessary to ensure that the risks associated with geologic hazards are eliminated on the site proposed to be altered.
- “Hydrogeologic evaluation” means a systematic study of geologic and ground water resources, focusing on near-surface geologic, ground water, and pollution sensitivity, for the purpose of determining any potential risk to human health, ground water quality, and the environment.
- “Intermittent stream” means a stream that flows for only part of the year, including streams that flow for only hours or days after significant rainfall or during snowmelt.
- “Landslide hazard areas” means areas potentially subject to landslides based on a combination of geologic, topographic and hydrologic factors. They include areas susceptible because of any combination of bedrock, soil, slope (gradient), aspect, structure, hydrology or other factors.
- “Mitigation” is an action involving avoidance, reduction or compensation for anticipated adverse impacts. The types of mitigation, from least to most intrusive, are listed in order of preference under the heading “Mitigation Sequencing” in Section 1.030(J)(2).
- “Monitoring” is the process of collecting and evaluating data to assess the biological, hydrological or geological performance of newly created, restored, rehabilitated and/or affected critical areas.
- “Potential critical area” means any area that, based on the reference materials and designations in this chapter, is reasonably likely to be a critical area.

City of Chelan Critical Areas Regulations

“Qualified professional” means a person with experience and training in the pertinent scientific discipline. A qualified professional must have obtained a B.S. or B.A. or equivalent degree and two years of related work experience.

- A qualified professional for fish and wildlife habitat conservation areas must have a degree in biology or a related academic field and professional experience with habitat management in the Inland Northwest.
- A qualified professional for wetlands must be a certified professional wetland scientist or a noncertified wetland scientist with a minimum of five years’ experience as a wetlands professional in the Inland Northwest, including delineating wetlands using the state or federal manuals, preparing wetlands reports, conducting functional assessments, and developing and implementing mitigation plans.
- A qualified professional for geological hazards must be a geologist or engineer licensed in the state of Washington, with experience evaluating the type of geologic hazard known or suspected to occur at the subject site.
- A qualified professional for aquifer recharge areas must be a geologist or engineer licensed in the state of Washington, with experience in preparing hydrogeologic evaluations.

“Ravine” means the steep-sided valley of a stream (whether perennial or intermittent) created by the wearing action of the stream and including the valley floor and sidewalls.

“Ravine sidewall area” means that portion of a ravine that abuts and rises from the valley floor. Ravine sidewalls contain slopes predominantly in excess of forty percent, although portions may be less than forty percent. The toe of a ravine sidewall is the stream valley floor. The top of a ravine sidewall is typically a distinct line where the slope abruptly levels out. Where there is no distinct break in slope, the top is where the slope diminishes to less than twenty percent. Minor natural or manmade breaks in the slope of ravine sidewalls shall not be considered as the top. Benches with slopes less than twenty percent and containing developed or developable areas shall be considered as the top.

“Regulated wetland” means a wetland designated in this chapter.

“Seismic hazard area” means any area subject to severe risk of damage as a result of earthquake-induced ground shaking, slope failure, settlement, soil liquefaction, or surface faulting.

“Slope,” when used as a noun, means an inclined ground surface, the inclination of which is expressed as a ratio (percentage) of vertical distance to horizontal distance by the following formula: $y_1 - y_2 / x_1 - x_2$, where y_1 and y_2 are points on the vertical axis and x_1 and x_2 are points on the horizontal axis.

“Steep slope area” means any area in the city or its UGA in which slopes measure thirty percent or greater over a vertical distance of at least ten feet. A slope is

delineated by establishing its toe and top and measured by averaging the inclination over at least ten feet of vertical distance.

“Streams” are surface water contained within a defined bed or channel, whether permanent or intermittent. This definition does not include ditches, canals, storm water runoff devices or other entirely artificial watercourses. A stream which has been altered to carry naturally occurring waters is a stream within this definition.

“Wetland(s)” or “wetland areas” means areas that are inundated or saturated by surface water or ground water at a frequency and duration sufficient to support (and that under normal circumstances do support) a prevalence of vegetation typically adapted for life in saturated soil conditions. Wetlands generally include swamps, marshes, bogs and similar areas. Wetlands do not include those artificial wetlands intentionally created from nonwetland sites, including, but not limited to, irrigation and drainage ditches, grass-lined swales, canals, detention facilities, wastewater treatment facilities, farm ponds and landscape amenities, or those wetlands created after July 1, 1990, that were unintentionally created as a result of the construction of a road, street, or highway. Wetlands may include those artificial wetlands intentionally created from nonwetland areas to mitigate the conversion of wetlands.

1.030 General provisions.

A. Applicability. All development or other alterations in or within two hundred and fifty feet of critical areas and located in shoreline jurisdiction, whether public or private, shall comply with the requirements and purposes of this chapter. Responsibility for the enforcement of the provisions of this chapter shall rest with the administrator.

1. For the purposes of this chapter, “development” includes proposals which require any of the following: commercial or residential building permit; grading or clearing permit; conditional use permit; planned development; shoreline substantial development permit; conditional use permit; subdivision; short subdivision; variance; rezone or any subsequently required permit or approval not expressly exempted by this chapter.

2. Alterations include, but are not limited to, construction or exterior alteration of a structure or structures, dredging, drilling, dumping, filling, removal of vegetation or natural resources, placing of obstructions, any project of a permanent nature or changes in the use of land or preparation for the change of use of land.

3. This chapter shall not alter the city’s responsibility for the enforcement of the State Environmental Policy Act or the International Building Code.

B. Reference Maps and Materials. The city shall maintain reference maps and materials that provide information on the general locations of critical areas and their functions and values. Since boundaries are generalized, the application of this chapter and the actual type, extent, and boundaries of critical areas shall be determined and governed by the designation and classification sections for each critical area. In the event of any conflict between the maps and the provisions of this chapter or the site-specific

City of Chelan Critical Areas Regulations

conditions, the provisions and/or site-specific conditions shall prevail. Reference materials shall include, but shall not be limited to, the following (or, where applicable, any subsequent or amended version):

1. City of Chelan generalized critical areas map.
 2. Wetlands map, based on the National Wetlands Inventory (NWI) maps.
 3. Washington State Wetlands Identification and Delineation Manual (Washington Department of Ecology Publication No. 96-94, or as amended).
 4. Washington State Wetlands Rating System for Eastern Washington (Department of Ecology Publication No. 4-06-15, or as amended).
 5. Wetlands in Washington State, Volumes 1 and 2 (Department of Ecology Publications No. 05-06-006 and No. 05-06-008, or as amended).
 6. Maps of the city of Chelan prepared by the Source Water Assessment Program of the Washington State Department of Health, Division of Environmental Health, Office of Drinking Water (SWAP).
 7. The Chelan County Soil Survey.
 8. City of Chelan land use map and records for identification of areas in which aquifer contamination potential is high.
 9. Fish and wildlife habitat maps, based on the Washington Department of Fish and Wildlife's current priority habitat and species data.
 10. City of Chelan open space map.
 11. Maps published by the U.S. Geological Survey or the Washington State Department of Natural Resources showing areas designated as quaternary slumps, earthflows, mud flows, lahars, or landslides.
 12. Seismic Design Category Map for Residential Construction in Washington, Sheet 2.
 13. The Flood Insurance Study for the City of Chelan, Washington, and the accompanying flood hazard boundary maps and flood insurance rate maps.
 14. City of Chelan flood hazard areas regulations.
 15. City of Chelan comprehensive plan.
 16. City of Chelan shoreline master program.
 17. Current applicable building codes.
 18. Any approved critical areas studies, hydrogeologic evaluations, channel migration zone studies, special studies, or detailed studies.
 19. Monitoring data.
- C. Critical Areas Review Process.
1. Reference Materials. The city shall maintain a generalized critical areas map and other reference materials, per subsection E of this section, which may be used to locate known and potential critical areas. The city shall make the reference materials available for reference in the city offices.
 2. Preliminary Evaluation. Submittal of a critical areas review checklist shall be required prior to any development or other alteration in or within two hundred and fifty feet of a known or potential critical area, whether or not a permit is required for such an alteration. The application for any development

proposal for which a permit is required shall include submittal of a checklist by the applicant and completion of the checklist by city staff. Each checklist shall indicate whether any critical area(s) is located on the site. Said checklist shall be provided by the city. The first page shall be completed by the applicant and shall provide the administrator with the information necessary for the preliminary evaluation of the proposed alteration.

3. On receipt of a critical areas review checklist, the administrator shall conduct a preliminary evaluation, which shall include visiting the site and reviewing the following information:

- a. Any pertinent information provided by the applicant;
- b. The city's generalized critical areas map and other relevant reference materials; and
- c. Any other pertinent information including but not limited to the information on the critical areas review checklist and (when required) a SEPA checklist.

Based on the preliminary evaluation, the administrator shall determine whether or not sufficient information is available to evaluate the proposal.

4. If the administrator determines that the information presented is not sufficient to adequately evaluate the impact on critical areas of a proposed alteration, he or she shall notify the applicant that a critical area study is required. In the event that multiple critical areas occur on a given site, each critical area shall be addressed independently and all critical areas shall be addressed collectively for the purpose of determining development standards and appropriate mitigating measures.

5. In the case of landslide or erosion hazard areas, should the applicant question the presence of such areas on the site, the applicant may submit a geotechnical assessment prepared by a qualified professional for geological hazards. If the geotechnical assessment demonstrates, to the satisfaction of the administrator, that the proposed site is not located in any landslide or erosion hazard area, then the requirements of this chapter shall not apply. The geotechnical assessment shall include at a minimum the following:

- a. A discussion of the surface and subsurface geologic conditions of the site;
- b. A site plan of the area delineating all areas of the site subject to landslide and erosion hazards based on mapping and criteria referenced in this section. A map meeting the criteria set forth for a geotechnical report shall be included.

D. Vegetation Removal.

1. Critical areas review is required prior to removal of any vegetation, including nonnative vegetation, from a critical area or its buffer, whether or not development is proposed or a development permit is being sought. This provision applies to noxious weeds and invasive plant species, with the exception of hand removal or spot-spraying. If the administrator determines,

based on a preliminary evaluation, that a critical area study is required, such removal of vegetation shall be incorporated in a mitigation plan designed to prevent erosion and facilitate establishment of a stable community of native plants. In all cases, including spot-spraying of noxious weeds and invasive plant species, any herbicide use must conform to all applicable laws, including labeling laws.

2. Unauthorized Vegetation Removal. Vegetation removal conducted without the appropriate review and approvals shall be mitigated in conformance with an approved mitigation plan meeting the standards of this chapter.

E. Critical Area Study. If the administrator determines that the site of a proposed development includes, is likely to include, or is adjacent to one or more critical areas, a critical area study may be required. When required, the expense of preparing the critical area study shall be borne by the applicant. The content, format and extent of the critical area study shall be approved by the administrator.

1. The requirement for a critical area study may be waived by the administrator if there is substantial evidence that:

- a. There will be no alteration of the critical area(s) and/or the required buffer(s); and
- b. The proposal will not impact the critical area(s) in a manner contrary to the purpose, intent and requirements of this chapter and the city's comprehensive plan; and
- c. The minimum standards of this chapter will be met.

2. Every critical area study shall be completed by a qualified professional who is knowledgeable about the specific critical area(s) in question, and approved by the administrator.

3. At a minimum, a required critical area study shall contain the following information:

- a. Applicant's name and contact information; permits being sought; and description of the proposal;
- b. A copy of the site plan for the alteration proposal, drawn to scale and showing:
 - i. Identified critical areas, buffers, and the proposed alteration with dimensions;
 - ii. Limits of any areas to be cleared; and
 - iii. A description of the proposed stormwater management plan for the development and consideration of impacts to drainage alterations;
- c. The names and qualifications of the persons preparing the report and documentation of any fieldwork performed on the site;
- d. Identification and characterization of all critical areas within, or within two hundred and fifty feet of, the project area or within any proposed buffer;

- e. An assessment of the probable cumulative impacts to critical areas resulting from the proposed development of the site;
- f. An analysis of site development alternatives;
- g. A description of reasonable efforts made to apply mitigation sequencing, as defined in these regulations, to avoid, minimize, and otherwise mitigate impacts to critical areas;
- h. A mitigation plan as set forth in subsection (G)(3) of this section;
- i. A discussion of the performance standards proposed to ensure that ecological functions of critical areas are protected and health and safety hazards associated with critical areas are precluded;
- j. Financial guarantees proposed to ensure compliance with mitigation plan and performance standards; and
- k. Any additional information required for specific critical areas as listed in subsequent sections of these regulations.

5. The administrator may request any other information reasonably deemed necessary to understand impacts to critical areas.

F. Development Standards. Upon review of the critical area study, the administrator may require compliance with all or part of the development standards listed in this chapter. At a minimum, the administrator shall require that development mitigate any impacts that degrade the functions and values of critical areas in accordance with the mitigation provisions in subsection J of this section.

G. Mitigation Requirements.

1. The applicant shall avoid all impacts that degrade the functions and values of critical areas. If alteration is unavoidable, all adverse impacts to critical areas and buffers resulting from the proposal shall be mitigated in accordance with an approved critical areas report and SEPA documents. The location of the mitigation site shall be consistent with the most current, accurate, and complete scientific and technical information available and may be on site or off site.

2. Mitigation Sequencing. Applicants shall use the least intrusive type of mitigation feasible, and shall demonstrate that less intrusive types of mitigation have been evaluated. The types of mitigation, from least to most intrusive, are:

- a. Avoiding the impact altogether by not taking a certain action or parts of an action;
- b. Minimizing impacts by limiting the degree or magnitude of the action and its implementation, by using appropriate technology, or by taking affirmative steps (such as project redesign, relocation, or timing) to avoid or reduce impacts;
- c. In the case of frequently flooded areas and geologically hazardous areas, minimizing or eliminating the hazard by restoring or stabilizing the hazard area through engineered methods or other methods designed by a qualified design professional;

d. Rectifying the impact by repairing, rehabilitating, or restoring the affected environment to historic conditions or the conditions existing at the time the project was initiated;

e. Reducing or eliminating the impact or hazard over time by preservation and maintenance operations during the life of the action;

f. In the case of critical aquifer recharge areas, frequently flooded areas, fish and wildlife habitat conservation areas, and wetlands, compensating for the impact by replacing, enhancing, or providing substitute resources or environments; and

g. Monitoring the impact using a planned evaluation process and taking appropriate corrective measures.

3. Mitigation Plan. When mitigation is required, the applicant shall submit for approval a mitigation plan as part of the critical area study. Mitigation plans shall be prepared by a qualified professional and shall be consistent with the relevant impacts indicated during mitigation sequencing. Mitigation measures specified in the mitigation plan shall be maintained over the life of the use and/or development. Approval of a mitigation plan shall be a Type IB procedure, subject to Title 19. The mitigation plan shall include a written report identifying:

a. Mitigation objectives, including:

i. A description of the anticipated impacts to ecological functions, critical areas and their buffers; the type or types of mitigation proposed and how it will result in no net loss of ecological functions at the site scale, and the purposes of the measures proposed, including site selection criteria; identification of compensation objectives; identification of critical area functions and values; and dates for beginning and completion of any on-site mitigation activities;

ii. The impacts of any proposed alteration of a critical area or buffer, including proposed mitigation activities, on the development site, other properties and the environment;

iii. A review of the most current, accurate, and complete scientific and technical information available supporting the proposed mitigation and a description of the report author's experience to date in critical areas mitigation; and

iv. An analysis of the likelihood of success of the proposed mitigation.

b. Measurable criteria for evaluating whether or not the objectives of the mitigation plan have been successfully attained and whether or not the requirements of these regulations have been met. For any vegetation components of mitigation, mitigation plans shall include a performance standard of 100 percent survival for the first year of growth post

installation, with no less than 80 percent survival at the end of the third year and fifth year.

c. Descriptions and specifications for any on-the-ground mitigation activities, including, but not limited to:

- i. Proposed construction sequence, timing, and duration;
- ii. Grading and excavation details;
- iii. Erosion and sediment control measures;
- iv. A planting plan specifying plant species, quantities, locations, sizes, and spacing; and
- v. Measures to protect and maintain plants until established.

d. Where on-the-ground mitigation activities are proposed, construction and post-construction monitoring programs.

i. The purpose of the construction monitoring program is to monitor adherence to the mitigation specifications and any other requirements of these regulations.

ii. The purpose of the post-construction monitoring program is to determine whether mitigation objectives are being achieved and, if not, prescribe corrective measures. The program shall include a schedule for monitoring the project over a period adequate to establish that mitigation objectives have been met, generally at least five years from completion of the mitigation project, and shall describe the methods to be used in monitoring.

e. A list of potential corrective measures to be taken if monitoring or evaluation indicates project objectives are not being achieved.

4. Monitoring and Reporting. The mitigation project shall include a five-year monitoring plan, or other monitoring timeframe specified by local, state or federal permitting agencies, and scaled drawings of existing and proposed conditions. A monitoring report shall be submitted by the project proponent to the administrator according to the schedule specified in the mitigation plan, to document monitoring outcomes and any contingency actions. Monitoring reports associated with single-family residential development may be prepared by the property owner or applicant at the end of years 1, 3 and 5, provided that the report fully addresses the performance standards and any other maintenance requirements prescribed by the mitigation plan, and provides as-built plans and comprehensive photo documentation. The City has the right to request that property owners and applicants hire a qualified professional to prepare the report if it is not adequate.

H. Surety/Bonding. If a development proposal is subject to mitigation, maintenance, or monitoring plans, the city may require an assurance device or surety, in a form acceptable to the city attorney.

1.040 Appeal from decisions.

A. The administrator's decision to approve, condition or deny a proposed alteration based on this chapter, unless otherwise specifically provided by ordinance, may be appealed to the city hearing examiner. Any appeal shall be in writing and submitted within ten days of the date of the city's decision. The provisions of Chelan Municipal Code Chapter 19.06 and Chapter 7.13 of this Shoreline Master Program shall govern the appeal procedure.

B. Any decision of the hearing examiner regarding a decision of the administrator, unless otherwise specifically provided by ordinance, shall be final. There shall be no further appeal to any other municipal board, officer, or the legislative authority of the city. Unless otherwise specifically provided by ordinance, any board decision shall be reviewable for unlawful, arbitrary, capricious or corrupt action or nonaction by writ of review before the Chelan County superior court; provided, that the application for writ of review shall be made to the court within ten days from any decision so to be reviewed. The costs of transcription of all records ordered certified by the court for such review shall be borne by the applicant at the rate prescribed by the administrator of this title. Such costs shall not exceed the amount necessary to reimburse the city for its expenses actually incurred.

1.050 Designation, classification, and protection.

A. Wetlands.

1. Designation. Wetlands in Chelan shall be designated according to the definition of wetlands in RCW 36.70A.030(21). Wetlands meeting the criteria of that definition shall be subject to these critical areas regulations.

2. Classification. Wetlands shall be classified according to the *Washington State Wetlands Rating System for Eastern Washington* (Department of Ecology Publication No. 14-06-30, or as amended). Wetland rating categories shall be applied as the regulated wetland exists on the date of the adoption or revision of the rating system by the Department of Ecology. As of the date of this writing, the rating system includes the following four categories:

a. Category I. Generally, such wetlands are not common and make up a small percentage of the wetlands in Eastern Washington. Category I wetlands include alkali wetlands, bogs and calcareous fens, wetlands with high conservation value that are identified by scientists of the Natural Heritage Program/DNR, mature and old-growth forested wetlands over ¼ acre with slow-growing trees, forested wetlands with stands of aspen, and wetlands that perform many functions well, as measured by the rating system (scores between 22-27 points). Category I wetlands are those that:

- i. Represent a unique or rare wetland type;
- ii. Are more sensitive to disturbance than most wetlands;
- iii. Are relatively undisturbed and contain ecological attributes that are impossible to replace within a human lifetime; or

iv. Provide a high level of functions.

b. Category II. Such wetlands are difficult, though not impossible, to replace. They provide high levels of some functions. Category II wetlands occur more commonly than Category I wetlands, but still need a high level of protection. Category II wetlands are:

- i. Forested wetlands in the channel migration zone of rivers;
- ii. Mature and old-growth forested wetlands over ¼ acre containing fast-growing trees;
- iii. Vernal pools; or
- iv. Those wetlands that perform functions well, as measured by the rating system (scores between 19-21 points).

c. Category III. Such wetlands have generally been disturbed in some manner, and are often less diverse and/or more isolated in the landscape than Category II wetlands. They may not require as much protection as Category I and II wetlands. Category III wetlands are wetlands with a moderate level of functions, as measured by the rating system (scores between 16-18 points).

d. Category IV. Category IV wetlands have the lowest levels of functions, as measured by the rating system (scores fewer than 16 points), and are often heavily disturbed. These are wetlands that we should be able to replace, and in some cases improve. These wetlands do provide some important functions, and should be afforded some degree of protection.

3. Critical Areas Review.

a. Preliminary Evaluation.

i. A preliminary evaluation shall evaluate known or potential wetlands on or within three hundred feet of the site of a proposed alteration.

ii. At a minimum, the National Wetlands Inventory (NWI) maps, the city's generalized critical areas map, and any critical areas study that identifies wetlands in the vicinity of a development site shall be used in completing a critical areas checklist and in the city's review for the purpose of determining whether a critical areas study will be required.

b. Identification and Delineation. Wetlands in shoreline jurisdiction shall be delineated using the procedure outlined in the approved federal wetland delineation manual and applicable regional supplements. c. In addition to the general requirements for critical area studies, the required critical area study for any wetland shall include the following:

- i. An overview of the methodology used to conduct the study;
- ii. As part of the identification and characterization, a written assessment and accompanying maps of the wetlands and buffers

within three hundred feet of the project area, including the following information at a minimum:

- (A) Wetland delineation and required buffers;
- (B) Existing wetland acreage;
- (C) Wetland category;
- (D) Vegetative, faunal, and hydrologic characteristics;
- (E) Soil and substrate conditions;
- (F) Topographic elevations, at two-foot contours; and
- (G) A discussion of the water sources supplying the wetland and documentation of hydrologic regime (locations of inlet and outlet features, water depths throughout the wetland, evidence of recharge or discharge, evidence of water depths throughout the year such as algal layers and sediment deposits).

iii. As part of the mitigation plan, a habitat and native vegetation conservation strategy that addresses methods to protect and enhance on-site habitat and wetland functions, including the following information at a minimum:

- (A) Any proposed changes in wetland acreage;
- (B) Any proposed changes in vegetation and fauna;
- (C) Any proposed changes in surface and subsurface hydrologic conditions including an analysis of existing and future hydrologic regime, and proposed hydrologic regime for enhanced, created, or restored mitigation areas;
- (D) Location of mitigation site or sites in the watershed and relationship to existing water bodies and to associated wetlands and related wetlands that may be greater than three hundred feet from the project site;
- (E) Any proposed changes in soil and substrate conditions and topographic elevations;
- (F) Existing and proposed adjacent site conditions;
- (G) Required wetland buffers (including any buffer reduction and mitigation proposed to increase the plant densities, remove weedy vegetation, and replant the buffers); and
- (H) Ownership of mitigation site or sites.

d. An applicant should be aware that Section 404 of the Federal Clean Water Act and other federal and state statutes may apply.

e. The information provided by the study will augment the database for the Chelan area maintained by the city.

4. Development Standards.

a. General. No land surface modifications or alteration may take place and no improvement may be located in a regulated wetland except as specifically provided in this section.

b. Mitigation.

i. If alteration of a regulated wetland is unavoidable, mitigation shall be adequate to ensure no net loss of wetland area and functions including lost time when the wetland does not perform the function.

ii. Wetland mitigation ratios shall be consistent with the table below.

Category and Type of Wetland	Creation or Re-establishment	Rehabilitation	Enhancement
Category I: Bog, Natural Heritage site	Not considered possible	Case by case	Case by case
Category I: Mature Forested	6:1	12:1	24:1
Category I: Based on functions	4:1	8:1	16:1
Category II	3:1	6:1	12:1
Category III	2:1	4:1	8:1
Category IV	1.5:1	3:1	6:1

iii. Compensatory mitigation for alterations to wetlands shall be used only for impacts that cannot be avoided or minimized and shall achieve equivalent or greater biologic functions.

Compensatory mitigation plans shall be consistent with Wetland Mitigation in Washington State – Part 2: Developing Mitigation Plans--Version 1, (Ecology Publication #06-06-011b, Olympia, WA, March 2006 or as revised), and Selecting Wetland Mitigation Sites Using a Watershed Approach (Eastern Washington) (Publication #10-06-07, November 2010).

iv. To more fully protect functions and values, and as an alternative to the mitigation ratios above, the administrator may allow mitigation based on the “credit/debit” method developed by the Department of Ecology in “Calculating Credits and Debits for Compensatory Mitigation in Wetlands of Eastern Washington: Final Report” (Ecology Publication #11-06-015, August 2012, or as revised).

v. Impacts to wetland buffers shall be mitigated at a 1:1 ratio. Compensatory buffer mitigation shall replace those buffer functions lost from development.

vi. The requirements of this section are in addition to the provisions of Section 1.030(G).

City of Chelan Critical Areas Regulations

c. Essential Public Facility or Utility. The administrator may permit the placement of an essential public facility or utility in a regulated wetland. The administrator must determine that the public improvement must traverse a regulated wetland because no feasible alternative location exists. Compliance with all provisions of this chapter, including mitigation requirements, shall be required.

d. Buffer Widths. Buffers shall be established adjacent to and outside of all regulated wetlands. The following standard buffer widths shall be applied based on wetland category and habitat scoring unless a critical area study establishes, based on intensity of impacts, wetlands functions, or special characteristics as described in Appendix 8-D of *Wetlands in Washington State, Volume 2: Managing and Protecting Wetlands* (Department of Ecology Publication No. 05-06-008, or as amended), that a greater or lesser buffer width would serve to protect the functions and values of a particular wetland:

Wetland Category	Standard Buffer Width	Additional buffer width if wetland scores 3-4 habitat points	Additional buffer width if wetland scores 5-7 habitat points	Additional buffer width if wetland scores 8-9 habitat points
Category I: Based on total score	75 ft	Add 15 ft	Add 45 ft	Add 75 ft
Category I: Forested	75 ft	Add 15 ft	Add 45 ft	Add 75 ft
Category I: Natural Heritage Wetlands	190 ft	N/A	NA	NA
Category II: Based on total score	75 ft	Add 15 ft	Add 45 ft	Add 75 ft
Category II: Forested	75 ft	Add 15 ft	Add 45 ft	Add 75 ft
Category III (all)	60 ft	Add 30 ft	Add 60 ft	NA
Category IV (all)	40 ft	NA	NA	NA

The standard buffer widths assume that the buffer is vegetated with a native plant community appropriate for the ecoregion. If the buffer is unvegetated, sparsely vegetated, or vegetated with invasive species that do not perform needed functions, the buffer should either be planted to create the appropriate plant community or the buffer should be widened to ensure that adequate functions of the buffer are provided.

e. Buffer Width Reduction with Enhancement. Buffers may be reduced by a maximum of twenty-five percent provided:

i. The critical area study demonstrates that the reduction will not:

- (A) Adversely affect water quality;
- (B) Destroy, damage, or disrupt a significant fish or wildlife habitat area, including scenic vistas;
- (C) Adversely affect drainage and/or storm water retention capabilities;
- (D) Lead to unstable earth conditions or create erosion hazards; and
- (E) Be materially detrimental to any other property in the area of the subject property or the city as a whole.

ii. The remaining buffer is enhanced with vegetation to a condition that is comparable to a comparable undisturbed plant community in the ecoregion. Enhanced buffers shall be monitored and maintained to the same standard as on-the-ground mitigation.

f. **Buffer Width Reduction at Road Crossing.** The required buffer may be administratively modified where a legally established road crosses a wetland buffer. The administrator may approve a modification of the minimum required buffer width to the waterward edge of the improved road if a study submitted by the applicant and prepared by a qualified professional demonstrates that the part of the buffer on the upland side of the road sought to be reduced:

- i. does not provide additional protection of the wetland; and
- ii. provides insignificant biological, geological or hydrological functions relating to the waterward portion of the buffer adjacent to the wetland.

g. Wetlands and wetland buffers shall be retained in their natural condition, with the following exceptions:

i. The following activities may occur in wetlands or wetland buffers:

- (A) Education, scientific research, and low impact recreation facilities, including unpaved walkways or trails and associated facilities (e.g., benches, trash receptacles, interpretive signs) located in the outer twenty-five percent of the buffer area; wildlife viewing structures; and fishing access areas without vehicle access; provided they are designed and approved as part of an overall site development plan;
- (B) Selective pruning of trees for safety or view protection is allowed in wetland buffers. Where trees pose a significant safety hazard, they may be removed from wetland buffers. All other tree removal in wetland buffers

shall be minimized through site design, and mitigated when the loss of a tree or trees results in loss of ecological function;

(C) Existing and ongoing agricultural activities (provided no expansion into undisturbed wetland areas occurs);

(D) Maintenance of existing facilities, structures, ditches, roads and utility systems; and

(E) Site investigative work necessary for land use application submittals such as surveys, soil logs, percolation tests and other related activities. In every case, critical area impacts shall be minimized and disturbed areas shall be immediately restored;

(F) Artificial wetland construction approved as part of an overall site development plan or restoration or enhancement plan.

ii. Where wetland or wetland buffer disturbance is unavoidable during adjacent construction, restoration and revegetation with native plant materials in accordance with an approved mitigation plan will be required.

B. Critical Aquifer Recharge Areas.

1. Designation. To date there has been no site-specific delineation of critical aquifer recharge areas (CARAs) for the city or its UGA, although general maps have been prepared by the Source Water Assessment Program of the Washington State Department of Health, Division of Environmental Health, Office of Drinking Water (SWAP).

a. Until CARAs have been delineated (based on site-specific modeling), the city of Chelan designates the following lands within the city and its urban growth area as potential CARAs:

i. Areas of hydrologic susceptibility, including waterbodies, surface water intake protection areas, and wellhead protection areas shown on the map prepared for Chelan County by the SWAP; wetland areas shown on the National Wetlands Inventory (NWI) map or on the city's generalized sensitive areas map; areas in which soils show permeability ratings of more than twenty inches per hour as shown in the Chelan County Soil Survey; and any other lands that have been specifically identified as critical aquifer recharge areas based on reliable scientific data; and

ii. Areas in which contamination potential is high, including landfills; agricultural activities that do not incorporate best management practices; industrial facilities with heavy chemical use; underground storage tanks; aboveground storage tanks; commercial facilities that use solvents; or electroplating facilities.

- b. Once CARAs have been delineated, the areas identified by the delineation shall be designated as CARAs.
- 2. Classification. Critical aquifer recharge areas shall be classified as follows:
 - a. Critical potential: Water bodies, surface water intake protection areas, and wellhead protection areas.
 - b. High potential: Wetlands, areas in which soils show permeability ratings of more than twenty inches per hour, areas in which contamination potential is high, and any other lands that have been specifically identified as critical recharge areas based on reliable scientific data.
- 3. Critical Area Review.
 - a. Preliminary Evaluation. In determining whether or not sufficient information is available to evaluate a proposal, the administrator shall, at a minimum, consider the map of water bodies, surface water intake protection areas, and wellhead protection areas prepared for Chelan County by the SWAP; the city's wetlands and generalized sensitive areas maps; and the Chelan County Soil Survey, as well as considering the critical areas checklist and conducting a preliminary evaluation. A critical area study shall be required whenever the administrator determines that the information available is not sufficient to evaluate the proposal.
 - b. Identification. All development in or within two hundred and fifty feet of any known or potential CARA, including all areas of hydrologic susceptibility and high contamination potential listed above, shall be subject to these critical areas regulations, including the critical areas review process and the requirement to complete a critical areas review checklist.
 - c. Critical Area Study. An applicant may request that the city declassify or reclassify a specific area designated as a CARA. The application must be supported by a critical area study that includes a hydrogeologic evaluation. The application to declassify or reclassify an area shall be reviewed by the administrator and a determination made regarding amendment of the map. The hydrogeologic evaluation shall include, at a minimum:
 - i. Soil texture, permeability and attenuation properties including geologic setting, occurrence and movement of ground water;
 - ii. Characteristics of the vadose zone (the unsaturated top layer of soil and geologic material) including permeability and attenuation properties;
 - iii. Depth to ground water and/or impermeable soil layer;
 - iv. Aquifer properties such as hydraulic conductivity and gradients, attenuation of contaminants;
 - v. Quantities of ground water and other relevant factors; and

- vi. Potential for contamination of ground water due to the proposed action.
- 4. Development Standards. The following standards apply in all CARAs:
 - a. If the critical area study or hydrogeologic evaluation identifies significant potential impacts to CARAs, the project applicant will be required to fully document those impacts and provide a discussion of alternatives by which the impacts could be avoided or prevented.
 - b. The applicant shall provide a detailed mitigation plan for any unavoidable potential impacts. The city may require that the mitigation plan include process control and remediation as appropriate. Best management practices shall be employed to avoid introducing pollutants into the aquifer.
 - c. All developments in CARAs shall be evaluated for potential to contaminate ground water resources and lake water quality. If the administrator determines that a high potential for contamination exists, he or she may require that further surface water quality controls be installed for a development prior to discharge from a site. Those controls may include wetponds, water quality swales, filtration or sedimentation ponds or other water quality measures designed to protect aquifer and lake water quality.
 - d. The following uses are prohibited in all CARAs:
 - i. Mining of any type below the water table;
 - ii. Processing, storage, and disposal of radioactive substances;
 - iii. Hydrocarbon extraction;
 - iv. Commercial wood treatment facilities on permeable surfaces;
 - v. Wrecking yards;
 - vi. Landfills for hazardous waste, municipal solid waste, or special waste; and
 - vii. On-site septic systems on lots smaller than one acre without a treatment system that results in effluent nitrate-nitrogen concentrations below ten milligrams per liter.
 - e. In addition, the following uses are prohibited in areas of critical potential:
 - i. Hazardous liquid transmission pipelines;
 - ii. Sand, gravel, and hard rock mining on land that is not zoned for mining as of the effective date of the ordinance codified in this chapter;
 - iii. Golf courses; and
 - iv. Cemeteries.
 - f. Every alteration involving hazardous substance processing or handling that is located in or within two hundred and fifty feet of a CARA shall provide containment devices adequate in size to contain on

site any unauthorized release of hazardous substances from any area where those substances are stored, handled, treated, used, or produced. Containment devices shall prevent such substances from penetrating into the ground. This provision also applies to releases that may mix with storm runoff.

g. Every alteration involving hazardous substance processing or handling which is located in or within two hundred and fifty feet of a CARA shall prepare a plan containing procedures to be followed to prevent, control, collect, and dispose of any unauthorized release of a hazardous substance.

h. Storage Tanks.

i. All storage tanks proposed for location in or within two hundred and fifty feet of a CARA must comply with local building code requirements and must conform to the 2003 International Fire Code requirements for secondary containment.

ii. Underground Tanks. All new underground tanks located in or within two hundred and fifty feet of a CARA shall be designed and constructed so as to:

(A) Prevent releases due to corrosion or structural failure for the operational life of the tank;

(B) Be protected against corrosion, constructed of noncorrosive material, steel clad with a noncorrosive material, or designed to include a secondary containment system to prevent the release or threatened release of any stored substance; and

(C) Use material in the construction or lining of the tank that is compatible with the substance to be stored.

iii. Aboveground Tanks. New aboveground storage tanks located in or within two hundred and fifty feet of a CARA must be installed, used and maintained so as to prevent the release of any hazardous substance to the ground, ground waters, or surface water.

i. Agriculture. New agricultural activities in or within two hundred and fifty feet of a CARA shall use best management practices to prevent ground quality degradation from livestock waste. Existing agricultural activities in or within two hundred and fifty feet of a CARA shall be encouraged to use best management practices to prevent ground quality degradation from livestock waste.

j. Sewage Disposal. All residential, commercial or industrial alterations located in or within two hundred and fifty feet of a CARA and within one hundred and fifty feet of a public sewer system shall be connected to the sewer system.

City of Chelan Critical Areas Regulations

k. Golf Courses. Golf course operations proposed in or within two hundred and fifty feet of a CARA shall be subject to a golf course maintenance plan using best management practices to protect ground water quality. The plan shall detail the proposed use of fertilizers, herbicides, pesticides, fungicides, or other maintenance agents, with projected application methods and schedules and measures to prevent pollution of ground water.

l. Commercial Vehicle Repair and Servicing. New commercial vehicle repair and servicing in or within two hundred and fifty feet of a CARA must be conducted over impermeable pads and within a covered structure capable of withstanding normally expected weather conditions. Chemicals used in the process of vehicle repair and servicing must be stored in a manner that protects them from weather and provides containment should leaks occur. No dry wells shall be allowed in CARAs on sites used for vehicle repair and servicing. Dry wells existing on the site prior to facility development must be abandoned using techniques approved by the Washington State Department of Ecology prior to commencement of the proposed activity. Existing commercial vehicle repair and servicing facilities shall be encouraged to comply with the provisions of this subsection.

m. The uses listed in the table below shall be conditioned in accordance with the applicable state and federal regulations as necessary to protect critical aquifer recharge areas:

Statutes, Regulations, and Guidance Pertaining to Groundwater-Impacting Activities	
Activity	Statute-Regulation-Guidance
Aboveground Storage Tanks	WAC 173-303-640
Animal Feedlots	Chapters 173-216 and 173-220 WAC
Automobile Washers	Chapter 173-216 WAC, Best Management Practices for Vehicle and Equipment Discharges (WDOE WQ-R-95-56)
Chemical Treatment Storage and Disposal Facilities	WAC 173-303-182
Hazardous Waste Generator (Boat Repair Shops, Biological Research Facility, Dry Cleaners, Furniture Stripping, Motor Vehicle Service Garages, Photographic Processing, Printing and Publishing Shops, etc.)	Chapter 173-303 WAC
Injection Wells	Federal 40 CFR Parts 144 and 146, Chapter 173-218 WAC
Junk Yards and Salvage Yards	Chapter 173-304 WAC, Best Management Practices to Prevent Stormwater Pollution at Vehicles Recycler Facilities (WDOE 94-146)

Statutes, Regulations, and Guidance Pertaining to Groundwater-Impacting Activities	
Activity	Statute-Regulation-Guidance
Oil and Gas Drilling	WAC 332-12-450, Chapter 173-218 WAC
On-Site Sewage Systems (Large Scale)	Chapter 173-240 WAC
On-Site Sewage Systems (< 14,500 gal/day)	Chapter 246-272 WAC, Local Health Ordinances
Pesticide Storage and Use	Chapters 15.54 and 17.21 RCW
Sawmills	Chapters 173-303 and 173-304 WAC, Best Management Practices to Prevent Stormwater Pollution at Log Yards (WDOE 95-53)
Solid Waste Handling and Recycling Facilities	Chapter 173-304 WAC
Surface Mining	WAC 332-18-015
Underground Storage Tanks	Chapter 173-360 WAC
Waste Water Application to Land Surface	Chapters 173-200 and 173-216 WAC, WDOE Land Application Guidelines, Best Management Practices for Irrigated Agriculture

C. Fish and Wildlife Habitat Conservation Areas.

1. Designation. The city of Chelan designates the following lands within the city and its urban growth area as fish and wildlife habitat conservation areas:
 - a. All priority habitat and species areas shown on the Washington Department of Fish and Wildlife's (WDFW) priority habitat and species maps, as amended;
 - b. All areas shown as wildlife habitat on the city's generalized critical areas map; and
 - c. All riparian and wildlife corridors shown on the city's open space map.
2. Classification. The city shall use the following two general classifications of fish and wildlife habitat conservation areas:
 - a. Priority Habitat and Species Areas. All priority habitat and species areas shown on the WDFW priority habitat and species maps (as amended) shall be classified as priority habitat and species areas.
 - b. Fish and Wildlife Habitat Conservation Areas of Local Importance. Designated fish and wildlife habitat conservation areas not shown on the WDFW priority habitat and species maps (i.e., any areas shown as wildlife habitat on the city's generalized critical areas map and any riparian and wildlife corridors shown on the city's open space map that are not priority habitat and species areas) shall be classified as fish and wildlife habitat conservation areas of local importance.
3. Critical Area Review.
 - a. Identification and Preliminary Evaluation.

i. At a minimum, the city's generalized critical areas map, the city's open space map, the PHS maps, and any critical areas study that identifies fish and wildlife habitat conservation areas in the vicinity of a development site shall be used to determine whether critical area review will be required for a proposed alteration, in completing a critical areas checklist, and in the city's review for the purpose of determining whether a critical areas study will be required. Specific critical area review under this Appendix B would not be required for projects in Lake Chelan, the Chelan River, and their respective setbacks, which are specifically protected and managed by the SMP to ensure no net loss of functions, unless the City's preliminary evaluation concludes that a discrete critical area is located within those waterbodies or their setbacks.

ii. Because species populations and habitat systems are dynamic, agency consultation shall be required where activities are proposed within two hundred and fifty feet of a designated fish and wildlife habitat conservation area. The administrator shall consult with the WDFW and the U.S. Fish and Wildlife Service to determine the value of the site to federal or state identified endangered, threatened, sensitive, or candidate species; animal aggregations considered vulnerable by the WDFW; and those species of recreational, commercial, or tribal importance that are considered vulnerable by the WDFW. The administrator shall also consult with the WDFW to determine whether the proposed action may affect priority habitat.

iii. In reviewing proposed alterations, the city shall consider the fish and wildlife habitat conservation areas classification in establishing buffer widths, mitigation requirements, and permit conditions. Any decision regarding establishment of buffers, buffer widths, access restrictions, vegetation conservation and restoration requirements, mitigation requirements, or permit conditions outside of shoreline areas subject to the Shoreline Management Act shall be a Type IB procedure subject to Title 19. Lake Chelan and the Chelan River are shorelines subject to the Shoreline Management Act, and setbacks have been assigned in the Section 4.4.3 of this SMP.

b. Critical Area Study. In addition to the general requirements for critical area studies, the required critical area study for any fish and wildlife habitat conservation areas shall include the following:

i. An evaluation of the presence or absence of regulated species. Consultation with the Washington State Department of Fish and Wildlife and review of the priority habitats and species

map for the development site and the area within two hundred and fifty feet of the site shall be required in developing the evaluation.

ii. A description of the nature and extent of the association of regulated species with the habitat conservation area and any critical ecological processes (such as feeding, breeding, resting, nesting and dispersal) occurring within the study area.

iii. A description of regulated species habitat requirements, seasonal range dynamics and movement corridor requirements, and relative tolerance of human activities and the cumulative effects of the previous development or future development in the region.

iv. An analysis of habitat quality, based on relative species diversity and species richness, in the study area.

v. An evaluation of the proposed alteration for its influence on the above wildlife factors and on the measures that are recommended to mitigate the potential degradation of animal and plant populations, reproduction rates, and overall habitat quality over the long term.

vi. Mitigation and management recommendations, including the width of any buffer required to protect habitat and species and any requirements for restoration of the buffer. Any relevant WDFW priority habitat and species management recommendations shall be consulted in developing the mitigation and management recommendations and identifying habitat and species protection measures.

c. The information provided by a critical area study will augment the database for the Chelan area maintained by the city.

4. Development Standards. In addition to the general provisions of this Shoreline Master Program, this chapter, and the requirements of the underlying zone, the following minimum standards shall apply to development activities within and adjacent to the specified fish and wildlife habitat conservation areas.

a. The proposed alteration shall be evaluated for its influence on regulated fish and wildlife habitat and species and for its ability to mitigate the potential degradation of animal and plant populations, reproduction rates, and overall habitat quality over the long term.

b. The following standards shall apply in all fish and wildlife habitat conservation areas:

i. All projects shall comply with the applicable federal, state and local regulations regarding protection of species and habitats identified upon a site.

ii. The administrator shall require the establishment of a buffer for all fish and wildlife habitat conservation areas inside and

outside of shoreline jurisdiction except for Lake Chelan and the Chelan River when, based on a critical area study, such a buffer is needed to protect functions and values. Such buffers shall remain undisturbed or, where native vegetation has already been disturbed, shall be restored. Buffer widths shall reflect the classification and sensitivity of the habitat and the intensity of activity proposed, and shall be consistent with the most current, accurate, and complete scientific and technical information available.

iii. Shoreline setback widths have been assigned to Lake Chelan and the Chelan River in Section 4.4.3 of this SMP.

iv. Selective pruning of trees for safety is allowed in fish and wildlife habitat conservation area buffers. Where trees pose a significant safety hazard, they may be removed from such buffers. All other tree removal in such buffers shall be minimized through site design, and mitigated when the loss of a tree or trees results in loss of ecological function.

v. Selective pruning of trees for view protection may be allowed in fish and wildlife habitat conservation area buffers, subject to mitigation and enhancement based on an approved critical area study.

vi. Any approved alteration or development in a fish and wildlife habitat conservation area or its buffer shall be required to minimize impacts to native vegetation, including the composition and structure of the native plant community. Where disturbance is unavoidable, the applicant shall restore the area in accordance with the mitigation plan in the critical area study. New plantings shall be maintained in good growing condition and kept free of invasive weeds until well established.

vii. Subdivision of lands within fish and wildlife habitat conservation areas shall be subject to the following:

(A) All division of land shall be accomplished by planned development when a threatened or endangered species is verified to be present.

(B) All division of land shall be accomplished by planned development when twenty-five percent or more of the site falls within one or more designated fish and wildlife conservation areas.

viii. Projects shall be encouraged to participate in habitat preservation projects, such as the WDFW's Backyard Wildlife Sanctuary Program.

c. The following additional standards shall apply in priority habitat and species areas and their buffers:

i. Any uses and activities allowed within priority habitat and species areas shall be limited to those that will not adversely affect or degrade the habitat and threaten critical ecological processes identified in the critical area study. Buildings, roads, agriculture and other uses requiring large land areas shall not be permitted within priority habitat and species areas. Where feasible, corridors of critical habitat that maintain connections between high-quality habitat units shall be preserved.

ii. No development approval shall be granted unless mitigation of adverse effects will be provided that will ensure continuation of baseline populations for all priority habitats and priority species.

iii. Retention of native vegetation shall be encouraged. Native vegetation shall not be removed except in accordance with an approved critical area study. In such cases clearing shall be limited to those areas necessary and disturbed areas shall be replanted with site-appropriate native vegetation.

iv. Access to priority habitat and species areas or their buffers may be restricted in accordance with the findings of a critical area study, mitigation plan, PHS management recommendations or other current, accurate, and complete scientific and technical information available. Access restrictions may include fencing and signs, as needed to ensure protection of habitat functions and values. Restrictions may be seasonal.

d. Provided that adequate regional populations are maintained, development may be allowed in fish and wildlife habitat conservation areas of local importance when only species and habitats of local importance will suffer population declines or interruption of migration routes or reproduction habits; provided, that endemic species are preserved.

D. Geologically Hazardous Areas. The GMA addresses five kinds of geologically hazardous areas: erosion hazard areas, landslide hazard areas, mine hazard areas, seismic hazard areas, and volcanic hazard areas. There are no known mine hazard areas or volcanic hazard areas in the city of Chelan or its UGA.

1. Designation and Classification. The city of Chelan designates the following lands within the city and its urban growth area as geologically hazardous areas, and classifies them as shown below:

a. Erosion hazard areas, as follows:

- i. Steep slope areas, as defined in this chapter.
- ii. Areas containing soils that have been identified in the Soil Survey of Chelan County, Washington, as “highly erodible land” and “potentially highly erodible land.”
- iii. Ravines, as defined in this chapter.

b. Landslide hazard areas, as defined in this chapter. For the purpose of determining whether a critical areas study will be required, the following areas shall be considered potential landslide hazard areas, subject to the critical areas review process in Section 1.030(C):

i. Areas designated as quaternary slumps, earthflows, mud flows, lahars, or landslides on maps published by the U.S. Geological Survey or the Washington State Department of Natural Resources.

ii. Any area with a combination of all of the following:

(A) Slopes greater than fifteen percent; and

(B) Hillsides intersecting geologic contacts with a relatively permeable sediment overlying relatively impermeable sediment or bedrock; and

(C) Springs or ground water seepage.

iii. Any area potentially unstable as a result of rapid stream incision, stream bank erosion, channel migration, or undercutting by wave action.

iv. Slopes that are parallel or sub-parallel to planes of weakness in subsurface materials such as bedding planes, joint systems and fault planes.

v. Areas with slope gradients of forty percent or greater not composed of consolidated rock. These will be of at least ten feet of vertical relief.

c. Seismic Hazard Areas. Those areas in seismic design category D0 on the Seismic Design Category Map for Residential Construction in Washington, Sheet 2.

2. Critical Area Review.

a. Preliminary Evaluation.

i. Erosion Hazard Areas. In determining whether a critical area study is required for development in a known or potential erosion hazard area, the administrator shall, at a minimum, consider the generalized sensitive areas map and any geotechnical assessment, geotechnical report, hydrogeologic evaluation, channel migration zone study, or other special or detailed study that may identify such areas.

ii. Landslide Hazard Areas. In determining whether a critical area study is required for development in a known or potential landslide hazard area, the administrator shall consider the generalized sensitive areas; relevant maps published by the U.S. Geological Survey or the Washington State Department of Natural Resources showing areas designated as quaternary slumps, earthflows, mud flows, lahars, or landslides; and any geotechnical assessment, geotechnical report, hydrogeologic evaluation,

channel migration zone study, or other special or detailed study that may identify such areas.

iii. Seismic Hazard Areas. Until a site-specific map of seismic hazard areas has been adopted, the Seismic Design Category Map for Residential Construction in Washington, Sheet 2 shall be used to make a preliminary identification of such areas for the purposes of determining the need for a critical area study.

b. Critical Area Study. A required critical area study for geologically hazardous areas shall include a geotechnical report, prepared by a qualified professional, adequate to assess any risks of property damage, death, or injury resulting from development of the hazard area and establish mitigation measures. Said geotechnical report shall, at a minimum:

i. Provide a map at a scale of one inch equals two hundred feet showing:

- (A) Contour lines at five-foot intervals; and
- (B) The location of slopes between fifteen and twenty-nine percent, and slopes of thirty percent or greater; and
- (C) Figures for area coverage of each slope category on the site.

ii. Describe site history, including any prior grading, soil instability, or slope failure.

iii. Determine the soil characteristics and geologic, topographic, and hydrologic conditions of the site that might be expected to create a significant hazard due to any geologic hazard and show the location of such hazardous areas. Specifically, include:

- (A) Slope stability studies and opinion of slope stability;
- (B) Erosion vulnerability of site;
- (C) Suitability of on-site soil for fill;
- (D) A summary of all subsurface exploration data, including subsurface soil profile, exploration logs, laboratory or in situ test results, and ground water information and an interpretation and analysis of the subsurface data; and
- (E) Building limitations.

iv. Evaluate the proposed alteration's influence on the safety and stability of structures and any other risks of property damage, death, or injury resulting from development of the hazard area. Factors such as landscape irrigation, storm water generation and the effect of street conveyance and utility placement should be included in the review of potential landslide hazard areas.

v. Specify appropriate mitigation measures, including design, development, and construction measures that will be taken to eliminate or minimize identified risks. Specify any recommended setbacks and/or buffers. Include specific engineering recommendations for design and any geotechnical special provisions. Specifically, include:

- (A) Proposed angles of cut and fill slopes and site grading requirements;
- (B) Structural foundation requirements and estimated foundation settlements;
- (C) Soil compaction criteria;
- (D) Proposed surface and subsurface drainage; and
- (E) Lateral earth pressures.

vi. Include a soil erosion control plan that minimizes erosion from all disturbed areas with preventive measures described in the City of Chelan Surface Water Design Manual (Chapter 5). Said measures may include silt fences, sedimentation ponds or other measures approved by the administrator. Revegetation shall include hydroseeding or other permanent revegetation measures. Permanent vegetation shall be established within one growing season.

c. If an applicant can demonstrate, through submittal of a geotechnical assessment, that no landslide or erosion hazards exist on site, the requirement for a geotechnical report may be waived by the administrator.

d. Where a geotechnical report has been prepared and approved by the city within the last five years for a specific site, and where the proposed activity and surrounding site conditions are unchanged, said report may be utilized and a new report may not be required. The applicant shall submit a geotechnical assessment detailing any changed environmental conditions associated with the site.

e. In the case of development of an individual lot within a subdivision for which a valid geotechnical report has been prepared and approved by the city within the last five years, and where the only changes in surrounding site conditions are development and mitigation as specified in the report, said report may be utilized and a new report may not be required. The applicant shall submit a geotechnical assessment detailing any changed environmental conditions associated with the site and development affecting the site (e.g., roads, retaining walls, drainage structures, adjacent lots).

3. Development Standards.

a. Any development or other alteration that would pose a foreseeable risk to the public, public or private resources and facilities, or the natural environment is prohibited.

b. Erosion Hazard Areas.

i. In order to prevent or mitigate potential hazards to life, property or the natural environment, development in or adjacent to erosion hazard areas shall be discouraged.

ii. No public or private development will be permitted in erosion hazard areas where mitigation approved by the city and adequate to protect members of the public and public and private resources and facilities from injury, loss of life, property damage or financial losses due to erosion, landslide, seismic events or steep slope failure is not feasible.

iii. Excavation and grading shall be minimized in all erosion and steep slope areas and shall comply in full with Chelan Municipal Code Chapter 70 "Excavation and Grading" of the Uniform Building Code 1988 and as amended.

iv. Ravines and Ravine Sidewalls.

(A) Development in ravines shall be limited to erosion or sedimentation control features and roadway crossings that provide for adequate drainage and that have been approved by the public works director of the city.

(B) Proposed alterations that are adjacent to ravine sidewalls shall maintain a building setback from the top of the ravine of no less than twenty-five feet. All drainage within the setback shall be directed away from the ravine sidewall.

(C) A twenty-five-foot undisturbed buffer of native vegetation shall be established from the top, toe, and sides of all ravine sidewalls and bluffs.

(D) The administrator may approve a reduction in the width of the required buffer, to a minimum width of ten feet, when an approved critical area study demonstrates all of the following:

(1) The development proposal will result in minimal risk of soil instability; and

(2) Special mitigation measures regarding design, construction, and maintenance can reasonably be employed to minimize adverse environmental impacts associated with the proposal; and

(3) The proposal represents minimal disruption of existing native vegetation.

(E) The administrator may require increased buffers if an approved critical area study indicates such increases are necessary to mitigate geologic hazards, or as otherwise necessary to protect the public health, safety, and welfare.

v. Development may occur in steep slope areas only after the following standards have been met:

(A) Development must be located to minimize disturbance and removal of vegetation and also to protect the most sensitive areas (including areas of erosive soils, areas at risk of erosion by wind or water, and areas of dense vegetation) and retain open space. The use of continuous greenbelt areas shall be encouraged; and

(B) Structures must be clustered where possible to reduce disturbance and maintain natural topographic character. Common access driveways shall be considered as a means of reducing construction disturbances; and

(C) Where possible, structures must conform to the natural contour of the slope and foundations must be tiered to conform to existing topography of the site.

vi. Unless a grading plan prepared by a licensed civil engineer is provided and approved by the administrator, disturbance of a development site shall generally not exceed the following for the slope categories indicated:

Maximum Amount of Slope that may be Disturbed	
Slope Category	Factor
Slopes 30 – 40% (60% of the site or more)	0.60
Slopes 40% + (also see landslide hazard area)	0.30

The overall amount of disturbance allowed on development sites which have any combination of the above slope categories shall be determined by the following formula:

[Square footage of the area within the slope category x slope factor] = Total amount of allowable disturbance for that slope classification.

The total amount of allowable disturbance for the site is the sum of all the allowable disturbance totals for each slope category.

c. Landslide Hazard Areas. Hillsides containing or within two hundred and fifty feet of landslide hazard areas shall be altered only when the administrator concludes, based on environmental information provided by a qualified professional, that:

i. There will be no increase in surface water discharge or sedimentation to adjacent properties; and

ii. There will be no decrease in slope stability on adjacent properties; and

iii. Either:

(A) There is no hazard as proven by evidence of no landslide activity in the past in the vicinity of the proposed development and a quantitative analysis of slope stability indicates no significant risk to the proposed development or to the health or safety of humans or the environment of the subject property or adjacent properties; or

(B) The landslide hazard area can be modified or the proposed development can be designed so that the landslide hazard is eliminated or mitigated so that the site is as safe as a site without a landslide hazard; or

(C) The proposal is so minor as not to pose a threat.

d. Seismic Hazard Areas. All development activities in seismic hazard areas shall conform to the applicable building code.

E. Frequently Flooded Areas.

1. Designation. The city of Chelan designates the following lands within the city and its urban growth area (UGA) as frequently flooded areas:

a. All areas of special flood hazard indicated in the Flood Insurance Study for the City of Chelan, Washington, and the accompanying flood insurance rate maps, as revised or amended; and

b. Any areas of special flood hazard indicated in the Flood Insurance Study for Chelan County, Washington, and the accompanying flood insurance rate maps, as revised or amended, that are within the city or its UGA; and

c. All additional areas of special flood hazard identified by any special or detailed study.

2. Identification. Critical area review shall be required prior to development in any area that appears to be a frequently flooded area to determine whether the proposed development is within an area of special flood hazard. The critical area review shall be conducted using applicable existing flood insurance studies, flood hazard boundary maps, flood insurance rate maps, special or detailed studies, and information prepared by the Federal Emergency Management Agency.

3. Development Standards. All development must comply in full with the city's flood hazard areas provisions, Chapter 15.10, as those provisions may be amended.

1.060 Warning and disclaimer of liability.

The degree of hazard protection required by this chapter is considered reasonable for regulatory purposes and is based on scientific and engineering considerations. Catastrophic natural disasters can, and will, occur on rare occasions. This chapter does

City of Chelan Critical Areas Regulations

not imply that land outside the critical areas or activities permitted within such areas will be free from exposure or damage. This chapter shall not create liability on the part of the city, and officers or employees thereof, for any damages that result from the reliance on this chapter or any administrative decision lawfully made hereunder.

1.070 Administration.

The administrator is directed to administer the provisions of this chapter, including attaching such conditions to the granting of any approval under this chapter as may be deemed necessary to protect critical areas, and may appoint other employees as may be necessary to assist in its administration. The city shall adopt and revise, as required, such forms and instructions as are necessary or appropriate to serve the public and carry out the provisions of this chapter.

1.080 Civil penalties and enforcement.

The administrator shall have authority to enforce this chapter, and any rule or regulation adopted, and any permit, order or approval issued pursuant to this chapter against any violation or threatened violation thereof. The administrator is authorized to issue violation notices and administrative orders, levy fines, and/or institute legal actions in court. Recourse to any single remedy shall not preclude recourse to any of the other remedies. Each violation of this chapter, or any rule or regulation adopted, or any permit, permit condition, approval or order issued pursuant to this chapter, shall be a separate offense and in the case of a continuing violation, each day's continuance shall be deemed to be a separate and distinct offense. All costs, fees, and expenses, including reasonable attorney's fees incurred in connection with enforcement actions, may be recovered as damages against the violator.

Any person who undertakes any activity within a critical area without first obtaining an approval required by this chapter, except as specifically exempted, or any person who violates one or more conditions of any approval required by this chapter, or of any cease and desist order issued pursuant to this chapter, shall incur a civil penalty assessed for each violation. In the case of a continuing violation, each permit violation and each day of activity, without a required approval, shall be a separate and distinct violation. The civil penalty assessed shall be assessed at a rate of fifty dollars per day, per violation. The penalty provided shall be appealable to the city hearing examiner in accordance with procedures established in Section 2.15.030. Any appeal to the city hearing examiner shall be in writing and submitted within ten days of the applicant's receipt of the administrator's civil citation issued pursuant to this subsection. Any further appeal of the hearing examiner's decision shall be in accordance with the provisions of Section 1.040.

1.090 Criminal penalties.

As an alternative to any other judicial or administrative remedy provided in this chapter or by law or other ordinance, any person who willfully or knowingly violates any provision of this chapter, or any order issued pursuant to this chapter, or by each act

of commission or omission procures, aids, or abets such violation is guilty of a misdemeanor and, upon conviction thereof, shall be punished as set forth in Section 1.24.010.

1.100 Critical areas review checklist.

The City's critical areas review checklist is adopted as a part of this chapter and must be submitted by an applicant and completed by the administrator in a timely manner as a part of all proposed alterations in the vicinity of known or potential critical areas.

This page left intentionally blank

Appendix C: City of Chelan Shoreline Public Access Plan

This City of Chelan Shoreline Public Access Plan documents how the City has planned for parks and recreation in the community, particularly along Lake Chelan and the Chelan River. This plan is prepared pursuant to WAC 173-26-221 (4)(c), including identifying specific public needs and opportunities to provide public access through an open public process. This plan is based on the *City of Chelan Comprehensive Land Use Plan, Parks, Recreation, and Open Space Plan, Lakeside Trail Feasibility Study, Lord Acres Subarea Plan, and Don Morse Park Shoreline Study & Master Plan*. Also considered is the *Lake Chelan Valley Trail Plan*. Additionally, the Shoreline Public Access Plan addresses recently approved or proposed public access features developed in conjunction other public agencies or with private development such as the Chelan Maintenance Association creating a public trail on former SR 150 right of way or marinas or community waterfront parks associated with master planned communities. The City's efforts address a variety of shoreline access opportunities and circulation for pedestrians, bicycles, and vehicles between shoreline access points, and include recommended projects and actions.

1. Shoreline Public Access Laws and Rules

Public access refers to the ability of the general public “to reach, touch, and enjoy the water's edge, to travel on the waters of the state, and to view the water and the shoreline from adjacent locations” (WAC 173-26-221(4)(a)). Public access can be physical access such as via a trail or park and/or visual such as a view corridor from a road.

Public access is a preferred use per the Shoreline Management Act (RCW 90.58.020). The Shoreline Master Program (SMP) Guidelines require that public access be provided with most new development, except that more flexibility is allowed where there is a coordinated public access planning process (WAC 173-26-221(4)(c)). When public access is addressed in a SMP, it implements the “public trust doctrine” which is a common law principle holding that “the waters of the state are a public resource owned by and available to all citizens equally for the purposes of navigation, conducting commerce, fishing, recreation and similar uses.” While the doctrine “protect(s) public use of navigable water bodies below the ordinary high water mark,” the doctrine “does not allow the public to trespass over privately owned uplands to access the

tidelands.”¹ Generally, public or private landowners are limited in terms of liability when there are unintentional injuries to any public access users based on state law at RCW 4.24.210.

2. Shoreline Recreation Goals and Plans

The City of Chelan’s Comprehensive Plan and *Parks, Recreation, and Open Space Plan* goals and policies include, but are not limited to:

- Implement the goals, policies and facilities identified within the City’s current adopted parks and recreation plan, the Lakeside Trail Feasibility Study, the Don Morse Park Shoreline Study, and Northshore Pathway Feasibility Study. (based on Comprehensive Plan Open Space/Recreation Element, Goal 3, Policy 4; Northshore Pathway addressed in 2030 Transportation Plan, August 2011; added to policy with this Shoreline Public Access Plan)
- Allow public and private development of adequate camping, boat launching, docking and moorage facilities, marinas, and other water-related recreational opportunities on Lake Chelan and the Columbia River. (Comprehensive Plan Open Space/Recreation Goal 3, Policy 3)
- Integrate continuous trail corridors and local spur or loop routes with parks, schools, other public facilities, historical sites, and Chelan’s historic downtown district. (PROS Policy 6.3.3)
- Continue efforts to develop trails and pathways that would provide connections among recreation sites and community features. Specifically, pursue development of the Lakeside Trail and Northshore pathways. (Comprehensive Plan Transportation Element Policy 4.4)
- Design outdoor picnic areas, trails, playgrounds, courts, fields, parking lots, restrooms, and other active and supporting facilities to be accessible to individuals and organized groups of all physical capabilities, skill levels, age groups, income, and activity interests. (PROS Policy 11.1.1)
- Require on-site (or nearby off-site) development of recreation facilities or appropriate and usable park land in conjunction with the approval of any development project (Developed with this Shoreline Public Access Plan).
- Encourage shoreline uses and activities to provide their own shoreline public access or to contribute to the implementation of the City of Chelan Shoreline Public Access Plan. (Developed with this Shoreline Public Access Plan)
- Require development projects along designated trail routes to be designed to incorporate the trail as part of the project. (Developed with this Shoreline Public Access Plan)

¹ See the State of Washington’s Department of Ecology’s website at: http://www.ecy.wa.gov/programs/sea/sma/laws_rules/public_trust.html. Accessed March 24, 2010.

- Support a system of kayak, canoe, and other hand carry boat access landings and other improvements for appropriate access to the city's Lake Chelan shoreline. (PROS Policy 6.1.1)
- Consistent with the Chelan Bike & Pedestrian Plan, support a comprehensive system of hike and bike trails that access scenic, environmental, historic, and open space attributes in and around the city – expanding and linking existing trail systems to create city and area-wide networks especially including the extensive public landholdings on Chelan Butte Wildlife Area, Chelan Wildlife Area Entiat, Deer Mountain, and between Lake Chelan and the Columbia River, and along the west Columbia River shoreline. (PROS Policy 6.3.1)
- Acquire and support additional shoreline access for waterfront fishing, wading, swimming, and other related recreational activities and pursuits along the Lake Chelan and Columbia River shorelines. (PROS Policy 7.1)

In addition, based on the *Lord Acres Subarea Plan*, the City developed regulations applicable citywide that address the provision of recreation facilities with new development (CMC 17.56 Conditional Use Permit, Parks and Community Waterfront Parks). While these are not shoreline-specific, the standards add to the recreation facilities in the community, and depending on the development location, may occur in the shoreline jurisdiction.

3. Parks and Recreation Plans and Public Review Process

The City's Parks and Recreation goals and plans have been created with extensive public review. Public review opportunities have included citizen committees, open houses, surveys, public meetings and hearings. Notices were made to a wide variety of agencies as well as citizens.

Parks Documentation and Process	Description
Plans	<p>Comprehensive Land Use Plan. Adopted 2011, including parks and recreation goals and policies.</p> <p>Parks, Recreation, and Open Space Plan. Adopted 2016, including goals and policies, current and future facilities, and a capital improvement program.</p> <p>Lakeside Trail Feasibility Study, Adopted 2000. Includes corridor analysis, design guidelines and concepts, costs and maintenance, potential impacts and benefits, and next steps for permitting, funding, and other similar topics.</p> <p>Northshore Pathway. April 5, 2000. Referenced in City Comprehensive Plan and in this Shoreline Public Access Plan. Provides analysis, design guidelines, design concepts and cross sections and other information.</p> <p>Lake Chelan Valley Trail Plan. 1993. Referenced in City Comprehensive Plan. Contains and inventory and plans.</p> <p>Don Morse Park Shoreline Study (2002) and Master Plan (2007).</p>

Parks Documentation and Process	Description
	Identifies current conditions and planned facilities. Lord Acres Subarea Plan, Adopted January 2009. Includes Parks and Recreation analysis and community and waterfront park regulations.
Public Involvement Process	<p>Comprehensive Plan: Planning Commission meetings and legislative hearings.</p> <p>Parks, Recreation, and Open Space Plan: Meetings with user groups, open houses, parks and recreation survey, news ads, public meetings and workshops, Parks and Recreation Advisory Board meetings, and legislative hearings.</p> <p>Northshore Pathway. The City, County, Washington State Department of Transportation and the Lake Chelan Public Trails Association contributed to the study. Public involvement efforts were scheduled following completion of the study.</p> <p>Lake Chelan Valley Trail Plan. Outreach included a public meeting and a public survey.</p> <p>Don Morse Park Shoreline Study and Master Plan: Public meetings and workshops, Parks and Recreation Advisory Board meetings, and legislative hearings. Also a topic of the Parks and Recreation Plan.</p> <p>Lord Acres Subarea Plan. Open Houses, Steering Committee, Planning Commission meetings and legislative hearings.</p>

In addition to the public involvement activities the City held with its parks and trails plans, additional public outreach efforts were conducted for this Shoreline Public Access Plan. Two public workshops were held, one in April and one in June 2010. The meetings were noticed via over 2,000 utility billing notices, radio ads, emails, and posting at public offices and on the City's website. At the meetings and through questionnaires, comments were taken on shoreline public access inventories including public access opportunity sites and corrections to inventories. Recommendations to fill gaps in shoreline public access were discussed. Current and proposed policies were distributed for review. Additional outreach occurred with the City-County sponsored Lake Chelan Watershed Plan Public Open House in June 2013 where shoreline public access was discussed along with other water quality and habitat topics. The Shoreline Public Access Plan has also been part of SMP public hearings before the Chelan Planning Commission and City Council between 2012 and 2015.

4. Current and Future Facilities in Shoreline Jurisdiction

Public access consists of view corridors, open space and parks. View corridors are prevalent along roadways paralleling the water, and from higher elevations above the lake including in the Lord's Acres vicinity. Parks and open space in shoreline jurisdiction total about 48 acres, with about 19 acres along the Chelan River and about 29 acres along Lake Chelan. Based on the

shoreline inventory, there are 14 recreation facilities on Lake Chelan within the City and Urban Growth Area (UGA) as follows:

- Boat Launch: 4
- Boating Facility: 1
- Community Dock/Marina: 5
- Marina:3 (includes one approved marina not yet constructed)
- RV camp: 1

The City has planned for its parks in its *Parks, Recreation, and Open Space Plan*. That Plan identifies the following existing City and non-City facilities in the shoreline vicinity:

- Athletic Field Complex – This park is located on the southern most portion of the downtown section of Chelan and is bordered by the Chelan River on one side and residential areas on three sides. This property is owned by the Chelan County PUD and leased to the City for recreation purposes. It is used by leagues and schools, and provides fields for a variety of sports as well as a children’s play area.
- Centennial Park – This park is located on Third Street on the south shore of Lake Chelan. This park was designed for passive use and taking advantage of views of Lake Chelan and the Chelan Valley. The park contains picnic tables, benches and limited duration parking.
- Don Morse Park – This park is located on the north shore of Lake Chelan and is bordered by Highway 150, Lakeshore RV Park, Lakeshore Marina and Lake Chelan. Facilities at the site include: an 105,840 square foot swimming area with 1,350 feet of buoy line and beach bulkhead containing three stair areas and ramp, two docks, 2,000 square foot shallow pool with sand beach, day-use lawn area with: picnic tables, picnic shelters, tennis, basketball and volleyball courts, a skate park, a children’s play area, a concession and restroom building, walkways, a golf putting course, go-cart race track and a sports equipment rental office.
- Lakeshore Marina – This park is located on the north shore of Lake Chelan and is bordered by Highway 150, Don Morse Memorial Park, Campbell’s Resort and Lake Chelan. Public moorage accommodates 68 boats. The park also includes a launch ramp. Additional facilities include a restroom building, boater pump-out structure, a storage building, and breakwater.
- Lakeshore RV Park – This park was designed primarily for recreational vehicle use and has water, wastewater, cable, and power hookups for 165 recreational vehicles. The park includes restroom/shower buildings and picnic tables.

- Lakeside Park – This parcel of land is located on the south shore of Lake Chelan. Facilities at the park include: 17,500 square feet of sandy beach and swimming area, picnic tables, volleyball and basketball courts, and a restroom.
- Lakeside Trail – The City is currently developing the first two phases of the Lakeside Trail. This is a Primary Trail that when completed will extend from Lakeside Park, along the southern shore of Lake Chelan, through downtown and up the north shore to the City limits. The trail will extend 2.2 miles when complete.
- Riverwalk Park and Trail – The Chelan County Public Utility District owns and maintains the one-mile trail. The trail loops around the Chelan River and is located in the downtown core. The trail features benches, overlooks, and other amenities.

The City of Chelan's *Parks, Recreation, and Open Space Plan* has calculated the demand for parks and trails citywide based on levels of service. See Section 5.

In addition to the *Parks, Recreation, and Open Space Plan*, the City has developed a *Lakeside Trail Feasibility Study* (City of Chelan 2000). As described above, the City has begun implementation of the 2.2-mile trail with a 0.5-mile segment.

Including both existing and proposed trails, the shoreline jurisdiction is anticipated to contain 8,225 linear feet of trails. Considering the whole Lakeside Trail, including the portions of the trail outside the 200-foot shoreline jurisdiction, the trail length is anticipated to equal 13,200 feet (2.5 miles).

The City has implemented its parks, recreation, and trails plans through its capital facility plans, coordination with other agencies, and through private development projects that connect to public access features. An example of private development projects implementing public access includes the Sunset Condominiums and Marina project approved in 2007. This project will include a 75 double slip marina and floating breakwater connected to the public trail system.

An example of agency coordination includes the City of Chelan's efforts to provide recommendations to the Chelan County PUD on the Lakeside Water Street Neighborhood Access Plan. The City Council has accepted the following recommendations and plan for transmittal to the PUD:

- Continue public access without restriction – Take any and all measures to keep the area open for public access by the public. The area is best known as a swim area and should be preserved for that activity. There should be limitations on canoe, kayak and other manpowered vessels.

- Arrange floating buoy boat tie downs – Place the tie-down boat buoys so as not to restrict or constrict the swim area for recreational swimmers or lap/distance swimmers. It should also preserve the open view of the lake whenever possible.
- Allow existing docks – no new private docks to be built. Recommendation only as the Corp of Engineers, City and PUD will determine through the Shoreline Management Plan when adopted.
- New Docks - Allow for at least one and possibly more public docks along SR 97A. These docks would be for swimming and not motorized vessels. These docks could also be used for non-motorized vessels such as kayaks, canoes, row boats, etc.
- Floating swim dock – Place a floating swim dock in swim area. This recommendation would be with future implementation if needed.
- Chain blocking access – Remove the posts and chain presently blocking the area and place park bench in its place.
- Placement of buoy lines in swim area – This could be a future recommendation dependent on swim use and vessel conflicts.
- Signage – Review the present signage to provide a better explanation of area use.
- Buoy Signage – Place signage on buoys at entrance of area denoting swim area and local boat moorage only.
- Additional buoy markers – Place additional buoys in the area of the water entrance denoting “no wake”.

5. Community Parks and Recreation Standards

The City's *Parks, Recreation, and Open Space Plan* includes level of service standards for land and facilities community wide. These standards were considered in the development of specific parks and recreation improvements for the current and future population in Chelan's city limits and urban growth area.

6. Public Access Analysis & Objectives by Shoreline Reach

Public access conditions are presented in order of numbered reaches consistent with maps in Section 9.

Current shoreline facilities are based on shoreline public access inventory maps included in Section 9. Planned shoreline facilities are based on adopted City plans. It should be noted that City plans are fairly detailed for land within the City limits, but there is a deficiency of planning particularly on the north shore between Lakeside RV Park to Rocky Point. Countywide

shoreline analysis maps prepared for public workshops show that most residences on the north shore are more than 1.5 miles from a current or future shoreline park or trail whereas there is better coverage on the south shore. As a result, the City of Chelan Shoreline Public Access Plan includes two proposed facilities to address the gap on the north shore:

- Implement the Northshore Pathway Feasibility Study which promotes a trail along the SR 150 right of way between Downtown Chelan and Manson. This trail meanders inside and outside of shoreline jurisdiction, but provides a continuous visual access even when outside of shoreline jurisdiction.
- At Dietrich Road right of way in the shoreline jurisdiction, add a fishing pier with ADA access, vault restroom, and a small parking area.

The Parks, Recreation, and Open Space Plan identifies proposed parks on the Northshore to achieve parks within 0.25 mile walking distance.

The Northshore Pathway concept would be implemented in part by a public trail from Main Park to Willows Park, as implemented by the Chelan Maintenance Association on former SR 150 right-of-way. The concept is included in maps in Section 9.

Waterbody and Reach	Current Shoreline Facilities	Planned Shoreline Facilities	Discussion
Lake Chelan			
CCH L1	Visual access, SR 150.	No adopted plans. The Northshore Pathway Feasibility Study identifies a proposed trail that parallels SR 150 and extends between downtown Chelan and Manson.	This six-mile trail, known as the Northshore Pathway, would be a paved and lighted urban multi-use trail, separated from the highway by a physical barrier such as a wall, fence or curb. Large lot residential uses. City Parks, Recreation, and Open Space Plan broadly identifies four potential locations on the Northshore for parks within 0.25 miles of residents.

Waterbody and Reach	Current Shoreline Facilities	Planned Shoreline Facilities	Discussion
CCH L2	Visual access, SR 150. Two community docks/marinas. The Crystal View Estates Marina has a public viewing platform.	See above regarding Northshore Pathway. The Chelan Maintenance Association has a proposal that would partially implement the Northshore Pathway establishing a public upland and overwater trail on former SR 150 right of way connecting the community waterfront parks of Willows Park and Main Park.	See above. Large lot residential uses.
CCH L3	One community dock/marina	None in shoreline. Northshore Pathway along SR 150.	Developed residential parcels.
CCH L4	Boat launch	None in shoreline. Northshore Pathway along SR 150.	Developed Resort.
CCH L5	None	None in shoreline. Northshore Pathway along SR 150.	Developed residential parcels.
CCH L6	None	None in shoreline. Northshore Pathway along SR 150.	Developed residential parcels.
CCH L7	Dietrich Road right-of-way; visual access	Fishing pier with ADA access, vault restroom, small parking area.	City Parks, Recreation, and Open Space Plan and Lord Acres Subarea Plan identify a potential park broadly in area that could locate inside or outside of shoreline jurisdiction. Shoreline Public Access Plan includes fishing pier proposal. Would require small acquisition adjacent to right-of-way for parking and coordination with partner agencies where appropriate. Developed residential parcels.
CCH L8	None	None	Vacant property.
CCH L9	None	None	Developed residential parcels.
CCH L10	None	None	Developed residential.

Waterbody and Reach	Current Shoreline Facilities	Planned Shoreline Facilities	Discussion
CCH L11	Lakeshore RV Park	None	Possible improvements are included in the Parks, Recreation, and Open Space Plan.
CCH L12	Don Morse Park; City Boat launch; Marina	See Don Morse Park Master Plan & Shoreline Study	Possible improvements are included in the Parks, Recreation, and Open Space Plan.
CCH L13	Community Dock/Marina	Lakeside Trail	Developed waterfront area. City plans identify future route of Lakeside Trail connecting Don Morse Regional Park and Lakeside City Park through this area. Possible improvements are included in the Parks, Recreation, and Open Space Plan.
CCH L14	Visual Access (local street); Community Park	None	Area includes riverfront park at west end of Wapato Avenue.
CCH L15	Visual Access (2 local streets)	None	Public land (government use)
CCH L16	Visual Access (local street);	None	Developed downtown property.
CCH L17	Visual Access (local street)	Potential ROW	Existing land use indicates several waterfront lots are government-owned.
CCH L18	Visual Access (local street); Chelan PUD Athletic Complex	None	Existing recreational facility.
CCH L19	None	Riverwalk Park Trail	City plans identify future portion of Riverwalk Park Trail through this area.
CCH L20	Boat launch; River Walk Park	Trail; Potential ROW	City plans identify future route of Riverwalk Park Trail through this area.
CCH L21	None	None	Developed urban area.
CCH L22	River Walk Park	None	Existing recreational facility.
CCH L23	None	None	Developed urban area.
CCH L24	River Walk Park	None	Existing recreational facility.
CCH L25	Visual Access (local street)	Trail	City plans identify future route of Lakeside Trail through this area.

Waterbody and Reach	Current Shoreline Facilities	Planned Shoreline Facilities	Discussion
CCH L26	Visual Access (local street)	Trail	City plans identify future route of Lakeside Trail through this area.
CCH L27	Visual Access (local street); steps to Lakefront; Forest Service Public Water Access; Centennial Park; PUD Mini-park, Pingrey Park	Trail	City plans identify future route of Lakeside Trail through this area. Possible improvements are identified for Pingrey Park in the Parks, Recreation, and Open Space Plan.
CCH L28	Visual Access (local street and US 97); Community dock	Trail	City plans identify future route of Lakeside Trail through this area.
CCH L29	Visual Access (US 97); Boating facility; Park Street Right of Way	Trail	City plans identify future route of Lakeside Trail through this area.
CCH L30	Visual Access (US 97); Harris Marina Public Viewing and Water Access	Trail, Future Marina (Proposed Sunset Marina and Breakwater connected to Public Trail)	Existing recreational facility. City plans identify future route of Lakeside Trail through this area. Approved development includes Sunset Marina and Breakwater with connection to Trail.
CCH L31	Visual Access (US 97)	Trail	City plans identify future route of Lakeside Trail through this area.
CCH L32	Visual Access (US 97); Water Street Right of Way (Green Dock); Private boat launch.	Trail; Proposed Lakeside Water Street Neighborhood Access Plan	City plans identify future route of Lakeside Trail through this area. See discussion of Water Street Neighborhood Access in the "Current and Future Facilities in Shoreline Jurisdiction" section above.
CCH L33	Visual Access (local streets); Division Street Right of Way Vacated with Public Easement	Trail; Lakeside Water Street Neighborhood Access Plan	Developed residential area. City plans identify future route of Lakeside Trail through this area. See discussion of Water Street Neighborhood Access in the "Current and Future Facilities in Shoreline Jurisdiction" section above.

Waterbody and Reach	Current Shoreline Facilities	Planned Shoreline Facilities	Discussion
CCH L34	Visual Access (US 97); Lakeside City Park; Boat Launch	None	Existing recreational facilities. Possible improvements are included in the Parks, Recreation, and Open Space Plan.
CCH L35	Visual Access (US 97)	None	Highway immediately adjacent to lake.
CCH L36	Visual Access (US 97)	None	Large lots of city-owned property adjacent to shoreline jurisdiction.
CCH L37	Visual Access (US 97); Private boat launches	None	Developed residential.
Chelan River			
CCH R01	None	None	Public ownership
CCH R02	None	None	Public ownership
CCH R03	None	None	Public ownership
CCH R04	Chelan County PUD River Access Trail	None	Public ownership
CCH R05	Chelan County PUD River Access Trail	None	Public ownership
CCH R01R	None	Trail	City Parks, Recreation, and Open Space Plan identifies future portion of Riverwalk Park through this area.
CCH R01L	None	None	Public ownership
CCH R02L	None	None	Public ownership
CCH R03L	Visual Access	None	Public ownership
CCH R04L	Chelan PUD Athletic Complex	None	Existing recreational facility. Possible improvements are included in the Parks, Recreation, and Open Space Plan.

7. Future Opportunities

As part of the Chelan County Shoreline Public Access planning process, agencies and citizens were asked their thoughts on public access opportunities. The opportunities were noted on maps of the whole county. Several opportunities were noted in the City of Lake Chelan, some of which are included in adopted or draft plans and some of which can be considered in the future as the City updates its Parks, Recreation, and Open Space Plans.

Opportunity/Observation	Description	Status
Lake Chelan		

Opportunity/Observation	Description	Status
#1 Observation	Retain views; too many new trees planted (26); why?	City considering comments.
#8 Opportunity	Lord Acres Vicinity. Consider Northshore Pathway Plan	Incorporated into this Shoreline Public Access Plan
#9 Opportunity	Lakeside short-term parking for unloading/loading boats & picnicking supplies; Needs more public parking. Geese are an issue.	City considering parking needs.
#10 Opportunity	USFS, Coordinate Lakeside Trail.	City and USFS to coordinate to implement adopted Lakeside Trail Plan.
#11 Opportunity	Downtown Plan Public Dock	Included in Draft Downtown Plan; adoption is pending.
#12 Opportunity	Parking for boat launch at high school.	City considering parking needs.
#40 Opportunity	PUD ownership; public designation in Comprehensive Plan	
Chelan River		
#13 Opportunity	PUD Reach 1 Trail Chelan River Access	Compacted gravel trail with scenic lookouts and interpretive locations inside and outside of jurisdiction, at 1.15 miles

8. Implementation

The City will implement its shoreline public access plan through implementation of adopted Parks, Recreation, and Open Space Plans and city budget as well as application of standards. The City may also revisit its shoreline public access plan during periodic reviews of the SMP, anticipated every seven years. (RCW 90.58.080)

Capital Improvement Plans

The City shall implement its capital investment plan consistent with the Parks, Recreation, and Open Space Plan and the City budget.

In addition the City shall implement the following project:

Proposal: Add a fishing pier with ADA access, vault restroom, and a small parking area.

Location: Dietrich Road right of way in the shoreline jurisdiction

Preliminary Planning Level Cost: \$91,000 to \$153,000 (2010 year of estimate).²

Policies and Standards

The City shall promote and implement shoreline public access consistent with the following plans:

- City of Chelan Comprehensive Land Use Plan
- Don Morse Park Shoreline Study & Master Plan
- Lake Chelan Valley Trail Plan
- Lakeside Trail Feasibility Study
- Lord Acres Subarea Plan
- Northshore Pathway Feasibility Study
- Parks, Recreation, and Open Space Plan
- City Resolution 534 dated August 23, 1977

The development of parks and trails in terms of uses, projects, and design standards shall be consistent with the above listed plans.

The City shall apply its adopted policies to developments proposed in shoreline jurisdiction. Section 2 above lists key policies.

The City shall apply its municipal code to ensure that there is sufficient parks and recreation to meet the demands of new development. Applicable codes include but are not limited to the following:

- Chapter 14.06 Environmental Procedures and Policies
- Title 16 Land Divisions
- Chapter 17.56: Conditional Uses including 17.56.290 Parks and 17.56.300 Community Waterfront Parks

In applying plans, policies, and regulations regarding Shoreline Public Access, the City's primary intent is to encourage shoreline uses and activities to provide their own shoreline public access; the secondary intent is that if providing shoreline public access is not possible under the circumstances that a contribution be made to the implementation of the City of

² The estimate includes some site restoration, mitigation plantings along with design and construction engineering, permitting assistance and Washington State sales tax. The cost estimates do not include land acquisition.

Chelan Shoreline Public Access Plan, rather than require individual shoreline uses and activities independently provide for off-site mitigation

The Shoreline Master Program update also contains public access and recreation standards designed to be compatible with and support the shoreline public access plan.

9. Supporting Maps



The following attached maps are provided for reference and in support of the shoreline public access plan:

- Analysis Segments maps prepared for the Shoreline Master Program update, July 2011
- Public Access maps prepared for the Shoreline Master Program update, July 20, 2011, Updated May 2015
- Lakeside Trail Study Corridor Map, 2000
- Don Morse Park Master Plan, 2007
- Public Access and Recreation map identifying opportunities, June 2010
- Northshore Pathway, Section 6, Study Corridor Site Plan, 2000
- Chelan Maintenance Association dba “Chelan Hills”, Proposal to City of Chelan for a Trail System, May 2015

This page left intentionally blank



Public Access Chelan 01



July 20, 2011
Data: WA DOE,
WA OFM, TPL,
TNC, Chelan County,
WA State Parks, WNF



Public Access, Parks, and Other Public Lands

- | | | | |
|------------------------|----------------------|----------------------------------|-----------------|
| Boat Launch | Picnic Area | Fishing Easement | Hiking Trails |
| Campground | RV Camp | Fishing Easement with Boatlaunch | Proposed Trails |
| Comm. Dock/Marina | Ski Area | Parks | Highways |
| Fishing Access | SnoPark | Other Public and Protected Lands | Railroads |
| Horse Camp | Trailhead | Potential ROW Access | Parcels |
| Marina | Visitor Info Site | Public Access Easements | Jurisdiction |
| Other Boating Facility | Winter Rec. Facility | Vacated Streets | City Boundaries |
| | | View Corridors | UGA Boundaries |

Shoreline jurisdiction boundaries depicted on this map are approximate. They have not been formally delineated or surveyed and are intended for planning purposes only. Additional site-specific evaluation may be needed to confirm/verify information shown on this map.



Public Access Chelan 02



July 20, 2011
Data: WA DOE,
WA OFM, TPL,
TNC, Chelan County,
WA State Parks, WNF



Public Access, Parks, and Other Public Lands

- | | | | |
|------------------------|----------------------|----------------------------------|-----------------|
| Boat Launch | Picnic Area | Fishing Easement | Hiking Trails |
| Campground | RV Camp | Fishing Easement with Boatlaunch | Proposed Trails |
| Comm. Dock/Marina | Ski Area | Parks | Highways |
| Fishing Access | SnoPark | Other Public and Protected Lands | Railroads |
| Horse Camp | Trailhead | Potential ROW Access | Parcels |
| Marina | Visitor Info Site | Public Access Easements | Jurisdiction |
| Other Boating Facility | Winter Rec. Facility | Vacated Streets | City Boundaries |
| | | View Corridors | UGA Boundaries |

Shoreline jurisdiction boundaries depicted on this map are approximate. They have not been formally delineated or surveyed and are intended for planning purposes only. Additional site-specific evaluation may be needed to confirm/verify information shown on this map.



Public Access Chelan 03




July 20, 2011
Data: WA DOE,
WA OFM, TPL,
TNC, Chelan County,
WA State Parks, WNF



Public Access, Parks, and Other Public Lands

- | | | | |
|------------------------|----------------------|----------------------------------|-----------------|
| Boat Launch | Picnic Area | Fishing Easement | Hiking Trails |
| Campground | RV Camp | Fishing Easement with Boatlaunch | Proposed Trails |
| Comm. Dock/Marina | Ski Area | Parks | Highways |
| Fishing Access | SnoPark | Other Public and Protected Lands | Railroads |
| Horse Camp | Trailhead | Potential ROW Access | Parcels |
| Marina | Visitor Info Site | Public Access Easements | Jurisdiction |
| Other Boating Facility | Winter Rec. Facility | Vacated Streets | City Boundaries |
| | | View Corridors | UGA Boundaries |

Shoreline jurisdiction boundaries depicted on this map are approximate. They have not been formally delineated or surveyed and are intended for planning purposes only. Additional site-specific evaluation may be needed to confirm/verify information shown on this map.



Public Access Chelan 04




July 20, 2011
Data: WA DOE,
WA OFM, TPL,
TNC, Chelan County,
WA State Parks, WNF



Public Access, Parks, and Other Public Lands

- | | | | |
|------------------------|----------------------|----------------------------------|-----------------|
| Boat Launch | Picnic Area | Fishing Easement | Hiking Trails |
| Campground | RV Camp | Fishing Easement with Boatlaunch | Proposed Trails |
| Comm. Dock/Marina | Ski Area | Parks | Highways |
| Fishing Access | SnoPark | Other Public and Protected Lands | Railroads |
| Horse Camp | Trailhead | Potential ROW Access | Parcels |
| Marina | Visitor Info Site | Public Access Easements | Jurisdiction |
| Other Boating Facility | Winter Rec. Facility | View Corridors | City Boundaries |
| | | | UGA Boundaries |

Shoreline jurisdiction boundaries depicted on this map are approximate. They have not been formally delineated or surveyed and are intended for planning purposes only. Additional site-specific evaluation may be needed to confirm/verify information shown on this map.



Public Access Chelan 05



July 20, 2011
Data: WA DOE,
WA OFM, TPL,
TNC, Chelan County,
WA State Parks, WNF


Public Access, Parks, and Other Public Lands

- Boat Launch
- Campground
- Comm. Dock/Marina
- Fishing Access
- Horse Camp
- Marina
- Other Boating Facility
- Picnic Area
- RV Camp
- Ski Area
- SnoPark
- Trailhead
- Visitor Info Site
- Winter Rec. Facility



- Fishing Easement
- Fishing Easement with Boatlaunch
- Parks
- Other Public and Protected Lands
- Potential ROW Access
- Public Access Easements
- Vacated Streets
- View Corridors

- Hiking Trails
- Proposed Trails
- Highways
- Railroads
- Parcels
- Jurisdiction
- City Boundaries
- UGA Boundaries

Shoreline jurisdiction boundaries depicted on this map are approximate. They have not been formally delineated or surveyed and are intended for planning purposes only. Additional site-specific evaluation may be needed to confirm/verify information shown on this map.



Public Access Chelan 06



July 20, 2011
Data: WA DOE,
WA OFM, TPL,
TNC, Chelan County,
WA State Parks, WNF

Public Access, Parks, and Other Public Lands


- | | | | |
|------------------------|----------------------|----------------------------------|-----------------|
| Boat Launch | Picnic Area | Fishing Easement | Hiking Trails |
| Campground | RV Camp | Fishing Easement with Boatlaunch | Proposed Trails |
| Comm. Dock/Marina | Ski Area | Parks | Highways |
| Fishing Access | SnoPark | Other Public and Protected Lands | Railroads |
| Horse Camp | Trailhead | Potential ROW Access | Parcels |
| Marina | Visitor Info Site | Public Access Easements | Jurisdiction |
| Other Boating Facility | Winter Rec. Facility | Vacated Streets | City Boundaries |
| | | View Corridors | UGA Boundaries |

Shoreline jurisdiction boundaries depicted on this map are approximate. They have not been formally delineated or surveyed and are intended for planning purposes only. Additional site-specific evaluation may be needed to confirm/verify information shown on this map.

LAKESIDE TRAIL STUDY CORRIDOR

right of way shaded in red
study segments lettered A thru J

LAKE CHELAN



Campground Emer-
gency Access

Campsite Modifica-
tions-adds 29 Camp-
sites

Beginner Skate Court
Skate Court

Basketball Courts

Picnic Shelter

Sand Volleyball Courts

Habitat Restoration

Concessions /
Restrooms / Covered
Patio

Transfer Dock

Turfgrass Slope

Offshore Berm

Drift Sill

ADA Beach Access

Lakeshore Esplanade
12'-16' wide

Habitat Restoration

Day-Use Slips
(existing Docks-
modified)

Fixed Breakwater

Floating Breakwater /
Transient Moorage

Restroom Modifica-
tions-Laundry &
Meeting Room
Addition

Campground Pay
Station
RV Dump Station
RV Queue Lanes

Park Office &
Maintenance Center

Parking - 260+/- spaces
Gibson

Pre-School & School
Age Play Area

Splash Park

Nixon

Lakeside Trail

Community Center
or Mini-Golf

Parking - 34 spaces

Parking - 24 spaces

Boat Trailer Parking-
44 spaces

2 Lane Boat Launch
for Motorized Water-
craft

Marina Office /
Restrooms

Future Revenue
Potential.

Non-Motorized
Watercraft Launch

Sailing / Non-Motor-
ized Watercraft
Center & Watercraft
Rentals

Access to Campbell's
Shoreline

Non-Motorized
Watercraft/Rental
Docks

Cruise Boat Dock /
Transient Moorage

Marina-205+/- annual
rental slips

Don Morse Park Master Plan

Figure 2

Chelan, WA




1"=60'
0 15 30 60 90 120

Robert W. Dink, Landscape Architect, P.S.
04172 4/23/07

Public Access & Recreation

City of Chelan



Public Access, Parks, and Other Public Lands

- Parks
- Other Public and Protected Lands
- Boat Launch
- Campground
- Comm. Dock/Marina
- Fishing Access
- Horse Camp
- Marina
- Other Boating Facility
- Picnic Area
- RV Camp
- Ski Area
- SnoPark
- Swimming Area
- Trailhead
- Visitor Info Site
- Winter Rec. Facility

WDFW Fishing Easements

- Fishing Easement
- Fishing Easement with Boatlaunch
- Opportunity Areas
- Comments
- & Observations
- Potential ROW Access
- View Corridors



- Hiking Trails
- Proposed Trails
- Parcels
- Jurisdiction
- City Boundaries
- UGA Boundaries
- Railroads
- Highways

This page left intentionally blank



SHORELINE RESIDENTIAL (SF) SETBACK TIERS ON LAKE CHELAN

Chelan 01



September 26, 2014
Data: WA DNR, WA OFM,
Chelan County.
Aerial: 2011 USDA NAIP

Shoreline Residential Setback Tiers*


- Tier 1 (50')
- Tier 2 (25')
- Ordinary High Water Mark (OHWM)

- Highways
- Railroads
- Parcels

- City Boundaries
- UGA Boundaries
- WRIA Boundaries



* Shoreline setbacks are not applicable on lots separated from Lake Chelan by an improved road or by another parcel.

Shoreline jurisdiction boundaries depicted on this map are approximate. They have not been formally delineated or surveyed and are intended for planning purposes only. Additional site-specific evaluation may be needed to confirm/verify information shown on this map.



SHORELINE RESIDENTIAL (SF) SETBACK TIERS ON LAKE CHELAN

Chelan 02



September 26, 2014
Data: WA DNR, WA OFM,
Chelan County.
Aerial: 2011 USDA NAIP

Shoreline Residential Setback Tiers*

- Tier 1 (50')
- Tier 2 (25')
- Ordinary High Water Mark (OHWM)

- Highways
- Railroads
- Parcels

- City Boundaries
- UGA Boundaries
- WRIA Boundaries


* Shoreline setbacks are not applicable on lots separated from Lake Chelan by an improved road or by another parcel.

Shoreline jurisdiction boundaries depicted on this map are approximate. They have not been formally delineated or surveyed and are intended for planning purposes only. Additional site-specific evaluation may be needed to confirm/verify information shown on this map.



SHORELINE RESIDENTIAL (SF) SETBACK TIERS ON LAKE CHELAN

Chelan 03



September 26, 2014
Data: WA DNR, WA OFM,
Chelan County.
Aerial: 2011 USDA NAIP

Shoreline Residential Setback Tiers*

- Tier 1 (50')
- Tier 2 (25')
- Ordinary High Water Mark (OHWM)

- Highways
- Railroads
- Parcels

- City Boundaries
- UGA Boundaries
- WRIA Boundaries


* Shoreline setbacks are not applicable on lots separated from Lake Chelan by an improved road or by another parcel.

Shoreline jurisdiction boundaries depicted on this map are approximate. They have not been formally delineated or surveyed and are intended for planning purposes only. Additional site-specific evaluation may be needed to confirm/verify information shown on this map.



SHORELINE RESIDENTIAL (SF) SETBACK TIERS ON LAKE CHELAN

Chelan 04



September 26, 2014
Data: WA DNR, WA OFM,
Chelan County.
Aerial: 2011 USDA NAIP

Shoreline Residential Setback Tiers*

- Tier 1 (50')
- Tier 2 (25')
- Ordinary High Water Mark (OHWM)

- Highways
- Railroads
- Parcels

- City Boundaries
- UGA Boundaries
- WRIA Boundaries

* Shoreline setbacks are not applicable on lots separated from Lake Chelan by an improved road or by another parcel.

Shoreline jurisdiction boundaries depicted on this map are approximate. They have not been formally delineated or surveyed and are intended for planning purposes only. Additional site-specific evaluation may be needed to confirm/verify information shown on this map.

GUIDANCE FOR DEVELOPMENT OF VEGETATION MITIGATION PLANS



CHAPTER ONE	Site Evaluation	1
CHAPTER TWO	Planning Your Project	2
	<i>i. Existing Site Plan Example</i>	<i>3</i>
	<i>ii. Recommended Plants</i>	<i>6</i>
CHAPTER THREE	Installing your Project	8
CHAPTER FOUR	Maintenance and Monitoring	10

1

SITE EVALUATION

2

PLANNING YOUR
PROJECT

3

INSTALLING YOUR
PROJECT

4

MAINTENANCE &
MONITORINGWoods' rose / *Rosa woodsii*

SITE EVALUATION

It is important to perform a site evaluation. This evaluation process will generate site-specific information that will aid in the development of your planting plan. This worksheet is designed to record site information.

Project Contact: _____ Phone number: _____

Project Location: _____

Permit Number (if any): _____ Date: _____

Complete the table by checking the boxes that best describe the conditions on your site.

Table 1. Site assessment table

HYDROLOGY	Dry <input type="checkbox"/>	Moist <input type="checkbox"/>
LIGHT	Sun <input type="checkbox"/>	Shade <input type="checkbox"/>
TOPOGRAPHY	Flat <input type="checkbox"/>	Slope <input type="checkbox"/>
ASPECT	South-facing <input type="checkbox"/>	North-facing <input type="checkbox"/>
EXISTING VEGETATION	None (bare ground) <input type="checkbox"/>	Lawn <input type="checkbox"/>
	Invasive weeds <input type="checkbox"/>	Existing native plants <input type="checkbox"/>
	Ornamental/formal landscape <input type="checkbox"/>	

1

SITE EVALUATION

2

PLANNING YOUR
PROJECT

3

INSTALLING YOUR
PROJECT

4

MAINTENANCE &
MONITORING

Oregon Grape / Mahonia aquifolium

PLANNING YOUR PROJECT

A site plan is an important planning tool for your vegetation project. It is the blueprint that maps out and documents the location and extent of all the permanent elements outside of your home. These include dimensions of your property, house, yard, lawn, planting beds, swimming pool, and all other hard surfaces such as patio, deck, rockery, retaining wall and driveway, and which direction is north. Once the site plan is completed, you can better analyze the existing opportunities and constraints on your site.

On the next page you will find an example; a blank Existing Site Plan Worksheet is located at the end of this Appendix.

Using Scale: Use the graph paper provided to produce one sketch of your property. The drawing scale should be somewhat precise as you will use it for reference later. For smaller sites, use one grid square per foot. For larger areas, use one grid square for 2 feet, 5 feet or 10 feet depending on the size of the site. Record the scale that you are using on the worksheet and provide at least one written dimension on the plan to verify the scale.

DRAW YOUR SITE PLAN

- Start by drawing permanent structures such as the house/building footprint, driveway, walkways, etc. As needed, measure these to the nearest foot and draw them on the worksheet.
- Add existing vegetation such as lawn areas, large trees, and shrubs that will remain on the site.

1

SITE EVALUATION

2

PLANNING YOUR
PROJECT


3

INSTALLING YOUR
PROJECT

4

MAINTENANCE &
MONITORING

EXAMPLE OF EXISTING SITE PLAN



Scale: 1 grid (10 blocks) = 10 feet


DRAWING THE PLANTING PLAN

The most critical features to consider in your plan are height, light needs and site placement. The Recommended Plant List on page 7 contains information about each plant's ecological specifics, as well as aesthetic and practical considerations.

Each plant will need enough space to grow without being crowded out by other plants. Although small when installed, plants will eventually compete with each other for light, water and nutrients. The project will be more successful if plants are spaced properly. Recommended plant spacing is shown in the table below:

TYPE OF PLANT	AVERAGE SPACING
Trees	15' on-center
Shrubs	6' on-center
Groundcover/Perennials	3' on-center

STEPS TO DRAW YOUR PLAN



1. Copy your completed Existing Site Plan.
2. Determine which plants you are going to use. (See Recommended Plant List.)
3. Consult the Shoreline Master Program to identify specific requirements for species or type (tree, shrub, or groundcover), composition, and area of planting.
4. Draw a simple symbol for each plant. Put each symbol and the name of each plant in the legend. Symbol size should be scaled to on-center spacing (e.g. tree symbols should be 15' in diameter).
5. Lay out the trees first. Make sure to give them enough space. Then lay out the shrubs and groundcover.
6. Count up the number of plants by species and put a total in the legend.

1

SITE EVALUATION

2

PLANNING YOUR
PROJECT


3

INSTALLING YOUR
PROJECT

4

MAINTENANCE &
MONITORING

EXAMPLE OF PLANTING PLAN



CITY OF CHELAN RECOMMENDED SHORELINE NATIVE PLANT LIST

The following list of native plants are considered most suitable for revegetation plans on the shoreline of the City of Chelan; other native plants may be utilized provided the applicant provides documentation to the City verifying the species is native to the region. All of the below native trees, shrubs and groundcovers shall consist of large, commercially obtained nursery stock. They shall be planted and spaced a maximum of 15-foot centers for trees, 6-foot centers for shrubs, and 3-foot centers for groundcovers.

Plant Common Name (Scientific Name)	Plant Sizes (Height x Width)	Sun or Shade Exposure	Benefits - Humans, Wildlife, Environment
TREES			
Beaked Hazelnut (<i>Corylus cornuta</i>)	6-20 ft.	Sun to Part-Shade	<ul style="list-style-type: none"> Food-mammals, birds Binds soil
Black Hawthorn, Douglas Hawthorn (<i>Crataegus douglasii</i>)	25 ft. x 15 ft.	Sun	<ul style="list-style-type: none"> Food-wildlife, birds Cover-wildlife, birds Binds soil
Douglas-fir (<i>Pseudotsuga menziesii</i>)	100 ft. x 20 ft.	Sun to Part-Shade	<ul style="list-style-type: none"> Food (seeds)-birds Fast growing Canopy for shade Evergreen
Douglas Maple, Rocky Mountain Maple (<i>Acer glabrum</i> var. <i>douglasii</i>)	20 ft. x 15 ft.	Adaptable, Part- Shade	<ul style="list-style-type: none"> Food-birds Cover-wildlife Canopy for shade
Paper Birch (<i>Betula papyrifera</i>)	70+ ft.	Sun	<ul style="list-style-type: none"> Food-wildlife, birds Cover-wildlife, birds Binds soil
Ponderosa Pine (<i>Pinus ponderosa</i>)	140 ft. x 40 ft.	Sun	<ul style="list-style-type: none"> Food-birds Cover-wildlife Canopy for shade Evergreen
Rocky Mountain Juniper (<i>Juniperus scopulorum</i>)	15 ft. x 8 ft.	Sun	<ul style="list-style-type: none"> Food-birds, wildlife Cover - wildlife Canopy for shade Evergreen
Western Hemlock (<i>Tsuga heterophylla</i>)	50 ft. x 35 ft.	Part-Shade	<ul style="list-style-type: none"> Food (seeds)-birds Cover - wildlife Canopy for shade Evergreen
SHRUBS			
Blue Elderberry (<i>Sambucus nigra</i> ssp. <i>cerulea</i>)	10-12 ft.	Sun to Part-Shade	<ul style="list-style-type: none"> Food-birds, wildlife Binds soil
Chokecherry (<i>Prunus virginiana</i>)	25 ft. x 25 ft.	Sun	<ul style="list-style-type: none"> Food-birds Toxic to livestock Cover-wildlife
Mock Orange or Syringa (<i>Philadelphus lewisii</i>)	8 ft. x 6 ft.	Sun to Part-Shade	<ul style="list-style-type: none"> Food-wildlife Flowering shrub Pleasant scent

1	2	3	4
SITE EVALUATION	PLANNING YOUR PROJECT	INSTALLING YOUR PROJECT	MAINTENANCE & MONITORING
Plant Common Name (Scientific Name)	Plant Sizes (Height x Width)	Sun or Shade Exposure	Benefits - Humans, Wildlife, Environment
Oakleaf Sumac (<i>Rhus trilobata</i>)	6 ft. x 6 ft.	Sun	<ul style="list-style-type: none"> Bank stabilization Fire tolerant
Oceanspray (<i>Holodiscus discolor</i>)	8 ft. x 5 ft.	Part-Shade	<ul style="list-style-type: none"> Food-wildlife Binds soil Flowering shrub
Oregon Grape (<i>Mahonia aquifolium</i>)	6 ft. x 6 ft.	Part-Shade to Shade	<ul style="list-style-type: none"> Food-wildlife Cover-wildlife Edible berries Binds soil Evergreen
Redtwig Dogwood (<i>Cornus sericea</i>)	15 ft. x 15 ft.	Sun to Part-Shade	<ul style="list-style-type: none"> Berries-wildlife Cover-wildlife Landscaping
Smooth Sumac (<i>Rhus glabra</i>)	15 ft. x 10 ft.	Sun	<ul style="list-style-type: none"> Food-birds, wildlife Edible berries Binds soil
Snowberry (<i>Symphoricarpos albus</i>)	3 ft. x 3 ft.	Sun to Part-Shade	<ul style="list-style-type: none"> Food-wildlife Binds soil
Thimbleberry (<i>Rubus parviflorus</i>)	4 ft. x 4 ft.	Part-Shade to Shade	<ul style="list-style-type: none"> Food-birds, wildlife Cover-birds, wildlife Binds soil
Woods' Rose (<i>Rosa woodsii</i>)	6 ft. x 4 ft.	Sun to Part-Shade	<ul style="list-style-type: none"> Cover-wildlife Flowering shrub Does well in disturbed areas
GROUNDCOVER			
Creeping Oregon Grape (<i>Mahonia repens</i>)	1 ft. x 3 ft.	Sun to Part-Shade	<ul style="list-style-type: none"> Food-wildlife Edible berries Evergreen
Kinnikinnick (<i>Arctostaphylos uva ursi</i>)	12 in.	Sun to Part-Shade	<ul style="list-style-type: none"> Binds soil Evergreen
Western Sword Fern (<i>Polystichum munitum</i>)	3 ft.	Part-Shade to Shade	<ul style="list-style-type: none"> Binds soil Bank stabilization Evergreen

1

SITE EVALUATION

2

PLANNING YOUR
PROJECT

3

INSTALLING YOUR
PROJECT

4

MAINTENANCE &
MONITORING*Salal / Gaultheria shallon*

INSTALLING YOUR PROJECT

TIMING

The best time to plant native plants is from October to March. It is also important to only install plants when temperatures are above freezing. The establishment period helps plant viability, especially in areas where irrigation or precipitation is infrequent or absent.

INVASIVE VEGETATION

Where encountered, invasive weeds should be removed manually without the use of herbicide, except in rare cases when applied by a State licensed pesticide applicator and approved by the City. Manual removal can be accomplished by grubbing out plants and roots entirely (including seed pods, fruits, and leaves). The ideal time for removal is prior to flowering in spring or summer. If removal is to occur after flowering, it is recommended that flowers be cut off and disposed of prior to grubbing. Grubbed out materials should be disposed of off-site immediately, since many of these species are still capable of propagating post-removal. Do not use weed materials for mulch and do not put into compost.




MULCHES

Mulches are materials that are placed on top of the soil surface. Mulch can improve soil nutrients and water-holding capacity. Depending on site conditions, planting in full sun may require more mulch to help retain soil moisture.

TREE AND SHRUB PLANTING DETAIL

NOTES:

1. PLANTING PIT TO BE AT LEAST TWICE THE WIDTH OF ROOTBALL
2. LOOSEN ROOTS OF ROOT-BOUND PLANTS BEFORE PLANTING
3. SOAK PLANTING PIT BEFORE AND AFTER PLANTING
4. LARGE TREES AND SHRUBS MAY NEED TO BE STAKED



TREE AND SHRUB PLANTING SEQUENCE

1. Dig a pit for each plant that is twice the size of the root ball or plant container.
2. Remove large rocks and other debris from the pit.
3. Soak the pit with water by filling it at least half-way. Allow the water to drain before installing plant. Note that some pits may not fill if the soil is very sandy.
4. "Rough up" the roots of the plants, pruning or straightening circling roots. Roots that circle the bottom and sides of the root ball can later girdle the tree as the trunk attempts to grow outward.
5. Install the plant in the pit, backfilling as necessary such that soil surface matches the surrounding ground level. Make sure stem of the plant is at the same ground level that it was in the nursery pot.
6. Mulch each plant with 4 inches of coarse wood chip mulch (preferred) or raked leaves. Keep mulch a few inches away from the stem.
7. Water the plant again.



MAINTENANCE & MONITORING

WATERING

Providing adequate water to newly installed plants as they establish their root systems is vital to their survival and should be provided on a temporary basis only until the plants become established, generally three to five years. Once established, properly selected native plants should not require a permanent irrigation system.

Temporary irrigation systems that save water include soaker hoses and drip irrigation. Correct water placement is important. Ensuring that water is reaching the roots and surrounding soil without running off is the key. Generally, 1-2 inches of water per week is recommended. Avoid watering during the hottest part of the day because you will lose water to evaporation.

FERTILIZER

Fertilizer should not be applied within the shoreline setback. Research has shown that newly installed plants have undeveloped root systems which will not use fertilizer. If fertilizer is used, it will benefit weeds instead of your new plants.

WEEDING

Each installed plant should be kept free of weeds and grasses in a 24-inch-diameter circle around the stem. Weeds should be pulled by hand. Weed wackers should not be used around young plants because they can easily damage or kill developing plants. Herbicides generally should not be used in shoreline setbacks.

MONITORING YOUR PROJECT

Planting projects should be monitored over a five-year period, unless specifically stated otherwise in the SMP or permit documents, to verify that installed plants survive and that the performance standards are achieved. Mitigation measures must continue to be maintained beyond the 5-year monitoring period over the life of the use.

Monitoring reports must be submitted to the City at the ends of years 1, 3, and 5. These reports must include the following:

- As-built plans that document where plants were installed and any changes that were made to the permitted plans.
- Comprehensive photo documentation of site conditions. Photos should be taken from the same general location every year to allow for a comparison of vegetation growth, cover, and survival between years.
- Documentation of plant survival and progress toward meeting performance standards, detailed below.
- Discussion of any maintenance needed or conducted to meet performance standards.

PERFORMANCE STANDARDS

The City of Chelan’s SMP establishes a performance standard for survival of mitigation plantings.

A 100 percent survival standard applies to the first year post-installation. Typically, the plant supplier will warranty plants within the first year of growth. An 80 percent survival standard applies to years 3 and 5. Survival is calculated by counting each individual plant by species and comparing the results to the original planting plan. For example, if 8 snowberry plants were found alive and 10 were originally planted, the survival is 80 percent.

1

2

3

4

YOUR SITE & PLANTING PLAN

Notes:

Scale: