



CITY OF CHELAN

P.O. BOX 1669

135 E. JOHNSON ST.

CHELAN, WA 98816

(509)682-8017

(509)682-8050 (FAX)

POOL/SPA PERMIT APPLICATION

In order to process and review permit applications in a timely fashion, the documents and document descriptions listed on the following sheets are the minimum requirements necessary for permit submittal and review. The more information that is supplied, the easier it will be to review the project. *Failure to submit the required information will cause undue delay in the permit review process and, failure to include any of the documents or information listed will result in the City's being unable to accept the Building Permit Application.* If you should have any questions regarding the minimum requirements of submittal, please call the Building Department at (509)682-8017 prior to bringing the submittal package to the City.

CITY OF CHELAN BUILDING PERMIT APPLICATION DEPARTMENT OF CODE ADMINISTRATION P.O. BOX 1669 135 E. JOHNSON CHELAN, WA 98816 (509) 682-8017 or (509) 682-8050 (FAX)		DATE APPLIED
		PERMIT NO.
JOB SITE ADDRESS		JOB SITE PHONE
LEGAL DESCRIPTION		PARCEL NO.
NATURE OF WORK		LABOR AND MATERIALS \$
TYPE OF CONSTRUCTION: <input type="checkbox"/> New Commercial <input type="checkbox"/> Commercial Alteration <input type="checkbox"/> Commercial Addition <input type="checkbox"/> Mobile Home <input type="checkbox"/> New Residential <input type="checkbox"/> Residential Alteration <input type="checkbox"/> Residential Addition <input type="checkbox"/> Other <input type="checkbox"/> Multi-Family <input type="checkbox"/> Tenant Improvements <input type="checkbox"/> Foundation <input type="checkbox"/> Demolition Sq. Ft. _____ Start Date _____ Disposal Site _____		
APPLICANT'S NAME:		TELEPHONE:
		DAY (____) _____
MAILING ADDRESS: (STREET, P.O., CITY, STATE, ZIP)		CELL(____) _____
OWNER'S NAME:		TELEPHONE:
		DAY (____) _____
MAILING ADDRESS: (STREET, P.O., CITY, STATE, ZIP)		CELL(____) _____
CONTRACTOR'S NAME: (copy of contractor's registration card required):		TELEPHONE:
		DAY (____) _____
MAILING ADDRESS: (STREET, P.O., CITY, STATE, ZIP)		CELL (____) _____
CONTRACTOR'S LICENSE NO.	LICENSE EXPIRATION DATE:	CITY BUSINESS LICENSE NO. (REQUIRED)
ARCHITECT/DESIGNER'S NAME:		TELEPHONE:
		DAY (____) _____
MAILING ADDRESS: (STREET, P.O., CITY, STATE, ZIP)		CELL (____) _____
LENDING AGENCY NAME: (RCW 19.27.095)		TELEPHONE:
		DAY (____) _____
MAILING ADDRESS: (STREET, P.O., CITY, STATE, ZIP)		CELL (____) _____
<input type="checkbox"/> Sewer <input type="checkbox"/> Septic <input type="checkbox"/> New <input type="checkbox"/> Existing		Within 200 ft. of: ____ Lake ____ Stream
I hereby certify that I will pay all fees as required by law. I also hereby certify under penalty of perjury under the laws of the State of Washington that the above answers are true and complete to the best of my knowledge. I understand that the lead agency is relying on them to make its decision.		
_____ Date Submitted: _____		_____ Date Submitted: _____
Applicant Signature		Authorized Agent Signature
Print Name _____		Print Name _____
Place Where Signed: _____, WA		Place Where Signed: _____, WA

OWNERSHIP CERTIFICATION

I, _____, hereby certify that I am the major property owner(s) or officer of the corporation owning the property described in the attached application. I also hereby certify under penalty of perjury under the laws of the State of Washington that this application and that the statements, answers, and information are in all respects true and correct to the best of my knowledge and belief. I have also familiarized myself with the rules and regulations of the City of Chelan

Property Address: _____ Project Desc.: _____

Mailing Address: _____

City and State: _____ Zip Code: _____

Phone: _____

Signature: _____

Date: _____

For: _____

Parcel No.: _____

(Corporation or company name)

ACKNOWLEDGMENT

State of Washington)

)

County of Chelan)

On this day personally appeared before me _____ to be known to be the individual described in and who executed the within and foregoing instrument and acknowledge to me that (*he, she, they*) signed the same as (*his, her, their*) free and voluntary act and deed for the uses and purposes therein mentioned.

NOTARY PUBLIC in and for the State of Washington

Printed Name: _____

Commission Expires: _____

Residing in: _____

Date: _____

Other property owners included in this application must be listed below: (attach additional sheet if necessary)

Name: _____ Signature: _____

Address: _____ City/State: _____ Zip: _____

CITY OF CHELAN

SUBMITTAL REQUIREMENTS
SWIMMING POOL/SPA BUILDING PERMIT

The following items must be provided in order to properly apply for a building permit. **Plans and application must be returned to applicant if information is incomplete.** The applicable department director may require additional information or materials when necessary to augment a permit application.

Please submit one (1) complete electronic sets of plans, one (1) paper set of plans AND one (1) site plans.

Please place check marks by completed items and write N/A by those that do not apply.

I. DOCUMENTS AND/OR INFORMATION:

- Building Permit Application Form
- Copy of deed with legal description of property
- Completed Ownership Certification Form
- Copy of Washington State Contractor's Registration
- Environmental Checklist: (Required if site contains a wetland, floodplain, lake, or other resource).
- Critical Areas special studies may be required for any/all of the following:
 1. Flood hazards.
 2. Landslide hazards
 3. Steep slope hazards
 4. Wetlands

II. PLANS AND DRAWINGS:

- Format** - All drawings submitted, except site plans, shall conform to the following requirements:
 - Sheet size - 11"x17" or 18"x24" or 24"x36" or 30"x42"
 - Scale:
 1. Unless site size dictates a different scale, site plan drawings shall be 1"=20' or 1"=30'.
 2. Architectural plans shall be 1/4"=1' unless impractical.
 - North arrow - all drawings shall include a north arrow

III. DESCRIPTION OF SUBMITTAL DRAWINGS

- Site Plan (**1 SET**)
- Indicate scale by bar graph.
- Property lines: Show the location and dimensions.
- Streets and alleys: Show location and name of all streets and alleys adjacent to the site.
- Easements: Show the location for all existing and proposed utility, drainage, native growth protection and access easements and/or private roads; draw to scale and accurately dimension.
- Existing and proposed structures: Show location, dimension and use of all existing and proposed buildings and structures on the site; show distances to property lines.
- Land use code setbacks: Show front, side, rear and street setbacks (if applicable). Designate which are the front, side and rear property lines.
- Walls and fences: Indicate location, length and height.

_____ Indicate all existing and proposed retaining structures and/or rockeries. Show maximum heights.

_____ Dark Sky Ordinance: Indicate arrangement of outdoor lighting fixtures and accent lighting and the aiming of lights downward onto the ground surface.

Elevations

_____ Show elevations from north, south, east and west; provide finished floor level for each floor; show existing and proposed grades; show maximum building height; show maximum site slope.

_____ Decks and porches: Indicate height of guardrails and spacing of intermediate railing. Show rise/run of stairs with handrail grasp dimension and height above nosing of stair tread.

_____ Dark Sky Ordinance: Indicate arrangement of outdoor lighting fixtures and accent lighting and the aiming of lights downward onto the ground surface.

Foundation

_____ Foundation Wall: Show foundation plan, shape, all dimensions; include maximum wall height(s) and all connections. Provide typical foundation sections at various points around the foundation system.

_____ Posts and Footings: Show location and size of posts and footings.

_____ Retaining Walls: Retaining structures in excess of 4' in height require engineered design with calculations.

_____ Engineered Foundation: Stamped engineered plans with calculations are required for non-conventional foundation systems and/or sites with special soil conditions.

Dark Sky

Demonstrate compliance with the dark sky ordinance with no light trespass.

Quartz and vapor lamps are prohibited. See elevation drawings and site plan requirements.

Setbacks

All swimming pools must be located behind the front yard setback line and the yard or area around them must be enclosed by a fence of not less than five feet in height. At least a five-foot (5) setback from all side and rear property lines must be maintained.

Residential Single Family Zone:

Front-yard: 25 feet; rear-yard: 20 feet; side yards: 5 feet

Multi-Family Residential Zone:

Front-yard: 20 feet; rear-yard: 20 feet; side yards: 5 feet

Design Minimums

Roof Snow Load - 35 lb. PSF

Ground Snow Load – 45 lb. PSF

Wind speed - 85 M.P.H,

Exposure “C” Typical

Seismic Zone - C

Climate Zone - 2

Frost Line - 18 Inches

PLEASE REFER TO THE INTERNATIONAL RESIDENTIAL CODE, CURRENT EDITION AND CITY OF CHELAN ORDINANCES FOR CODE REQUIREMENTS.

NOTE: Garages and accessory buildings require the same design information requested on pages 1-4.

PLUMBING PERMIT is required for:

- All fixtures (sink, toilet, shower, bathtub, etc.)
- Water heater
- Hose Bibbs (lawn and garden hose attachment)
- Automatic lawn sprinkler systems (vacuum breaker information needed, double check valves are not currently allowed)
- If applicable, please show their location on the building floor plans.

MECHANICAL PERMITS are required for:

- Furnace
- Heat pumps
- Fireplace inserts/wood stoves (certified units allowed only)
- Gas Piping
- Exhaust Fans
- Dryer vents (location of dryers limited to 14' maximum length of duct)

ELECTRICAL PERMITS are issued by the Washington State Department of Labor and Industries. Please call (509) 886-6500.

HEALTH DEPARTMENT SEPTIC APPROVAL must be provided if you are not hooking up to a sewer system. Please call (509) 886-6450.

CRITICAL AREAS such as wetlands, shoreline and lots with steep slopes may require an Engineer's report to be submitted at the time you generate your application. A counter permit technician will help you determine if this applies to your project.

EMERGENCY VEHICLE ACCESS (EV ACCESS) is required when any exterior wall of the first floor is more than 150 feet from the road providing access to your property. In addition, a turn around area may be required for Fire Department vehicles as well as a paved surface for access grades greater than 12%.

ADDITIONAL INFORMATION may be required if there are any other special conditions that apply to your building site.



CITY OF CHELAN

Cross Connection Control Survey

FOR NEW CONSTRUCTION OR PLUMBING PERMIT APPLICATIONS ONLY

1. What is the site address? _____
2. Your water meter serves how many homes? _____ How many buildings? _____
3. Do you have any of the following?

a. Swamp cooler connected to piping	Yes <input type="checkbox"/>	No <input type="checkbox"/>
b. Hot tub (fills with a hose or automatic filler)	Yes <input type="checkbox"/>	No <input type="checkbox"/>
c. Swimming pool	Yes <input type="checkbox"/>	No <input type="checkbox"/>
d. Underground sprinkler system	Yes <input type="checkbox"/>	No <input type="checkbox"/>
e. Drip irrigation system	Yes <input type="checkbox"/>	No <input type="checkbox"/>
f. Greenhouse	Yes <input type="checkbox"/>	No <input type="checkbox"/>
g. Solar water heating system	Yes <input type="checkbox"/>	No <input type="checkbox"/>
h. Water makeup lines (boiler, hydronic heating)	Yes <input type="checkbox"/>	No <input type="checkbox"/>
i. Utility sink with threaded faucet (hose attachment)	Yes <input type="checkbox"/>	No <input type="checkbox"/>
j. Fire sprinkler system	Yes <input type="checkbox"/>	No <input type="checkbox"/>
k. Unknown, unidentifiable or complicated piping	Yes <input type="checkbox"/>	No <input type="checkbox"/>
4. Do you use:

a. Antifreeze flush kits with your automobile	Yes <input type="checkbox"/>	No <input type="checkbox"/>
b. Insecticide sprayers (that attach to a garden hose)	Yes <input type="checkbox"/>	No <input type="checkbox"/>
c. Darkroom or photo developing equipment	Yes <input type="checkbox"/>	No <input type="checkbox"/>
d. Fill adapters for waterbed, fish tank or other	Yes <input type="checkbox"/>	No <input type="checkbox"/>
5. Does anyone on the premise use a portable dialysis machine? Yes No
6. Do you have a bathtub/Jacuzzi that fills from the bottom or does not have an overflow drain or the fill spout is not above the tub rim? Yes No
7. Do you have a water softener or any other water treatment system connected to your drinking water supply? Yes No
8. Do you have auxiliary water supply (i.e. well, pond) on your premises? Yes No
9. Do you have livestock (i.e., horses, cows, etc.) that use a water trough? Yes No
10. Is the water piping that enters your home more than 10 feet above your water meter? Yes No
11. Does a creek, river, or spring run near your property?

a. Do you pump or draw water from this source?	Yes <input type="checkbox"/>	No <input type="checkbox"/>
	Yes <input type="checkbox"/>	No <input type="checkbox"/>
12. Do you have a booster pump, well pump, or any other type of water pump? Yes No

13. Do you receive irrigation water from a different source? Yes No
14. Do you have a backflow preventer on your property now? Yes No
If yes, where? _____
15. Do you have any situation that you are aware of that could create a connection between your drinking water and any other substance? Yes No
16. Do you have any other water using equipment on your property not mentioned above? Yes No

Comments: _____

Please notify the City of Chelan if any of the above conditions change on your property such as remodeling, changes or additions to your water piping system.

Signature of Water Customer/ Owner

Phone Number

Print Your Name

Best time to call or alternate contact

Today's Date

Your mailing address:

Physical address of property (if different):

Please answer all of the above questions and return it to the City of Chelan Planning Department. This form will be kept on file at the City of Chelan. If you have any questions please call us at (509) 682-5919 or Lee Reynolds at (509) 630-0921

APPENDIX G

SWIMMING POOLS, SPAS AND HOT TUBS

(The provisions contained in this appendix are not mandatory unless specifically referenced in the adopting ordinance.)

SECTION AG101 GENERAL

AG101.1 General. The provisions of this appendix shall control the design and construction of swimming pools, spas and hot tubs installed in or on the *lot* of a one- or two-family dwelling.

AG101.2 Pools in flood hazard areas. Pools that are located in flood hazard areas established by Table R301.2(1), including above-ground pools, on-ground pools and in-ground pools that involve placement of fill, shall comply with Sections AG101.2.1 or AG101.2.2.

Exception: Pools located in riverine flood hazard areas which are outside of designated floodways.

AG101.2.1 Pools located in designated floodways. Where pools are located in designated floodways, documentation shall be submitted to the *building official*, which demonstrates that the construction of the pool will not increase the design flood elevation at any point within the *jurisdiction*.

AG101.2.2 Pools located where floodways have not been designated. Where pools are located where design flood elevations are specified but floodways have not been designated, the applicant shall provide a floodway analysis that demonstrates that the proposed pool will not increase the design flood elevation more than 1 foot (305 mm) at any point within the *jurisdiction*.

SECTION AG102 DEFINITIONS

AG102.1 General. For the purposes of these requirements, the terms used shall be defined as follows and as set forth in Chapter 2.

ABOVE-GROUND/ON-GROUND POOL. See "Swimming pool."

BARRIER. A fence, wall, building wall or combination thereof which completely surrounds the swimming pool and obstructs access to the swimming pool.

HOT TUB. See "Swimming pool."

IN-GROUND POOL. See "Swimming pool."

RESIDENTIAL. That which is situated on the premises of a detached one- or two-family dwelling or a one-family *townhouse* not more than three stories in height.

SPA, NONPORTABLE. See "Swimming pool."

SPA, PORTABLE. A nonpermanent structure intended for recreational bathing, in which all controls, water-heating and water-circulating *equipment* are an integral part of the product.

SWIMMING POOL. Any structure intended for swimming or recreational bathing that contains water over 24 inches (610

mm) deep. This includes in-ground, above-ground and on-ground swimming pools, hot tubs and spas.

SWIMMING POOL, INDOOR. A swimming pool which is totally contained within a structure and surrounded on all four sides by the walls of the enclosing structure.

SWIMMING POOL, OUTDOOR. Any swimming pool which is not an indoor pool.

SECTION AG103 SWIMMING POOLS

AG103.1 In-ground pools. In-ground pools shall be designed and constructed in conformance with ANSI/NSPI-5 as listed in Section AG108.

AG103.2 Above-ground and on-ground pools. Above-ground and on-ground pools shall be designed and constructed in conformance with ANSI/NSPI-4 as listed in Section AG108.

AG103.3 Pools in flood hazard areas. In flood hazard areas established by Table R301.2(1), pools in coastal high hazard areas shall be designed and constructed in conformance with ASCE 24.

SECTION AG104 SPAS AND HOT TUBS

AG104.1 Permanently installed spas and hot tubs. Permanently installed spas and hot tubs shall be designed and constructed in conformance with ANSI/NSPI-3 as listed in Section AG108.

AG104.2 Portable spas and hot tubs. Portable spas and hot tubs shall be designed and constructed in conformance with ANSI/NSPI-6 as listed in Section AG108.

SECTION AG105 BARRIER REQUIREMENTS

AG105.1 Application. The provisions of this chapter shall control the design of barriers for residential swimming pools, spas and hot tubs. These design controls are intended to provide protection against potential drownings and near-drownings by restricting access to swimming pools, spas and hot tubs.

AG105.2 Outdoor swimming pool. An outdoor swimming pool, including an in-ground, above-ground or on-ground pool, hot tub or spa shall be surrounded by a barrier which shall comply with the following:

1. The top of the barrier shall be at least 48 inches (1219 mm) above *grade* measured on the side of the barrier which faces away from the swimming pool. The maximum vertical clearance between grade and the bottom of

- the barrier shall be 2 inches (51 mm) measured on the side of the barrier which faces away from the swimming pool. Where the top of the pool structure is above grade, such as an above-ground pool, the barrier may be at ground level, such as the pool structure, or mounted on top of the pool structure. Where the barrier is mounted on top of the pool structure, the maximum vertical clearance between the top of the pool structure and the bottom of the barrier shall be 4 inches (102 mm).
2. Openings in the barrier shall not allow passage of a 4-inch-diameter (102 mm) sphere.
 3. Solid barriers which do not have openings, such as a masonry or stone wall, shall not contain indentations or protrusions except for normal construction tolerances and tooled masonry joints.
 4. Where the barrier is composed of horizontal and vertical members and the distance between the tops of the horizontal members is less than 45 inches (1143 mm), the horizontal members shall be located on the swimming pool side of the fence. Spacing between vertical members shall not exceed 1³/₄ inches (44 mm) in width. Where there are decorative cutouts within vertical members, spacing within the cutouts shall not exceed 1³/₄ inches (44 mm) in width.
 5. Where the barrier is composed of horizontal and vertical members and the distance between the tops of the horizontal members is 45 inches (1143 mm) or more, spacing between vertical members shall not exceed 4 inches (102 mm). Where there are decorative cutouts within vertical members, spacing within the cutouts shall not exceed 1³/₄ inches (44 mm) in width.
 6. Maximum mesh size for chain link fences shall be a 2¹/₄-inch (57 mm) square unless the fence has slats fastened at the top or the bottom which reduce the openings to not more than 1³/₄ inches (44 mm).
 7. Where the barrier is composed of diagonal members, such as a lattice fence, the maximum opening formed by the diagonal members shall not be more than 1³/₄ inches (44 mm).
 8. Access gates shall comply with the requirements of Section AG105.2, Items 1 through 7, and shall be equipped to accommodate a locking device. Pedestrian access gates shall open outward away from the pool and shall be self-closing and have a self-latching device. Gates other than pedestrian access gates shall have a self-latching device. Where the release mechanism of the self-latching device is located less than 54 inches (1372 mm) from the bottom of the gate, the release mechanism and openings shall comply with the following:
 - 8.1. The gate mechanism shall be located on the pool side of the gate at least 3 inches (76 mm) below the top of the gate; and
 - 8.2. The gate and barrier shall have no opening larger than 1/2 inch (12.7 mm) within 18 inches (457 mm) of the release mechanism.
 9. Where a wall of a *dwelling* serves as part of the barrier, one of the following conditions shall be met:
 - 9.1. The pool shall be equipped with a powered safety cover in compliance with ASTM F 1346; or
 - 9.2. Doors with direct access to the pool through that wall shall be equipped with an alarm which produces an audible warning when the door and/or its screen, if present, are opened. The alarm shall be listed and *labeled* in accordance with UL 2017. The deactivation switch(es) shall be located at least 54 inches (1372 mm) above the threshold of the door; or
 - 9.3. Other means of protection, such as self-closing doors with self-latching devices, which are *approved* by the governing body, shall be acceptable as long as the degree of protection afforded is not less than the protection afforded by Item 9.1 or 9.2 described above.
 10. Where an above-ground pool structure is used as a barrier or where the barrier is mounted on top of the pool structure, and the means of access is a ladder or steps:
 - 10.1. The ladder or steps shall be capable of being secured, locked or removed to prevent access; or
 - 10.2. The ladder or steps shall be surrounded by a barrier which meets the requirements of Section AG105.2, Items 1 through 9. When the ladder or steps are secured, locked or removed, any opening created shall not allow the passage of a 4-inch-diameter (102 mm) sphere.

AG105.3 Indoor swimming pool. Walls surrounding an indoor swimming pool shall comply with Section AG105.2, Item 9.

AG105.4 Prohibited locations. Barriers shall be located to prohibit permanent structures, *equipment* or similar objects from being used to climb them.

AG105.5 Barrier exceptions. Spas or hot tubs with a safety cover which complies with ASTM F 1346, as listed in Section AG107, shall be exempt from the provisions of this appendix.

SECTION AG106 ENTRAPMENT PROTECTION FOR SWIMMING POOL AND SPA SUCTION OUTLETS

AG106.1 General. Suction outlets shall be designed and installed in accordance with ANSI/APSP-7.

SECTION AG107 ABBREVIATIONS

AG107.1 General.

ANSI—American National Standards Institute
11 West 42nd Street
New York, NY 10036

APSP—Association of Pool and Spa Professionals
NSPI—National Spa and Pool Institute
2111 Eisenhower Avenue
Alexandria, VA 22314

ASCE—American Society of Civil Engineers
1801 Alexander Bell Drive
Reston, VA 98411-0700

ASTM—ASTM International
100 Barr Harbor Drive,
West Conshohocken, PA 19428

UL—Underwriters Laboratories, Inc.
333 Pfingsten Road
Northbrook, IL 60062-2096

SECTION AG108 STANDARDS

AG108.1 General.

ANSI/NSPI

ANSI/NSPI-3-99 Standard for
Permanently Installed Residential Spas AG104.1

ANSI/NSPI-4-99 Standard for Above-ground/
On-ground Residential Swimming Pools AG103.2

ANSI/NSPI-5-2003 Standard for
Residential In-ground Swimming Pools. AG103.1

ANSI/NSPI-6-99 Standard for
Residential Portable Spas AG104.2

ANSI/APSP

ANSI/APSP-7-06 Standard for Suction Entrapment
avoidance in Swimming Pools, Wading Pools, Spas,
Hot Tubs and Catch Basins. AG106.1

ASCE

ASCE/SEI-24-05 Flood Resistant
Design and Construction AG103.3

ASTM

ASTM F 1346-91 (2003) Performance
Specification for Safety Covers and Labeling
Requirements for All Covers for Swimming Pools,
Spas and Hot Tubs AG105.2, AG105.5

UL

UL 2017-2000 Standard for General-purpose
Signaling Devices and Systems—with Revisions
through June 2004 AG105.2



Public Works Department

50 Chelan Falls Hwy
Chelan, Washington 98816

(509) 682-8030
Fax (509) 682-8035

WASHINGTON STATE CERTIFIED BACKFLOW ASSEMBLY TESTERS

The following list sets forth Backflow Assembly Testers, certified by the State of Washington Department of Health, working in this area and was provided to Public Works by the Department of Health. The customer is responsible for investigation of the qualifications of the individual backflow assembly testers listed and for entering into any testing and inspection agreement in order to comply with Public Works' cross connection control regulations.

Public Works takes no position in regard to recommendation or endorsement of those listed.

Stanley M. Simmons – Cert. #B1526
ACCURATE BACKFLOW N.W.
200 S. Columbia Street
Wenatchee, WA 98801
Phone: (509) 662-5881

Daniel Lessard – Cert. #B5221
VALVE DOCTOR
734 Kittitas Street
Wenatchee, WA 98801
Phone: (509) 662-4794

William Wilson – Cert. #B1295
INLAND FIRE PROTECTION, INC.
801 Piere Street
Wenatchee, WA 98801
Phone: (509) 884-6717

Thomas Hurst – Cert. #B2633
DOMESTIC WATER SAFETY
807 N. Jennifer Lane
East Wenatchee, WA 98802
Phone: (509) 886-4217

Shane Davis – Cert. #B1748
Jeff Long – Cert. #B4267
Ernest Reynolds II – Cert. #B5231
PLUMBCO, Inc
229 E. Peters Street
Wenatchee, WA 98801
Phone: (509) 662-0180